

PRICE ONE SHILLING.

No. 60.

1871.



A WHOLESALE LIST
OF
NEW
BEAUTIFUL AND RARE
PLANTS

OFFERED BY

WILLIAM BULL, F.L.S., F.R.G.S.,
F.R.H.S., F.R.B.S., and F.A.S.L.,

SOC. HORT. BEROL., BRUXELL. ET PARIS,
ET SOC. AGRIC. ET BOT. GANDAV. SOCIUS,

NEW PLANT MERCHANT.

KING'S ROAD, CHELSEA

LONDON, S.W.

NOV 29 1932

Presented to the L. H. Bailey Hortorium
by the Missouri Botanical Garden, 1972.

NOV 29 1932

SHOUT
SHARE IT





Mr. WILLIAM BULL'S ESTABLISHMENT FOR NEW AND RARE PLANTS

Is under the distinguished patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN.
HIS ROYAL HIGHNESS THE PRINCE OF WALES.
HER ROYAL HIGHNESS THE CROWN PRINCESS OF PRUSSIA.
HIS MAJESTY THE EMPEROR OF RUSSIA.
HIS MAJESTY THE KING OF SWEDEN.
HIS HIGHNESS THE VICEROY OF EGYPT.
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND.

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND.
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND.

His Grace the LORD ARCHBISHOP OF CANTERBURY

His Grace the LORD ARCHBISHOP OF ARMAGH

His Grace the DUKE OF DEVONSHIRE

His Grace the DUKE OF BEDFORD

His Grace the DUKE OF HAMILTON

His Grace the DUKE OF BUCCLEUCH

His Grace the DUKE OF ROXBURGHE

His Grace the DUKE OF PORTLAND

His Grace the DUKE OF NORTHUMBERLAND

His Grace the DUKE OF ABERCORN

His Grace the DUKE OF SUTHERLAND

Her Grace the DOWAGER DUCHESS OF GRAFTON

Her Grace the DOWAGER DUCHESS OF RICHMOND

The Most Hon. the MARQUIS OF HUNTLY

The Most Hon. the MARQUIS OF LANSDOWNE

The Most Hon. the MARQUIS OF BUTE

The Most Hon. the MARQUIS OF WATERFORD

The Most Hon. the MARQUIS OF DOWNSHIRE

The Most Hon. the MARQUIS OF DROGHEDA

The Most Hon. the MARQUIS OF NORTHAMPTON

The Most Hon. the MARQUIS OF ANGLESEY

The Most Hon. the MARQUIS OF LONDONDERRY

The Most Hon. the DOWAGER MARCH. OF ELY

The Most Hon. the DOWAGER MARCH. OF NORMANBY

The Right Hon. the EARL PERCY, M.P.

The Right Hon. the EARL OF SHREWSBURY & TALBOT

The Right Hon. the EARL OF DERBY

The Right Hon. the EARL OF PEMBROKE

The Right Hon. the EARL OF DEVON

The Right Hon. the EARL OF WESTMORELAND

The Right Hon. the EARL OF LINSEY

The Right Hon. the EARL OF CHESTERFIELD

The Right Hon. the EARL OF SANDWICH

The Right Hon. the EARL OF JERSEY

The Right Hon. the EARL POULETT

The Right Hon. the EARL OF CRAWFORD AND BALCARRES

The Right Hon. the EARL OF STRATHMORE AND KINGHORNE

The Right Hon. the EARL OF KELIE

The Right Hon. the EARL OF GALLOWAY

The Right Hon. the EARL OF KINNOULL

The Right Hon. the EARL OF SEAFIELD

The Right Hon. the EARL OF HOPETOUN

The Right Hon. the EARL OF DARTMOUTH

The Right Hon. the EARL OF AYLFORD

The Right Hon. the EARL OF MACCLESFIELD

The Right Hon. the EARL OF ASHURNHAM

The Right Hon. the EARL OF RADNOR

The Right Hon. the EARL OF MANSFIELD

The Right Hon. the EARL OF ABERGAVENNY

The Right Hon. the EARL OF HOWTH

The Right Hon. the EARL OF SEFTON

The Right Hon. the EARL OF MAYO

The Right Hon. the EARL OF ANTRIM

The Right Hon. the EARL ANNESLEY

The Right Hon. the EARL OF ERNE

The Right Hon. the EARL OF CLONMELL

The Right Hon. the EARL OF CALEDON

The Right Hon. the EARL OF BANDON

The Right Hon. the EARL GREY

The Right Hon. the EARL MANVERS

The Right Hon. the EARL OF HAREWOOD

The Right Hon. the EARL BEAUCHAMP

The Right Hon. the EARL BROWNLOW

The Right Hon. the EARL OF DUNRAVEN

The Right Hon. the EARL VANE

The Right Hon. the EARL AMHERST

The Right Hon. the EARL OF CAWDOR

The Right Hon. the EARL OF CAMPERDOWN

The Right Hon. the EARL OF LICHFIELD

The Right Hon. the EARL OF DURHAM

The Right Hon. the EARL OF YARBOROUGH

The Right Hon. the EARL OF LEICESTER

The Right Hon. the EARL OF ZETLAND

The Right Hon. the EARL OF DARTREV

The Right Hon. the COUNTESS OF BANDON

The Right Hon. LORD EDWARD G. F. HOWARD, M.P.

The Right Hon. LORD H. G. C. GORDON-LENNOX, M.P.

The Right Hon. LORD GEORGE J. MANNERS

The Right Hon. VISCOUNT FALMOUTH

The Right Hon. VISCOUNT DILLON

The Right Hon. VISCOUNT GAGE

The Right Hon. VISCOUNT POWERSCOURT

The Right Hon. VISCOUNT DONERAILE

The Right Hon. VISCOUNT STRATFORD DE REDCLIFFE

The Right Hon. VISCOUNT EVERSLEY

The Right Hon. VISCOUNT HALIFAX

The Right Hon. VISCOUNT BRIDPORT

The Right Hon. VISCOUNT HOLMESDALE, M.P.

The Hon. and Rev. LORD JOHN THYNNE, D.D.

The Right Rev. the LORD BISHOP OF WINCHESTER

The Right Rev. the LORD BISHOP OF BATH AND WELLS

The Right Rev. the LORD BISHOP OF SALISBURY

The Right Hon. the LADY CHARLOTTE DENISON

The Right Hon. the LADY MILDRED A. C. HOPE

The Right Hon. the LADY DOROTHY F. NEVILL

The Right Hon. the LADY LOUISA M. A. TENISON

The Right Hon. LORD HERRIES

The Right Hon. LORD KINNAIRD

The Right Hon. LORD MIDDLETON

The Right Hon. LORD SONDES

The Right Hon. LORD SCARSDALE

The Right Hon. LORD BOSTON

The Right Hon. LORD SUFFIELD

The Right Hon. LORD BOLTON

The Right Hon. LORD ROKBY

The Right Hon. LORD HENNIKER

LIST OF PATRONS—Continued.

The Right Hon. LORD CLARINA
The Right Hon. LORD WALLSCOURT
The Right Hon. LORD CREWE
The Right Hon. LORD DELAMERE
The Right Hon. LORD CAREW
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD DE-MAULEY
The Right Hon. LORD WENLOCK
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LURGAN
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD OVERSTONE
The Right Hon. LORD TRURO
The Right Hon. LORD AVELAND
The Right Hon. LORD FERMOY
The Right Hon. LORD CHESHAM
The Right Hon. LORD TREDEGAR
The Right Hon. LORD EGERTON OF TATTON
The Right Hon. LORD WESTBURY
The Right Hon. LORD PENRHYN
The Right Hon. LORD KESTEVEN
The Right Hon. LORD ORMATHWAITE
The Hon. and Reverend A. G. STUART
The Right Hon. the DOWAGER LADY CLINTON
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
The Right Hon. SIR ROBERT PEEL, BART., M.P.
The Right Hon. SIR W. GIBSON-CRAIG, BART.
The Right Hon. SIR JOHN TAYLOR COLERIDGE
The Right Hon. SIR LAURENCE PEEL
The Right Hon. SIR MAZIERE BRADY, BART.
The Right Hon. R. A. C. NISBET HAMILTON
The Right Hon. JOHN EVELYN DENISON, M.P.
The Right Hon. H. B. BRAND, M.P.
The Right Hon. GATHORNE HARDY, M.P.
The Hon. ABRAHAM BREWSTER
The Hon. SIR SAMUEL MARTIN
The Hon. LAURENCE HARMAN KING-HARMAN
The Hon. E. S. PARKER JERVIS
The Hon. SIR JOHN DUNCAN BLIGH, K.C.B., D.C.L.
The Hon. and Reverend FREDERICK BARING
SIR GEORGE MUSGRAVE, BART.
SIR PHILIP DE-MALPAS GREY-EGERTON, BART., M.P.
SIR JOHN HARPUR-CREWE, BART.
SIR CHARLES E. ISHAM, BART.
SIR HENRY F. EVERY, BART.
SIR JOHN H. THOROLD, BART.
SIR THOMAS DYKE ACLAND, BART.
SIR FRANCIS SLUCKBURGH, BART., F.R.S.
SIR TREVOR WHEELER, BART.
SIR THOMAS WHICHCOTE, BART.
SIR GEORGE S. JENKINSON, BART., M.P.
SIR ROWLAND STANLEY-ERRINGTON, BART.
SIR EDWARD BLACKETT, BART.
SIR JOHN W. RAMSDEN, BART., M.P.
SIR W. C. BRUCE-BRUCE, BART.
SIR K. S. MACKENZIE, BART.
SIR HUGH HUME-CAMPBELL, BART.
SIR WILLIAM JARDINE, BART.
SIR JOHN HERON-MAXWELL, BART.
SIR JOHN PRINGLE, BART.
SIR J. N. LUDFORD-CHETWODE, BART.
SIR W. M. MILNER, BART.
SIR H. B. P. ST. JOHN-MILDMAY, BART.
SIR W. H. SMITH-MARRIOTT, BART.
SIR OSWALD MOSLEY, BART.
SIR ROBERT AFFLECK, BART.
SIR GEO. E. M. TAPPS-GERVIS, BART.
SIR JOSEPH H. HAWLEY, BART.
SIR JOHN V. B. JOHNSTONE, BART., M.P.
SIR JOHN W. CRADOCK-HARTOPP, BART.
SIR WILLIAM HENRY ROGER PALMER, BART.
SIR BENJAMIN J. CHAPMAN, BART.
SIR AUGUSTUS RIVERSDALE WARREN, BART.
SIR MONTAGUE JOHN CHOLMELEY, BART., M.P.
SIR ALEXANDER RAMSAY, BART.
SIR HENRY T. TYRWHITT, BART.
SIR HUGH SEYMOUR BLANE, BART.
SIR WILLIAM PAYNE-GALLWEY, BART., M.P.
SIR WILLIAM WELLESLEY KNIGHTON, BART.
SIR G. N. BROKE-MIDDLETON, BART., C.B.
SIR F. H. HERVEY-BATHURST, BART.
SIR EDWARD C. KERRISON, BART., M.P.
SIR CHARLES H. LOWTHER, BART.
SIR GEORGE R. PHILIPS, BART.
SIR G. MACPHERSON GRANT, BART.
SIR IVOR BERTIE GUEST, BART.
SIR THOMAS F. BUXTON, BART.
SIR W. B. PARKER, BART.
SIR WILLIAM H. PEILDEN, BART.
SIR ANTHONY ROTHSCHILD, BART.
SIR JOSEPH RUSSELL BAILEY, BART., M.P.
SIR CHARLES LOCOCK, BART.
SIR J. H. GREVILLE SMYTH, BART.
The Rev. SIR H. J. INGILBY, BART.
SIR CHARLES MILLS, BART.
SIR JAMES WALKER, BART.
SIR ROBERT WESLEY, K.C.B.
SIR WILLIAM HUTT, K.C.B.
SIR ROUNDELL PALMER, Q.C., M.P.
SIR EDWARD S. WALKER, F.R.S.
SIR WILLIAM G. ARMSTRONG, F.R.S.
SIR JOHN BROWN
The DOWAGER LADY BAILEY
The LADY CULLUM
The ROYAL BOTANIC GARDENS, KEW
The ROYAL HORTICULTURAL GARDENS, KENSINGTON
The ROYAL BOTANIC GARDENS, REGENT'S PARK
The ROYAL BOTANIC GARDENS, EDINBURGH
The ROYAL BOTANIC GARDENS, DUBLIN
The ROYAL BOTANIC GARDENS, BELFAST
The ROYAL GARDENS AT HYDE AND BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD
The BOTANIC GARDENS, MANCHESTER
The BOTANIC GARDENS, LIVERPOOL
The BOTANIC GARDENS, HULL
The IMPERIAL GARDENS, PARIS
The IMPERIAL GARDENS, ST. PETERSBURGH
The ROYAL BOTANIC GARDENS, CALCUTTA
The BOTANIC GARDENS, NATAL
The ROYAL BOTANIC GARDENS, CEYLON
The BOTANIC GARDENS, BUITENZORG
The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
The BOTANIC GARDENS, ADELAIDE
The BOTANIC GARDENS, ZURICH
The PUBLIC GARDENS, VILLE DE PARIS
The PUBLIC GARDENS, RANGOON
The AGRI-HORTICULTURAL SOCIETY, BOMBAY
The AGRI-HORTICULTURAL SOCIETY, LAHORE
The AGRI-HORTICULTURAL SOCIETY, MYSORE.

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE.

GARDENERS.

The greatest reliance may be placed on Mr. William Bull's recommendations, as every possible care is taken that only Gardeners (or Gardeners and Bailiffs) of thorough ability, practical experience, steady habits, and whose integrity is unimpeachable, are entered on his register.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING FOR THE FIRST TIME MANY

Beautiful Plants

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

MADAGASCAR, PERU, JAVA, PHILIPPINE ISLANDS,

NEW CALEDONIA, ST. CATHERINE'S, RIO NEGRO, NICARAGUA,

COSTA-RICA, PARA, NATAL, JAPAN,

ASCENSION, SOUTH SEA AND FIJI ISLANDS, &c., &c.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

SEVEN GOLD BANKSIAN MEDALS,

AND

UPWARDS OF ONE THOUSAND PRIZES

AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

AT THE PRINCIPAL LONDON FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

Mr. W. B. wishes to remark that his attention is especially directed to the introduction of New, Rare, and Beautiful Plants, and that he will be happy to make arrangements with *Botanists* or *Naturalists* going abroad for the transmission of *Plants, Seeds, &c.*; and will be glad to purchase or make arrangements for the sending out of any first-rate *Seedling varieties of Plants* that may be raised by *Amateurs* or *Gardeners* in this country.

NEARLY 50,000 SUPERFICIAL FEET OF GLASS FILLED WITH NEW AND RARE PLANTS.

"At all seasons it is one of the sights of London to see Mr. W. BULL's Collection of New and Rare Plants."

"Mr. WILLIAM BULL's Establishment is particularly noted for supplying the Rarest, Choicest, and Best of everything."

W H O L E S A L E L I S T .

—:O:—

In announcing the following NEW PLANTS, Mr. WILLIAM BULL begs to say they will all be found to partake of the usual excellence of his introductions, and to maintain the high reputation of the Plants previously sent out by him.

NEW PLANTS OFFERED FOR THE FIRST TIME.

—:O:—

AGAVE BULBOSA.

This remarkable plant, sent from New Granada by M. Roezl, is a bulbous Agave, and a very ornamental greenhouse plant. In the young state, which only is known in this country, the plants form a thickened base from the persistence of the broad overlapping lower part of the leaves, these being linear-lanceolate, slightly undulated, thinnish and at first rather fleshy in texture, but soon becoming firmer. The leaves on the young plants are from 12 to 15 inches long, and have more the aspect of belonging to an ordinary broad-leaved bulbous plant, than to an Agave. 7s. 6d. each; £3 per dozen.

ALLAMANDA CHELSONI.

Although Mr. W. Bull has imported this plant from the West Coast of Africa, its distinctive features are not sufficient to establish it as a species; but it is a desirable variety from the peculiar character of its flowering growth (which is often elongated a foot or two), and its continuous blooming property, somewhat similar in this respect to *A. Hendersoni*. The flowers are about the size of those of *A. Aubletii*, intermediate in colour between that species and *A. cathartica*, of great substance, and free from the objectionable habit of reflexing which exists in the flowers of *A. Aubletii*. 15s.

BERTOLONIA GUTTATA ALBA.

This attractive Melastomad presents a charming appearance, and is exceedingly striking and effective, its dark green ovate leaves being beautifully decorated with a profusion of white spots. This elegant stove plant cannot be too highly recommended, on account of its neat growth and exceedingly ornamental character. 7s. 6d.

BERTOLONIA GUTTATA SPLENDENS.

This variety forms a pleasing contrast to the preceding, its fine dark olive green foliage being attractively marked with numerous beautiful large and distinct rose coloured spots, the intervening spaces being profusely freckled with dots of the same hue. As a decorative plant it is quite a gem, its beautiful leaves having the appearance of being set with jewels. It is one of the most charming and attractive foliaged plants that can be imagined. 10s. 6d.

BERTOLONIA GUTTATA SUPERBA.

A seedling variety raised from the well-known and prettily marked *B. guttata*, but superior to its parent, having the leaves more profusely adorned with bright rose coloured spots. 5s.

BERTOLONIA PUNCTATA.

The foliage of this variety is of a dark olive green colour, and minutely freckled with light-coloured spots. It is quite distinct, and forms an interesting variety associated with the preceding. 3s. 6d.

BIGNONIA ROEZLIANA.

An exceedingly handsome slender-growing stove climber, remarkable for the rich tints displayed upon the younger leaves. It forms a swollen woody stem or rootstock, from which issues the slender climbing growths, furnished with opposito petiolate leaves, which in the lower parts of the plant are entire, but on the upper parts become bijugate, with a trifid tendril. The leaves are variable in form, from ovate to ovate-lanceolate, the margins entire or set with a few irregular teeth; they are regularly reticulated, the costa and primary veins more strongly, with silvery grey, the ground colour in the mature leaves being green, but in the younger stages suffused with a rich lustrous violaceous tint, which renders them exceedingly beautiful. The under surface is of a rich purple. Scarcely anything can exceed the beautiful colours of this plant when pushing its young growth. It has been sent to this country from New Grenada by M. Roetzl, and is of easy culture in an ordinary stove. 15s.

CAMPSIDIUM (TECOMA) VALDIVIANA.

This beautiful Bignoniad is a native of Chili. It is a very graceful greenhouse climber, with pinnate leaves, and produces abundant racemes of handsome orange coloured blossoms. This plant has no rooting branches, nor is it furnished with tendrils like most climbing species peculiar to America, but seems to be twining like *Pandorea*. Occurring in high southern latitudes, there is every reason to believe that it may prove hardy in the southern parts of England. 7s. 6d.

CURCULIGO RECURVATA STRIATA.

This remarkably handsome variety of a well-known and exceedingly ornamental stove perennial was awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society on the 2nd of November last. It has the same long-stalked spreading lanceolate longitudinally plaited leaves as the parent, but differs in being marked with a distinct and effective central band of pure white, the back of the petiole being also whitish. It is a most telling decorative plant, on account of its bold and spreading habit. 3 guineas.

DRACONTIUM ELATUM.

This Aroid will not vie in size with *Godwinia gigas*, but is very much like it in aspect, as handsome if the element of size be disregarded, closely allied to it in the construction of its flowers, and on botanical grounds equally interesting. The leaf stalks are from 5 to 6 feet in length, covered by an epidermis which is smooth and pinkish above, but from the middle downwards is marked by small, scattered, conical asperities, and wavy bands or blotches of a purplish colour, mottled with white. The leaf blades spread horizontally, measuring from 3 to 4 feet across, dark green above, paler beneath, and perfectly smooth. The flower spathe, which is produced simultaneously with the leaves, is erect, boat-shaped, and leathery, of a purplish brown colour on the exterior, and rich purple in the interior. The spadix is erect, about 2 inches long, and densely covered with hermaphrodite flowers. The plant has been introduced from Western Tropical Africa. 15s.

ERYTHRINA COMPACTA.

This magnificent variety is the best and most useful in every respect of all the Erythrinas. It is of compact bushy growth, producing most profusely its splendid attractive bunches of coral-like blossoms. It is a variety of American origin, and has been introduced to this country by Mr. R. Buist, of Philadelphia. It will be found effective for sub-tropical gardening, and is a desirable plant for most decorative purposes, as it blooms very freely in quite a small state. 7s. 6d.

FICUS ELEGANS.

A free-growing ornamental stove plant, introduced from Java, the stem of which is covered with soft velvety hairs, as also are the leaf stalks. The leaves are ample, cordate-ovate, or rarely lobed, nearly or quite 2 feet long, on stout petioles 8 to 10 inches long, thin and herbaceous in texture when young, becoming firm and papery when mature, dark green and hairy above, with the principal ribs pallid and densely covered beneath with cobwebby white hairs, which clothe the surface so as to give it a silvery hue; the margin is repandly toothed. A distinct plant, of noble aspect from the spread of its leaves, and ornamental on account of their white under surface. 1½ guinea.

GASTRONEMA SANGUINEUM FLAMMEUM.

This beautiful dwarf-growing Amaryllidaceous plant, imported from South Africa under the name of *Vallota flammea*, is evidently a near ally of *Gastronema sanguineum* from the same country. It is, however, a well-marked variety, generally producing two-flowered instead of single-flowered scapes, and having a more roseate less sanguineous hue in the flowers. The dark brown ovate bulb has a long narrow neck, from which issue the flower scape, and the plane erect linear-lanceolate acute dark green leaves, which taper gradually into a stalk at the base. The flowers are of a lovely rosy carmine hue, decurved, funnel-shaped, with a recurved limb, the striped interior of the tube being

lit up by the bright yellow of the anthers, whose filaments are adnate for some distance from the base. In some of the plants the flowers are of a rosy pink colour. It is a most charming little greenhouse bulb, flowering in the spring months simultaneously with the leaves. A First Class Certificate was awarded to it, under the name of *Gastronema flammeum*, by the Floral Committee, on the 16th of February last. 7s. 6d.

GLADIOLUS CRUENTUS.

A very beautiful and entirely novel species of this popular genus, introduced from Natal. It is not only a very showy plant, but also one of a very distinct character, and is an acquisition for the flower garden, on account of its vigorous habit of growth, and large brilliantly coloured flowers. It produces a tall scape, 2 feet high or upwards, furnished with long flag-like glaucous leaves, nearly an inch wide, the scape terminating in a distichous spike of large broadly-campanulate subringent flowers of a bright blood red colour, the upper segments uniformly coloured, and the lower smaller ones crimson at the base and scarlet at the apex. The two lateral segments of the lower lip are marbled about half way down with a white zone dotted with crimson, which on the exterior edge runs out into a long point, like the flame of the florists' Tulip. This distinct species has been figured both in the *Botanical Magazine*, and in the *Florist and Pomologist*. 15s.

GOODYERA DAWSONIANA ATROVIRIDIS.

This variety differs from the type, only in having the ground colour of the leaves of a deep sap green, the metallic reticulations being confined to the spaces between the central ribs. The green colour contrasts strongly with the olive hue of the typical plant in the young leaves whilst unrolling. It makes a nice variety in its class, and has the merit of possessing the vigour of its parent. Among variegated stove Orchids it is a desirable variety. 15s.

GOODYERA DAWSONIANA PICTA.

The charming *Goodyera Dawsoniana*, sometimes called *Anæctochilus*, one of the best and most vigorous growing of the variegated dwarf stove Orchids, varies somewhat in the markings of its rich olive brown velvety leaves. In the ordinary form the centre only is reticulated with the bright coppery veins, while the spaces between the lateral nerves is plain or nearly so. In the present variety the whole surface is finely marked with the metallic reticulations, which gives the leaf a much richer appearance. Mr. W. B. has been very successful in importing this beautiful Orchid, and possesses a fine stock of it. 10s. 6d. each; 4 guineas per dozen.

HELICONIA VINOSA.

A handsome Musaceous stove plant, introduced from New Grenada. It is of Canna-like habit, with large broadly oblong leaves, a foot and a half or more in length, sharp-pointed, bright green above, and stained of a purplish wine red beneath. The upper surface is transversely plicate or ridged, in consequence of the prominence of the veins, which start nearly at a right angle, and curve away towards the edge. The costa is of a pale yellowish green on the upper surface, and sunk, but reddish and prominent beneath. The plant has the aspect of a dwarf Musa, with the slender greenish pseudo-stem somewhat compressed. 2 guineas.

JONESIA DECLINATA.

This splendid and elegant ornamental stove plant, a close ally of the beautiful *Asoca* of India, is itself a native of Java and Sumatra. It has pinnate leaves consisting of from six to eight pairs of oblong leaflets, which in their young state assume a beautiful reddish tint, and impart to the plant a finely variegated effect, almost equal to that of a mass of flowers. The flowers themselves grow in fascicled panicles, and are of a yellowish orange colour, and exceedingly ornamental. 1 guinea.

LIBONIA PENRHOSIENSIS.

A very elegant shrubby stove plant, obtained by crossing *Libonia floribunda* with *Sericographis Ghiesbreghtiana*. It has much brighter and deeper coloured flowers than its parent, and the leaves are more acute. It is an exceedingly useful decorative plant, freely producing its fine showy flowers, which are of a bright rich crimson colour, passing into fiery red. It blooms in the most profuse manner in the depth of winter, and, being easily cultivated, is a most desirable plant. 7s. 6d.

MACKAYA BELLA.

This most beautiful Acanthaceous plant is a native of the hed of the Tongat river, Natal. It is a tall, slender, nearly glabrous shrub, with virgate branches. The corolla of the flower is nearly 2 inches long, pale lilac, the throat ornamented with most delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, pale lilac, campanulate flowers. This charming plant has been beautifully figured in the *Botanical Magazine*, Tab. 5,797. 7s. 6d.

MUSA AFRICANA.

This fine dwarf-habited species of *Musa* has been imported from Angola, through the intervention of Dr. Welwitsch. The leaves are oblong, petiolate, in the young plant about 3 feet long, spreading, of a bright green colour, the petiole purplish, with a narrow purple margin. The pseudo-stems are also flushed with a purplish tinge, which is continued along the back of the prominent mid-rib. In its sturdy habit, it appears likely to become a rival to the deservedly popular *Musa Ensete*. 1½ guinea.

MUSA ASSAMICA.

This is a peculiarly dwarf-habited and elegant species, and has been imported from Upper Assam. The slender pseudo-stems are about a foot and a half high, green, bearing a crowded tuft of several obovate lanceolate leaves, which are stalked, about a foot in length, remarkably unequal-sided at the base, acute at the apex, and running out into a slender tendril-like point. The leaves are green, with a narrow purple border. It will make a good plant for table decoration, on account of its exotic aspect and moderate size and stature. 15s. each; 6 guineas per dozen.

ONCIDIUM CRYPTOCOPIS.

The flowers of this interesting novelty are fully as large as those of the now well-known *Oncidium serratum*. They are chestnut brown, with yellow streaks, and a yellow margin around the crisped and toothletted sepals and petals. The superior petal has a long claw, with two auricles at its base. The lower petals have very short and broad claws. The lip is highly curious, having triangular laciniae of a purplish brown colour, with a proclive anterior part, and many toothlets on the posterior side. The claw of the lip is whitish flesh colour, and its border is sulphur yellow. Its wings are purplish brown, and under the stigmatic hollow there are two swordblade-like laminae—hence the name. Figured in the *Botanical Magazine*, Tab. 5,858. 2 guineas.

PANDANUS FURCATUS.

This fine ornamental stove plant is furnished with spirally three-ranked leaves of a bright green colour, broadish, and very much acuminate, and armed both on the margins and on the keel with sharp spines, the lower of which are curved and those near the point straight, greenish at first, and becoming brown as they mature. In the young state the plants are very ornamental, and are of a light bright green colour. It is a species which is spread over India and the Indian Archipelago, the Indian form (there called “Korr”) being abundant on the Himalayas. The plants now offered are the Javanese form, which differs from the Indian in the shape of its fruit. The name *furcatus* alludes to the little forked spine with which the drupes are crowned. This and the following have been occasionally in commerce before, but very rarely to be met with, and then only at a high price. 7s. 6d. each; £3 per dozen.

PANDANUS LAIS.

The fine ornamental character of the Screw Pines is well known to growers of fine-foliaged stove plants; indeed, in the younger stages of growth, and up to a certain convenient size, there are few more ornamental plants to be found in our stoves. The plant here offered is considered by hotanists as a form or variety of *P. furcatus*, but differs in producing racemose instead of solitary fruits. The young plants, raised from seeds imported from Java, while bearing considerable resemblance to *P. furcatus*, and equally ornamental, differ in being of a more slender habit, and in having the leaves more tapered towards the base. In both varieties the mature leaves are somewhat glaucous beneath. 7s. 6d. each; £3 per dozen.

SYNGONIUM ALBO-LINEATUM.

A climbing Arad from Central America, producing slender rooting stems, which are green, and bear at intervals the pedunculate petatoid leaves, which are of a bright green colour, marked along the central rib, and sometimes also along the course of the principal veins, with a greyish or silvery hue. It is well adapted for decorating pillars, or shady walls in damp stoves, especially in cases where a picturesque distribution of the plants is attempted. 7s. 6d.

TACSONIA TOMENTOSA SPECIOSA.

This plant is a native of New Grenada; it cannot be too highly recommended as a useful free-growing greenhouse climber, with clear rosy red or carnation coloured flowers. The branches are slightly angular, and downy, at least when young. The leaves are smooth and shining above, downy beneath, and deeply divided into three oblong, lanceolate, serrated lobes, the serratures being hooked. The flower tube is cylindrical, distended at the base, green, and 3 to 4 inches long; the sepals externally green, internally red; the petals, which are as long as the sepals, are of a pure rosy red colour. 5s.

TYDÆA DISPLAY.

A splendid variety for winter-blooming, freely producing large, beautiful, well-formed flowers; the tube is a bright carmine colour, densely covered with short crimson hairs; the lobes, which are very broad and ample, are pink, beautifully reticulated with rich crimson; the mouth is a rich violet carmine colour, and the throat white, blotched with deep orange. 3s. 6d.

For General Collection, vide Index.

UTRICULARIA ELEGANS.

From the small transparent tubers of this charming new species, the flower spike rises to nearly a foot in height, and bears from three to five flowers, each of which are an inch in diameter; both flowers and bracts are pure white. It has been introduced from New Granada. 7s. 6d.

NEW ACHIMENES.

ADMIRATION. This is a magnificent variety, of free robust habit and growth; the flowers, which are beautifully formed and of immense size (about 2 inches across), are of a rich deep rose colour; the throat is ornamented with a white streak, which is spotted at the base. It is very free blooming and exceedingly attractive. 3s. 6d. each; 30s. per dozen.

MASTERPIECE. This variety is of similarly robust growth to the preceding, but the flowers, which are very smooth and well formed, are rather larger, exceeding 2 inches in diameter; the colour is a very rich rose, with violet shade; the flowers have a large white throat, which is darkly spotted at the base. It is a splendid variety, very floriferous, and extremely showy and effective. 3s. 6d. each; 30s. per dozen.

For General Collection, vide Index.

NEW COLEUS.

The following new varieties are now offered for the first time. They are a small selection made from Mr. W. B.'s seedlings. They are all exceedingly handsome, and will be found to be as desirable as the kinds previously sent out from this establishment.

Price 2s. 6d. each.

ARCHETTE
CECILIA
CORINTH
EUSTACE

HERMIT
LILLIA
MIRANA
PHYLLIS

ROVER
SYREN
TEMPLAR
VILLETTE.

For General Collection, vide Index.

NEW FUCHSIAS.

AUTOCRAT, tube and sepals very bright crimson, the tube short and the sepals completely recurved; fine full well-formed corolla of a rich satiny plum colour, marked with crimson at the base; a large showy flower. 7s. 6d.

BEACON, a remarkably fine large flower, with deep rose tube and sepals, and bright carmine corolla shaded with violet and marked with rose at the base; the sepals have light tips and are horizontally reflexed; the corolla is of immense size and good substance. 7s. 6d.

DICTATOR, bright red tube and sepals, the latter tipped with green and completely reflexed; large, ample, and well-formed corolla of a bright violet plum colour, marked with rose at its base; a very fine and attractive variety. 7s. 6d.

ENSIGN, an exceedingly handsome double-flowered variety; tube and sepals bright red, the tube short and the sepals well reflexed, showing a large irregular bright blue corolla, some of the petals of which are attractively blotched with bright rose. 7s. 6d.

GRENADIER, a fine large showy flower, with a monstrously large corolla of a violet blue colour with pink marking; the tube and sepals are of a rich crimson colour, the sepals broad and elegantly reflexed, the tube short and thick. This is a magnificent variety, the immense flowers being exceedingly striking and effective. 7s. 6d.

LEAH, tube and sepals white, the tube very stout, and the sepals of good substance and well reflexed; the corolla is large and well formed, of an exceedingly rich purplish crimson colour, margined with bright crimson. This is a splendid light variety of good compact habit, and exceedingly free blooming, and the flowers are of a very large size, good substance, and elegant form. 7s. 6d.

LEONARD, a short thick flower, with bright crimson tube and sepals, and rich purple corolla striped with rose at the base. The sepals are well recurved, and the corolla is very full and double. 7s. 6d.

NEW FUCHSIAS—Continued.

- MONARCH.** This variety produces enormous flowers, with bright red tube and sepals, and rose-coloured corolla shaded with violet. The corolla is very large, of good substance, and well expanded, and the sepals are immensely long and elegantly reflexed; the entire flower is of gigantic size, but very well proportioned; it is a magnificent variety. *7s. 6d.*
- ORACLE,** a double-flowered variety of good habit, and an exceedingly free bloomer; the corolla is long, and of a rich violet purple colour, marked with bright pink at the base; the tube, which is very long, and the broad horizontally reflexed sepals are of a bright crimson colour. *7s. 6d.*
- STANDARD,** a magnificent large showy flower, and extremely distinct; the tube, which is of great length, is of a pleasing light rosy pink colour; the sepals, which are very broad, and about 2 inches long, are of a rich cherry pink colour tipped with white; the large and fine corolla is of a rich violet purple colour flamed with deep rose. This is one of the most striking and effective Fuchsias ever sent out. *7s. 6d.*
- TREASURE,** this variety produces fine double flowers of good form and substance; the short tube and thick well-reflexed sepals are of a rich crimson colour; the corolla is very full, and of a rich violet plum colour. *7s. 6d.*
- UMPIRE,** an exceedingly distinct and pretty variety, producing flowers with short tubes and wide reflexed sepals of a rich crimson colour, and short, thick, full corollas of a very blue purple, attractively blotched with bright rosy carmine. *7s. 6d.*

For General Collection, vide Index.

NEW FRINGED PETUNIAS.

Plants of this new class will be ready in May. They have been raised in the gardens of the Royal Horticultural Society, and are of a decidedly new character, destined to be the forerunners of another type of this popular flower.

- COLONEL SCOTT,** very large full flowers, slightly fringed, of a bright carmine rose and white; quite novel and striking. *3s. 6d.*
- DR. HOGG,** a fine variety with splendid large double flowers of a bright rosy lilac colour. The petals are beautifully fimbriated or fringed. *3s. 6d.*
- REV. NIERSON LORRAINE,** a beautifully fimbriated or fringed variety. Flowers of a rich violet crimson colour, blotched with white; very striking and attractive. *3s. 6d.*
- REV. J. DIX,** quite a novel variety, with beautiful flowers mottled dark violet and lilac; the petals are prettily fringed. *3s. 6d.*
- SOUVENIR DE CHISWICK,** a splendid variety with very large double flowers, having the edges of the petals finely fimbriated or fringed; colour bright carmine rose, streaked and blotched with white. *3s. 6d.*

NEW PETUNIAS.

The following are a selection made from thousands of seedlings, the result of careful fertilisation:—

DOUBLE-FLOWERED.

- DAWN,** pale pinkish lavender, reticulated with purple; a very distinct and attractive variety. *2s. 6d.*
- ENCOUNTER,** a fine showy flower, very full and round, of a bright crimson colour mottled with white. *2s. 6d.*
- GRENADIER,** a fine large white flower, flaked and blotched with violet rose; very rich and showy. *2s. 6d.*
- NYMPH,** white, faintly tinted with lavender; a very delicate and pretty flower. *2s. 6d.*
- PERSUASIVE,** a very pretty flower; pure white, beautifully mottled with crimson and rose. *2s. 6d.*
- RAMBLER,** crimson, blotched with white; very showy and attractive. *2s. 6d.*
- SEBASTIAN,** a splendid large full flower, of a very dark crimson colour; of good compact habit. *2s. 6d.*
- VIVACITY,** French white, slightly tinged with rosy lilac; a remarkably large and good flower. *2s. 6d.*
- WINNER,** a showy Anemone-flowered variety; the outer petals are pure white, barred with deep crimson, and the centre petals crimson, mottled white. *2s. 6d.*

For General Collection, vide Index.

SINGLE-FLOWERED.

- EUSTACE,** purplish crimson, each segment of the flower triangularly tipped with white. *2s. 6d.*
- MINNIE,** a very free-blooming and showy variety; the flowers are pure white, barred and blotched with bright rosy crimson. *2s. 6d.*

NEW SINGLE-FLOWERED PETUNIAS—Continued.

- PLAUSIBLE**, bright rose, mottled with white and barred with white, also veined with crimson; a novel flower. 2s. 6d.
- SOCIAL**, a very novel and attractive flower; white, marbled and very thickly spotted with light rosy pink. 2s. 6d.
- TROJAN**, rich glowing crimson, veined with very dark violet; a splendid flower. 2s. 6d.
- VILLAGER**, a very large flower, of a beautiful rich purple crimson colour, marginally blotched with white, violet throat. 2s. 6d.
- WISDOM**, very rich violet crimson, veined with dark purple and blotched with white on the margin of the flower; large and fine. 2s. 6d.
- ZELINDA**, bright crimson, with five pure white bars; a fine large and distinctly marked flower. 2s. 6d.

For General Collection, vide Index.

NEW VERBENAS.

- AMBASSADOR**, bright scarlet crimson, with dark centre and small but distinct white eye. 2s. 6d.
- BIGANTINE**, a fine flower, of a bright rosy carmine colour, slightly shaded with violet, white eye. 2s. 6d.
- CECILIA**, violet mauve, shaded with crimson in the centre, white eye; distinct and attractive. 2s. 6d.
- FLAME**, bright crimson magenta, a very pleasing colour; trusses large and fine. 2s. 6d.
- IRENE**, French white; the lips individually are very large and of splendid shape. 2s. 6d.
- JOY**, purple plum, with dark centre; fine large lips and immense trusses. 2s. 6d.
- JUSTICE**, a splendid variety, produces enormous trusses of fine large flowers of a bright purple colour, with white eye; very distinct and effective. 2s. 6d.
- LINDA**, pure white, with pink centre; an exceedingly pretty and distinct variety, and a very free bloomer. 2s. 6d.
- PLACIDA**, blue, with small white eye; a very free bloomer, and of good compact habit. 2s. 6d.
- REBECCA**, rosy lilac, shaded with crimson in the centre, white eye; trusses large and well formed. 2s. 6d.
- ROVER**, deep bright scarlet, shaded with dark crimson in the centre, attractive white eye; a very showy and effective flower. 2s. 6d.
- TEMPLAR**, dark velvety crimson plum colour, with large and conspicuous white eye; a splendid flower, produced in immense trusses. 2s. 6d.

NEW STRIPED VERBENAS.

- ACME**, pure white, striped and flaked with bright carmine; a very clean-looking flower; profuse bloomer. 2s. 6d.
- MAY DAY**, pure white, beautifully striped and flaked with rich crimson lake; a splendid flower, of good form, and borne in fine large trusses. 2s. 6d.
- PASHA**, white, flaked, blotched, and striped with rosy purple; very distinct and showy. 2s. 6d.
- PHOEBE**, white, heavily flaked and striped with rich dark crimson, and also flaked with rose; an exceedingly pretty flower. 2s. 6d.
- SABINA**, white, striped and flaked with rosy pink; fine large round pip and good truss; a very distinct variety. 2s. 6d.
- SYREN**, white, with large attractive flakes of rosy purple; a showy and effective flower. 2s. 6d.

NEW IVY-LEAVED PELARGONIUMS.

"PELARGONIUM LATERIPES."

EXTRACT FROM THE *Gardeners' Chronicle*:—

"Mr. BULL has sent us a very interesting set of blooms of seedlings of Ivy-leaved Pelargoniums, some of which will be acquisitions for the purposes to which these plants are adapted. They vary in tint from bluish white, through many shades, to deep bright rosy lilac, and are sometimes marked with a bar or flame only along the base of the veins of the upper petals, sometimes with a bright spot in addition. We have here an indication that the Ivy-leaved section is likely to become an extensive one—a matter of congratulation, seeing that the plants are useful in many ways for decorative gardening, especially for cultivation in vases and suspended flower baskets."

- CASSIDY**, rose pink, with white centre, blotched in the upper petals very conspicuously with purplish crimson; a very attractive flower. 3s. 6d.
- FASCINATION**, bluish white, the upper petals barred with maroon and feathered with crimson; a fine showy variety. 3s. 6d.

NEW IVY-LEAVED PELARGONIUMS—Continued.

FLORENCE, pale blush, feathered with crimson in the upper petals. 3s. 6d.

LURLINE, a fine flower of a deep rose colour, strikingly rayed with rose in the upper petals, the bases of which are dark crimson; very pretty and effective. 3s. 6d.

PERCY, deep rose, shaded with violet, the upper petals are prettily marked with crimson; an attractive flower. 3s. 6d.

TROPHY, bright rosy pink, feathered with dark crimson in the upper petals; a good flower. 3s. 6d.

For General Collection, vide Index.

NEW DOUBLE-FLOWERED ZONAL PELARGONIUMS.

Mr. WILLIAM BULL begs to intimate that he has been fertilising and raising a very large number of the Double-flowered Zonal Pelargoniums, and has been directing his attention to this section, from the impression that, ultimately, the double varieties will take a very important part in decorative horticulture, especially for bedding, for cultivating in pots or vases, and also for every use to which cut flowers can be applied.

The principal reason why Double-flowered Pelargoniums will become so popular is, that the blossoms, from their duplicity, do not shed their petals; hence they remain for a long time in flower, and are useful in a variety of ways where the single kinds are almost unserviceable.

ASTEROID, a splendid variety of good habit, and a very free bloomer; the trusses are large and exceedingly compact, the flowers are very full and double, colour a vivid orange scarlet. This is one of the brightest and most attractive of the double-flowered section. 7s. 6d.

BOUQUET, this is a lovely flower, and one of the best ever raised. It is of a similar colour to *Madame Lemoine*, but much brighter; the flowers are very large and double, and of a most peculiar formation, the outer petals being arranged flatly, and the central petals, which are much shorter than the outer ones, form a thick rosette-like centre to the flower. The plant is of good compact habit, and very free blooming. 10s. 6d.

BRILLIANT, a magnificent variety, of good branching growth, freely producing immense globular shaped trusses of fine double flowers of a very rich bright scarlet colour; exceedingly attractive. 7s. 6d.

BUTTON, an extremely pretty rosette-like flower of a beautiful bright pink colour; trusses large and round; habit dwarf and compact. It is in the style of *Mary Elizabeth*, but is a great improvement on that variety. 7s. 6d.

COMET, this is one of the brightest and most dazzling scarlet flowers in the double section; it is of excellent habit, a most profuse bloomer; the trusses are large and of good shape, and the individual flowers very full, double, and well formed, with fine broad petals. 10s. 6d.

DRAGON, a very showy and effective variety of good habit, and producing freely immense trusses of fine large double flowers of a bright scarlet colour. 7s. 6d.

HEROINE, this is one of the best double-flowering varieties ever offered. It is very free and of good habit, the trusses are extremely large and round; the individual flowers are of immense size, about 1½ inches in diameter, beautifully formed, very full and double, and of a pleasing deep rosy pink; a most attractive shade of colour. 10s. 6d.

IANTHE, this is a charming flower, very full, and of perfect form, and of a beautiful bright pink colour, much deeper and brighter than *Madame Lemoine*. It is of a free compact habit, and very free blooming, producing immense globular trusses. 7s. 6d.

IMPERATOR, a splendid flower, large, full, very double and exceedingly well formed, of an intense scarlet crimson colour, very rich and attractive. The plant is of vigorous habit and compact close growth. 7s. 6d.

MURILLO, fine large, full, and double flowers, produced in immense globular trusses—a single truss bearing as many as four dozen flowers; colour a soft rosy pink, of a very pretty shade. This is an extremely useful and effective variety. 7s. 6d.

PLACIDA, a magnificent variety of dense, close, compact habit, producing extraordinarily huge trusses of fine large, very double, bright pink flowers; the trusses are a great deal larger than those of *Madame Lemoine*, on which variety this is in every way a decided improvement. 10s. 6d.

RED CAP, an exceedingly striking and effective variety, on account of the intensely deep scarlet colour of its fine double flowers, which are freely produced in immense good-shaped trusses. It is of good compact habit, and very useful and attractive. 7s. 6d.

For General Collection, vide Index.

NEW GOLDEN TRICOLOR PELARGONIUMS.

BEACON, a splendid variety, of vigorous yet compact habit. The foliage is large and fine; the leaf disc is small, dark green, and surrounded with a narrow but distinct and extremely well-defined vandyke zone of dark chocolate colour, flamed with rich bright red; the leaf margin is of a rich golden yellow. 1 guinea.

BUTTERFLY, a very dwarf and compact-growing variety, with rich and attractively marked foliage. The centre of the leaf is dark green, zone of rich dark bronzy crimson, flamed with bright deep rose, with broad and clearly defined rich yellow margin. It is an exceedingly striking and effective variety. 1 guinea.

STAR, very pure and bright yellow ground colour, small dark green disc, which is surrounded with a distinct and attractive zone of dark chocolate colour, interspersed with flame red; it is a robust-habited and free-growing variety. 15s.

WELCOME, a variety of free growth, producing large foliage, very attractively marked; the leaves have bright golden margins, and light green centres, surrounded with very broad and distinct dark bronzy zone, flamed with bright fiery crimson. 15s.

For General Collection, vide Index.

NEW SILVER VARIEGATED PELARGONIUM.

SILVER RAY, an exceedingly distinct and effective variety, of free compact growth; the foliage is remarkably fine, the leaves very flat and smooth, bright green, with broad clear snowy white border. The flowers are of a rich scarlet colour, well formed, and freely produced in fine large trusses. This is an extremely useful and attractive hedging plant, one of the best in its section. 5s.

For General Collection, vide Index.

NEW GOLDEN-LEAVED BEDDING PELARGONIUMS.

ARCHETTE, an exceedingly effective variety, the rich golden tint of its ample foliage being relieved by a profusion of rich pink flowers with light marking in the upper petals. 7s. 6d.

LINA, a variety of close compact growth; the foliage is of a remarkably bright golden yellow, forming a telling contrast with the flowers, which are of medium size and of a very bright scarlet colour. This is an exceedingly attractive hedger. 7s. 6d.

QUEEN MAB. This plant is of vigorous free growth; the leaves are round, smooth, of perfect form, and of a light golden yellow; the flowers are of a pleasing light pink shade, and produced in great profusion. 7s. 6d.

VERONA, a free-flowering and robust-growing variety, giving immense trusses of fine large rich pink flowers, which are borne well above the clear yellow leaves. It is a most effective hedging variety. 7s. 6d.

NEW BRONZE AND GOLD PELARGONIUMS.

AGATHA, an exceedingly attractive variety; the centre of the leaves is clear yellow, banded with a well-defined dark chestnut vandyke zone, and margined with pure golden colour. 5s.

BÉSIQUE, yellow disc, exceedingly rich dark crimson zone, and broad margin of golden yellow. This is an extremely ornamental variety, the rich markings of the foliage being very showy. 5s.

BETA, a splendid variety, with very richly marked foliage; the leaf has a large yellow centre, surrounded with a well-defined dark bronze zone, and narrow, but distinct, yellow margin. 5s.

BRUIN, a variety with beautifully marked neat compact foliage; the leaf has a small round yellow disc, very broad dark chestnut zone, and narrow margin of bright yellow; very striking and effective. 5s.

CORINTH, leaves round and well formed, of a pure pale yellow ground colour, ornamented with a distinctly marked dark chocolate zone; very rich and attractive. 5s.

DECIMA, a neat-growing variety; small golden disc, broad chocolate zone, and narrow even margin of bright golden yellow; very distinctly marked. 5s.

INFANTA, a very beautiful variety, the foliage being of a yellow ground, and very richly and attractively marked with a well-defined zone of reddish cinnamon colour. 5s.

JESSICA, bright golden disc surrounded with very dark bronzy crimson zone, and edged with bright yellow, leaves round and smooth; a very useful and effective variety. 5s.

LOTHAIR, a remarkably distinct and striking variety; the leaves, which are very round and smooth, are of a pale lemon ground colour, with a very rich and effective zone of dark chocolate. 5s.

NEW BRONZE AND GOLD PELARGONIUMS—Continued.

PUZZLER, a variety with very fine foliage, and of dense compact growth; ground colour of the leaves pure yellow, ornamented with a very dark and well-defined maroon or checcelato band. 5s.

ROBINELLA, the leaves of this beautiful and attractive variety are remarkably flat and smooth, the ground colour is pale yellow, the zone very broad, of a dark bronzy crimson colour. 5s.

SPECTRE, a very bright showy variety, of good compact habit, with fine bold foliage, bright golden yellow disc and leaf margin; the zone is of a rich coppery hue, very broad, and extremely well defined. 5s.

For General Collection, vide Index.

PELARGONIUMS WITH FINELY SHAPED FLOWERS.

BRONZE AND GOLD SECTION.

The flowers in the Bronze and Gold Section of Pelargoniums have not as yet been remarkable for quality. The following varieties, however, are offered as much for the perfection of their flowers as for the beauty of their foliage. The petals are of thick wax-like substance, and the flowers of excellent symmetrical form, equal to some of the best in the Zonal class, and infinitely superior to anything before offered in the Bronze and Gold Section.

ACUSHLA, a beautiful variety with pure golden ground, with very narrow light crimson zone; fine large well-formed flowers of a rich resy scarlet colour. 5s.

BOOKWORM, fine large compact trusses of beautiful light scarlet flowers, borne well above the rich foliage, which is rich gold with very dark bronzy zone. 5s.

CECY, a variety with exceedingly rich dark foliage, freely producing fine large rich scarlet flowers; very showy and attractive. 5s.

JANUS, a compact-growing and free-blooming variety, giving fine trusses of well-formed flowers of an intense scarlet colour. The foliage is pure golden, with distinct dark bronzy crimson zone. 5s.

LEONIE, this variety is of bold free growth, with very fine rich golden foliage zoned with cinnamon; the flowers are large and of good shape, colour a light resy scarlet. 5s.

MAGWITCH, rich scarlet flowers of good shape and size; small round gold leaf disc, surrounded with an immense rich chocolate zone and narrow margin of bright yellow; an exceedingly effective variety. 5s.

META, a variety with very beautiful peach pink flowers, which are freely produced well above the rich and attractively marked gold and bronze foliage. 5s.

MONA, very fine and large bright crimson flowers; rich and attractive foliage of a bright golden ground colour, with very dark bronze zone; of good habit, and very free blooming. 5s.

OBAN, a neat-foliaged and compact-growing variety, freely producing large and well-formed rich scarlet flowers; the leaves are of a bright golden ground colour, heavily zoned with dark chestnut; a very showy and effective variety. 5s.

POMPEY, a free-flowering and very attractive variety, giving good trusses of fine bright scarlet flowers; the foliage is darkly zoned; small golden leaf centre and distinct yellow margin. 5s.

For General Collection, vide Index.

PELARGONIUMS WITH BLOSSOMS OF NEW COLOURS

IN THE BRONZE AND GOLD SECTION.

Hitherto the flowers in the Bronze and Gold section of Pelargoniums have merely been of the ordinary scarlet and carmine colours. The following varieties are offered as a group of pretty light flowers, embracing these beautiful shades of pink, blush, salmon, and rose colour so rare in this class, but which form such an admirable and telling contrast with the richly marked foliage of this highly popular and useful section of Pelargoniums.

ALICIA, an attractive variety with pretty blush flowers, and rich dark bronzy foliage. 5s.

BEPPO, beautifully-formed flowers of a soft rose colour, shaded with carmine; very distinct; leaf disc bright golden yellow, broad cinnamon zone, and narrow rich yellow edge. 5s.

CASILDA, this variety produces freely its very pretty flowers, blush with white centre; the foliage is neat and small; rich yellow ground, darkly zoned. 5s.

ETHEL, rich, bold, striking foliage; very attractive flowers of a bright salmon colour, darker towards the centre. It is an exceedingly distinct and effective variety. 5s.

JUANITA, a free-growing and conspicuous variety with light salmon pink flowers, which form an admirable contrast to the rich gold foliage, which is banded with dark bronzy crimson. 5s.

LILLIA, this variety produces fine well-formed flowers of a lovely bright pink peach colour; very showy and effective; the foliage is of a rich golden ground colour, heavily belted with dark bronzy crimson. 5s.

BRONZE AND GOLD PELARGONIUMS, WITH BLOSSOMS OF NEW COLOURS—Continued.

- MYSTERY**, a free-growing and effective variety, with rich gold foliage zoned with bronze; the flowers are of a beautiful rich pink colour, marked with white in the upper petals. 5s.
- MARCIA**, the leaves of this variety are of great substance; ground colour yellow, with a brown and chocolate zone; the flowers are of a light flesh colour; very distinct and pretty. 5s.
- OPAL**, beautiful light salmon colour flowers, freely produced in large trusses, and contrasting well with the foliage, which is of a light yellow ground with dark bronzy chocolate zone. 5s.
- PHYLLIS**, splendid flowers of a rich salmon pink colour, with light eye; the foliage very compact, of a light yellow ground, with narrow and distinct dark bronze zone. 5s.
- PRISCILLA**, this variety is of very neat habit and exceedingly free flowering; the leaves have rich golden centres and margins, with dark brown crimson zones; the flowers are of a lovely pink colour, and of good form and substance. 5s.
- ROSCHEN**, fine bold effective foliage, of a rich yellow, with magnificent bronzy crimson zone, very rich and dark; the flowers are of an attractive shade of rosy pink; a most ornamental variety. 5s.

For General Collection, vide Index.

NEW ZONAL PELARGONIUMS.

EXTRACT FROM *Gardeners' Weekly Magazine*:—

“Mr. William Bull, of King's Road, Chelsea, has sent out more good Zonal Pelargoniums than any other cultivator in this country.”

- AGRIPPINA**, a splendid flower of a very bright rich pink, slightly marked with white in the upper petals; one of the brightest in its class; trusses large; habit compact. 3s. 6d.
- BOMB**, a very fine large bright scarlet flower, with good thick petals, and of excellent form. 3s. 6d.
- DAY DREAM**, light rosy pink, with violet tint or shade in the upper petals; a splendid flower, of excellent form. 3s. 6d.
- DON PASQUALE**, a magnificent flower, large, of good form and substance, produced in immense trusses, and of quite a new shade of colour, rich violet peach; it is a free-blooming variety, of good habit, and exceedingly distinct and attractive. 3s. 6d.
- GRAND MONARCH**, a magnificent flower of splendid form and good substance; colour an intensely bright vermilion scarlet, with violet shading in the upper petals, and conspicuous white eye. 3s. 6d.
- GRAPHIC**, a grand flower of the most beautiful shade of soft rosy peach colour. This is a very useful and effective variety. 3s. 6d.
- LA VIVANDIÈRE**, pure white, with a pink ring in the centre of the flower; a free-blooming variety, producing good trusses of very finely shaped blossoms. It is exceedingly distinct and pretty. 3s. 6d.
- PEACOCK**, a remarkably large round flower of good substance; colour bright rosy cerise; a most attractive variety. 3s. 6d.
- ROMOLA**, a very beautifully-formed fine large flower of an extremely rich rosy peach colour; good compact habit, very free bloomer; trusses large and fine. 3s. 6d.
- STREAMER**, rich rosy carmine, the upper petals shaded with crimson and the under petals tinted with purple; a very novel and pleasing flower, of excellent form and good substance. 3s. 6d.
- TOURBILLION**, a fine large flower of a very rich carmine scarlet colour; trusses immense; habit dwarf and compact; a showy variety. 3s. 6d.
- VILLETTE**, a neat-habited variety, freely producing fine trusses of well-formed flowers of a very deep self pink colour; this is a most useful and effective variety. 3s. 6d.

For General Collection, vide Index.

NEW NOSEGAY PELARGONIUMS.

The varieties in this class, from their flowers being produced in huge trusses, and in the greatest profusion, are admirably adapted for bedding purposes.

- ASTEROID**, good-shaped flowers, produced in immonso trusses; colour a very bright orange scarlet. 3s. 6d.
- CRACKER**, a remarkably attractive variety, the upper petals being of a deep scarlet colour, and the under petals rich crimson; trusses enormous. 3s. 6d.
- DEVICE**, brilliant scarlet crimson; a very rich and striking colour; it is a free-blooming variety, giving very large round trusses of fine flowers. 3s. 6d.
- GIRANDOLE**, light orange scarlet, a very dazzling colour; flowers of extra size and well formed; of good habit and very free flowering. 3s. 6d.

NEW NOSEGAY PELARGONIUMS—Continued.

NORAH, bright deep rose colour, with beautiful pink marking in the upper petals; this is an exceedingly distinct and attractive variety, freely producing immense trusses of its showy flowers. 3s. 6d.

SALVO, very rich deep violet crimson; a most useful and effective variety, of good compact growth; the flowers large and of fine form, and the trusses of enormous size. 3s. 6d.

For General Collection, vide Index.

NEW SPOTTED PELARGONIUMS.

AMBASSADOR, a beautiful variety; the upper petals intensely dark maroon, edged with bright scarlet; under petals very bright scarlet, with crimson shading; large light centre, shaded with violet; a splendid flower. 10s. 6d.

COMMANDER, bright rosy scarlet; the upper petals heavily blotched with maroon; under petals blotched with rich crimson; fine striking white centre; a magnificent flower. 10s. 6d.

HARMONY, upper petals purple maroon, surrounded with violet, and edged with lavender; under petals lavender, shaded with pink, and spotted with crimson. 10s. 6d.

PATRICIAN, bright violet; the upper petals heavily blotched with dark maroon; under petals having a small blotch of dark maroon; light centre; an attractive variety. 10s. 6d.

TEMPLAR, a beautifully formed flower, of a rich soft shade of violet crimson; upper petals blotched with dark purple, and the under petals slightly marked with purple; light centre; a very large fine flower, and exceedingly attractive. 10s. 6d.

For General Collection, vide Index.

NEW FANCY PELARGONIUMS.

ANGELIC, upper petals crimson, edged with white; under petals bright rosy violet, edged with white; attractive white centre; a fine showy flower. 7s. 6d.

ASSEMBLY, upper petals rich maroon, edged with white; under petals rosy purple, margined with white; large white centre; flowers round and well formed; an exceedingly attractive variety. 7s. 6d.

BEWITCHING, a lovely smooth round flower, with distinct white centre; all the petals are of a beautiful soft clear lake colour, with a very narrow but well-defined pure white edge; an exceedingly effective and pretty variety, and a free bloomer. 7s. 6d.

COMPACT, a good flower, round, smooth, and well formed; upper petals dark crimson, margined with lavender; under petals lavender, with crimson blotch on each petal; a remarkable and distinct variety. 7s. 6d.

PLEASANT, rich soft lake, the upper petals tinted with violet, and all the petals margined with white; large clean white centre; a very fine large and well-formed flower. 7s. 6d.

PURSUIT, a very large fine flower; the upper petals bright maroon, edged with white; under petals light violet crimson, margined with white; large white centre. This is an exceedingly rich and showy variety, and very free bloomer. 7s. 6d.

SATIRE, maroon upper petals, surrounded with violet crimson, and edged with white; under petals crimson, margined with white; large white centre; a novel and attractive flower. 7s. 6d.

SONNET. This is a very free-blooming variety, producing fine large trusses of well-formed flowers; upper petals dark maroon, surrounded with violet and edged with white; under petals light crimson, margined with white, and white centre. 7s. 6d.

VALENTINE. This is a very pretty and distinct variety, producing fine large white flowers, the upper petals of which are blotched with soft rose, and the under petals slightly marked with rose. 7s. 6d.

For General Collection, vide Index.

SALTER'S NEW JAPANESE CHRYSANTHEMUMS FOR 1871.

When in Japan, Mr. Fortune selected and sent to this country seven remarkable Chrysanthemums, which proved exceedingly distinct in size, form, or colour from the ordinary kinds grown here. From the types then introduced have been raised the following, which are still more remarkable for their diversity, possessing as they do

either enormous size, peculiarity of form, or novelty of colour. Although of a distinct type from the Chrysanthemums in general cultivation, no difference of treatment or soil is necessary to secure a succession of flowers from November until January or February. "Many of them remain longer in bloom, and bloom later than the Chinese kinds, so that we may have our greenhouses gay with them all through the dull winter months, when flowers are scarce." The effect produced in the conservatory by their fantastic forms and brilliant colours is most novel and pleasing, many of their immense blooms having more the appearance of tassels formed of the gay plumage of tropical birds than of flowers.

APOLLO, orange buff or amher; flowers of great size, and very double, composed of long strap-shaped petals; a noble flower. 5s.

ASTEROID, bronze and yellow, with a lighter back; flowers very large and full, formed of curled strap-shaped petals. 5s.

GARNET, very bright blood red or garnet; the flowers, which are of large size, are composed of long curled petals, which form a kind of drooping fringe round an anemone centre. This is a new type in the Chrysanthemums. Illustrated in the February (1871) number of the *Floral Magazine*. 5s.

GLITTER, vivid red scarlet, with a gold line round each petal; flowers denhlo, and of medium size. This is the most splendid coloured Japanese Chrysanthomum yet raised. 5s.

JANE SALTER, white, bordered and striped with rosy lilac; flowers of large size, and composed of long broad curled petals; early, and very free flowering. Illustrated in the February (1871) number of the *Floral Magazine*. 5s.

MAGNUM BONUM, rosy lilac, with lighter back; the flowers, which are very large, are composed of broad flat fringed petals. 5s.

ORACLE, dark rose purple; a very large and showy flower; free and early. 5s.

PLANTAGENET, yellow, shading into bright orange, with broad upright petals, curling inwards; very double and attractive. 5s.

Price 5s. each; or if the entire collection is taken, half price will be charged.

For General Collection, vide Index.

SALTER'S NEW CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS FOR 1871.

ACQUISITION, anemone; bright rose lilac and yellow disc; guard petals broad and regular; centre very high and round; a splendid flower. 5s.

ENSIGN, cinnamon, shading off to yellow; very full and fine incurved form. 5s.

FELICITY, pure white, with a lemon centre; petals broad, stiff, and finely incurved; habit dwarf and compact. 5s.

FLORA, bright lilac peach, shading off to white; petals broad, and finely incurved. 5s.

GEORGE PEABODY, pearl white; back of petals dark lilac purple, beautifully incurved, and very double; one of the most novel Chrysanthemums ever raised; will make a first-rate show flower. Illustrated in the March (1871) number of the *Floral Magazine*. 5s.

KATHARINE TALFOURD, golden amber, shading off to yellow in the centre; back of the petals tipped with brown; very double, and of medium size; one of the most perfect incurved flowers raised. 5s.

LUNA, golden yellow, with small brown tips; incurved; will make a fine show flower. 5s.

MODEL, bright rosy pink; large, very double, and finely incurved; a model of form. 5s.

MOUNT EDGUMBE, transparent sulphur white, delicately tinted with rose; very large, double, and beautifully incurved. Illustrated in the March (1871) number of the *Floral Magazine*. 5s.

RENOWN, bright orange, and lighter centre; flowers very large, full, and finely incurved. 5s.

Price 5s. each; or if the entire collection is taken, half price will be charged.

For General Collection, vide Index.

NEW CHINESE or LARGE-FLOWERED CHRYSANTHEMUMS.

The following have been raised by an amateur, and the stocks purchased by MR. WILLIAM BULL. They are offered as improvements on existing kinds, and are such desirable acquisitions that they cannot fail to give the utmost satisfaction.

BARBARA, an exceedingly fine variety, of a very rich and bright golden yellow colour; it is a splendid show flower, very full and double, and perfectly symmetrical; the petals are stiff, smooth, and finely incurved; a most effective variety. 5s.

CHIEFTAIN, a distinct and attractive flower, of a cinnamon red colour, and of good shape. 5s.

CLARISSA. This is a beautiful flower, of a very delicate violet pink colour, with lighter centre; the flower is full, incurved, and well formed. 5s.

EMBLEM, a fine large flower of a light rosy purple colour; very showy and effective. 5s.

HEROINE. This is an exceedingly pretty flower, all the petals, which are of a delicate blush colour, being attractively tipped with sulphur yellow; good shape. 5s.

MEMNON, a remarkably good flower, with very fine and broad incurved petals; colour a rich rosy purple; good for exhibition. 5s.

PRINCESS, a beautiful variety, the flowers, which are of good form and nicely incurved, being of a soft lilac pink colour. 5s.

REFULGENS. This is a very good flower, of a remarkably fine and showy colour, rich deep claret crimson. It is a very attractive variety, and good for exhibition. 5s.

Price 5s. each; or if the entire collection is taken, half price will be charged.

For General Collection, *vide Index*.

NEW AND RARE STOVE PLANTS.

ACALYPHA WILKESIANA.

A very handsome plant, with variegated foliage, discovered in the Fijis by Dr. Soemann. Its large leaves, which are ovato-acuminate, are irregularly mottled and blotched with crimson and bright flame red. It has been distributed, and is generally known, under the name of *A. tricolor*. 2s. 6d. and 3s. 6d.

ACANTHUS MONTANUS, 2s. 6d.

ÆCHMEA AMAZONICA, 15s.

ÆSCHYNANTHUS, of sorts, at 2s. 6d.

AGLAONEMA COMMUTATUM, 2s. 6d.

ALLAMANDA CATHARTICA, 2s. 6d.

ACHIMENES, *vide Index*

ÆCHMEA FULGENS, 3s. 6d.

AGALMYLA STAMINEA, 3s. 6d. and 5s.

ALLAMANDA GRANDIFLORA, 2s. 6d. and 3s. 6d.

ALLAMANDA CHELSONI, *vide page 3*.

ALLAMANDA HENDERSONI.

This remarkably fine variety has been imported from Guiana. The flowers have orange yellow lobes, finely formed, remarkably thick and wax-like, and tinged with brown on the reverse side. The plant begins to flower about the same time as the other Allamandas, but when once it commences it possesses the excellent characteristic of being continuous flowering; thus the blooming time is prolonged throughout the season, so that it is invaluable for exhibition purposes, while as a moderately free-growing climber it is unequalled. 2s. 6d., 3s. 6d., 5s., and 7s. 6d.

ALLAMANDA NERIIFOLIA, 2s. 6d.

ALLAMANDA VIOLACEA, 3s. 6d.

ALLAMANDA NOBILIS.

This variety has the trailing habit common to most of the species in cultivation, and bears large elliptic oblong-acuminate leaves, which are soft to the touch, from being covered with short hairs. The flowers are quite equal in size to those of *A. Schottii*, being fully four inches in diameter, and of a purer full bright yellow, rather deeper in the throat, but without any stain or marking, and downy on the outer surface; they are much superior in form to those of any other species, having the segments broader and more imbricated, so that the limb acquires a full circular outline—more so than in *A. grandiflora*, which is rendered the more evident from its standing well forward, and not falling back, as so commonly happens in *A. Schottii*. The plant has been introduced from the Rio Branco, in Brazil, and is a grand acquisition for exhibition purposes. 2s. 6d., 3s. 6d., 5s., and 7s. 6d.

ALOCASIA HYBRIDA.

A fine hybrid, which has been raised in Mr. W. Bull's establishment, between *A. Lowii* and *A. metallica*, and which, as regards the form of its leaves, is almost exactly intermediate between its parents. The leaves are of a deep olive-tinted green on the upper surface, having the stout well-defined ribs and the margin of an ivory white; they are of a dull purple at the back, elliptic in outline, with a short acuminate point, and very slightly parted at the base, in which respect the new variety differs most conspicuously from *A. Lowii*, which has the leaves deeply parted. It is a very handsome stove plant, and stands in the first rank of the family to which it belongs. The young leaves are of a bronzy tint while unfolding. 15s.

ALOCASIA	ALBO-VIOLOCEA,	3s. 6d.
"	GIGANTEA,	7s. 6d., 10s. 6d., and 15s.
"	JENNINGSII,	1s. 6d. and 2s. 6d.
"	(CALADIUM) LOWII,	3s. 6d., 5s., and 7s. 6d.
"	METALLICA,	2s. 6d., 3s. 6d., and 5s.
"	TIGRINA,	15s.
"	(CALADIUM) VEITCHII,	5s. and 7s. 6d.
"	(REMUSATIA) VIVIPARA,	5s.

AMARYLLIS	ALBERTII FLORE-PLENO,	5s.
"	COQUETTE,	5s.
"	CYRUS,	7s. 6d.
"	EMELINE,	5s.
"	JOSEPHINÆ,	10s. 6d.
"	METEOR,	5s.
"	OPTIMA,	7s. 6d.
"	PARDINA	
"	PROCERA,	15s.
"	ROSALIND,	5s.
"	SULTANA,	7s. 6d.
"	THE COUNTESS,	7s. 6d.
"	VESUVIUS,	5s.

ALOCASIA (XANTHOSOMA)	APPENDICULATA,	7s. 6d.
"	INTERMEDIA,	10s. 6d. and 15s.
"	LONGILOBA,	10s. 6d. and 15s.
"	MACRORHIZA VARIEGATA,	3s. 6d.
"	(SCHISTOCASIA) PORTEI,	1½ guinea
"	(XANTHOSOMA) VIOLACEA,	3s. 6d.
"	ZEBRINA,	7s. 6d.

AMARYLLIS	AMAZON,	7s. 6d.
"	CORSAIR,	7s. 6d.
"	FIGARO,	7s. 6d.
"	JUPITER,	5s.
"	NEPTUNE,	7s. 6d.
"	NIMROD,	5s.
"	OSCAR,	7s. 6d.
"	PRINCEPS,	1 guinea
"	RETICULATA,	5s.
"	SOUVENIR,	5s.
"	SYLVIA,	7s. 6d.
"	TROJAN,	7s. 6d.
"	VESTA,	7s. 6d.
"	VICTORIA,	7s. 6d.

AMARYLLIS, choice selections of good sorts, at 3s. 6d. and 5s. each.

AMORPHOPHALLUS	ASPER,	3s. 6d.
"	CAMPANULATUS	
"	NIVOSUS,	2s. 6d. to 5s.

ANANASSA	PENANGENSIS,	15s.
"	PORTEANA,	1½ and 2 guineas

ANÆCTOCHILUS—see Orchids

ANTHURIUM	CORIACEUM,	7s. 6d.
-----------	------------	---------

ANTHURIUM MAGNIFICUM—syn. *A. grande* and *A. cordifolium*, 5s. and 7s. 6d.; strong plants, 15s.

ANTHURIUM	REGALE,	5s. and 7s. 6d.
-----------	---------	-----------------

AMORPHOPHALLUS	BULBIFER	
"	CUPREUS,	15s.
"	ZEBRINUS	

ANANASSA	SATIVA VARIEGATA,	7s. 6d. and 10s. 6d.
----------	-------------------	----------------------

ANCYLOGYNE	LONGIFLORA,	2s. 6d.
------------	-------------	---------

ANTHURIUM	HYBRIDUM,	1½ guinea
-----------	-----------	-----------

"	LEUCONEURUM,	2s. 6d.
---	--------------	---------

ANTHURIUM	WILLDENOVII,	7s. 6d.
-----------	--------------	---------

ANTHURIUM SCHERZERIANUM.

This has been introduced from Costa Rica, and is one of the most striking and attractive dwarf flowering plants of recent introduction, producing beautiful brilliant scarlet floral spathes, each of which remains from two to three months in bloom. This charming and novel plant is of easy culture, and a most abundant bloomer. 7s. 6d., 10s. 6d., 15s., 1 and 1½ guinea; very fine plants, 3 and 4 guineas.

ANTIGONON AMABILE.

This charming plant is one of the prettiest of stove climbers, rivaling the Bougainvilleas in the colour of its blossoms. It is of free slender growth, the young shoots pubescent, and having a slight reddish tinge. The leaves are from 3 to 5 inches long, ovate-cordate, and deeply lobed at the base. The flowers are produced most profusely in axillary and terminal racemes, and are of a lovely bright rose colour. This plant cannot be over-estimated, the beautiful bright colour of its flowers rendering it exceedingly useful and effective. 7s. 6d.

ANTIGONON LEPTOPUS.

"The first time I saw this plant," writes Dr. Seemann (vide *Gardeners' Chronicle*, June 20th, 1868), "was in the autumn of 1848, when making a botanical excursion from Mazatlan, on the West Coast of Mexico; and in a letter addressed to the late Sir W. J. Hooker (published in *Hooker's Journal and Kew Miscellany*, page 149), I wrote, full of enthusiasm, 'The finest flower we saw during the journey was your *Antigonon leptopus*. It covered nearly every bush, and the deep rose coloured blossoms were so abundant, that scarcely a leaf could be seen.' In that part of Mexico where I first met with the plant, the natives term it 'Rosa de Mayito;' and in Nicaragua, 'Rosa de Montana,' or Mountain Rose. Of course, when looking closely at the *shape* of the flowers, there is not the faintest resemblance to a Rose; but at a distance, a comparison with the Queen of Flowers would readily suggest itself, the outer three sepals being of a beautiful rose colour, the centre of a much deeper tint. The flowers, arranged in racemes and panicles, appear in the greatest profusion, and the bushes look as if a large rose coloured sheet had been spread over them—a sight never to be forgotten. The flowers, as these of most Polygonaceæ, last for some weeks." 5s. and 7s. 6d.

APHELANDRA AURANTIACA, 2s. 6d.

" " ROEZLII, 3s. 6d.

ARDISIA WALLICHII, 5s.

ARDISIAS, of sorts, 1s. 6d. and 2s. 6d.

ARISTOLOCHIA INDICA, 2s. 6d.

" LABIOSA, 5s. & 7s. 6d.

" TRILOBATA, 2s. 6d. & 3s. 6d.

APHELANDRA CRISTATA, 2s. 6d.

" LEOPOLDII, 2s. 6d. & 3s. 6d.

" PORTEANA, 2s. 6d. & 3s. 6d.

ARISTOLOCHIA DUCHARTREI, 10s. 6d. and 15s.

" TRICAUDATA, 7s. 6d. and 10s. 6d.

ARISTOLOCHIA ORNITHOCEPHALA.

A climber of remarkable character; the blossoms are very large, and of the most singular structure imaginable. To render any description of it at all intelligible, it may be said to have the head of a hawk and the beak of a heron, with the wattles of the Spanish fowl, which, however, are grey, netted with brown; the head of the same colour, veined, whilst the beak is grey. 5s.

ARISTOLOCHIA RINGENS.

Our first knowledge of this remarkable plant was derived from a beautiful plate of it given in the *Botanical Magazine* (Tab. 5,700), since the appearance of which, Mr. W. B. has imported it from Caracas.

In this genus there are to be observed two distinct groups, presenting features of considerable importance to the horticulturist. In one section, the flowers are produced from the old wood, so that the specimens require to be of considerable age and size before the remarkable flowers are produced. In the other section the flowers are developed on the young shoots, and this quality may be considered a great advantage, because the flowers are more readily produced.

To this latter free-flowering group the present plant belongs. It is of slender twining habit, with bright green, glabrous, roundish-ovate foliage. The blossoms are extremely grotesque, 7 to 10 inches long, pale green, marbled and reticulated with black purple. The perianth has an obvoid ventricose sac two inches and a half long, which is woolly inside; the ascending obliquely from the sac, terete, dividing into two very long lips, the upper of which (lower as the flower hangs) is oblong-lanceolate, recurved, and hairy inside below the middle, while the lower one is shorter, with recurved margins, and expanding into an orbicular or almost reniform limb. In New Grenada its roots are esteemed as an antidote for snake bites. 7s. 6d. and 10s. 6d.

ARTOCARPUS INCISA, 15s. and 1 guinea

ATACCIA CRISTATA, 10s. 6d. and 15s.

BAMBUSA MAXIMA, 5s.

BARLERIA LUPULINA, 7s. 6d.

BAUHINIAS, of sorts, 3s. 6d. and 5s.

BEGONIAS, vide Index.

BERTOLONIA GUTTATA.

A very fine variegated Melastomad, received from Madagascar, although its native habitat is probably Brazil. Its ovate leaves, which exceed 5 inches in length by 3 in breadth, are of a dark olive green colour, profusely marked with lines of beautiful rose coloured spots, which present a charming contrast. 3s. 6d. and 5s.

BERTOLONIA GUTTATA ALBA, vide page 3

" " SPLENDENS, vide page 3

" " SUPERBA, vide page 3

" MARGARITACEA SUPERBA, 15s.

BERTOLONIA MARMOREA, 2s. 6d. & 3s. 6d.

" PUBESCENS, 2s. 6d. and 3s. 6d.

" PRIMULÆFLORA — see *Monolena primulaeflora*.

" PUNCTATA, vide page 3.

BIGNONIA PICTA.

Introduced from Brazil. Leaves veined and marbled with golden yellow ; of semi-scandent habit. 5s. and 7s. 6d.

BIGLANDULARIAS, *vide* Index

BIGNONIA ROEZLIANA, *vide* page 4

„ **ARGYREA VIOLASCENS**,
2s. 6d., 3s. 6d., to 7s. 6d.

BOUGAINVILLEA GLABRA, 1s. 6d. and
2s. 6d.

„ **SPECIOSA**, 1s. 6d. and
2s. 6d.

BROWNEA ANTIOQUIENSIS, 1½ guinea

„ **GRANDICEPS**, very strong, 42s.

BIGNONIA CHAMBERLAYNII, 3s. 6d.

„ **ORNATA**, 3s. 6d., 5s., and 7s. 6d.

BOUGAINVILLEA LATERITIA, 1s. 6d.,
2s. 6d., to 7s. 6d.

„ **SPECTABILIS**, 1s. 6d.
and 2s. 6d.

BROMELIA ACANGA, 7s. 6d.

BROWNEA ERECTA, 15s. and 1½ guinea

„ **PRINCEPS**, 1 and 1½ guinea.

CÆSALPINIA ALTERNIFOLIA.

A free-growing woody plant, with smooth stems, producing remarkably elegant compound leaves, and clusters of orange coloured flowers. It comes from Central America. 7s. 6d.

CÆSALPINIA SPLENDENS, 7s. 6d.

| **CALADIUMS**, *vide* Index.

CALONYCTION SANGUINEUM.

An ornamental climber, introduced from Bombay, and remarkable for its bold and effective cordate-acuminate leaves, and its showy flowers, which are of a delicate rosy flesh colour, with a deep magenta crimson eye. 3s. 6d., 5s., and 7s. 6d.

CAMPYLOBOTRYS GHIESBREGHTII, | **CAMPYLOBOTRYS REFULGENS**, 2s. 6d.
2s. 6d. and 3s. 6d. | and 3s. 6d.

CASSIA CALLIANTHA.

A neat-habited plant, with pinnate leaves, composed of from eighteen to thirty pairs of linear-oblong mucronate leaflets, glaucous beneath, and producing terminal paniced racemes of large showy flowers, allied to those of Poinciana, and of similarly attractive character. It is a native of Brazil. 7s. 6d.

CASSIA FISTULA.

“This tree,” says Roxburgh, “is uncommonly beautiful when in flower, few surpassing it in the elegance of its numerous, long, pendulous racemes of large bright yellow flowers, intermixed with the young lively green foliage.” It bears a striking resemblance to the Laburnum. 7s. 6d.

CENTROPOGON LUCYANUS.

A useful decorative plant, producing freely bright red blossoms in mid-winter. 2s. 6d.

CENTROSOLENIA BULLATA (EPISCIA TESSELATA).

This robust-growing Gesneraceous plant has been introduced from the east of Peru. It is very ornamental and effective, both on account of its flowers and foliage. The flowers are of a straw yellow colour, very freely produced, and the leaves, which above are of a beautiful dark olive green, with bronzy shade, and underneath are of a vinous red, have a very rough uneven surface. 10s. 6d.

CHAMERANTHEMUM BEYRICHII VA-
RIEGATUM, 2s. 6d.

„ **MARMORATUM**,
2s. 6d.

CHAMERANTHEMUM GAUDICHAUDI-
ANUM, 2s. 6d.

„ **VERBENACEUM**,
2s. 6d.

CHIRITA LILACINA.

This charming plant has been introduced from Chiriqui, and is very ornamental and effective, producing in great abundance its lovely flowers, the tube and throat of which are white, and the lobes a beautiful blue. The throat is ornamented with a large yellow blotch at the base. 7s. 6d.

CISSUS AMAZONICA, 1s. 6d., 2s. 6d., & 3s. 6d.

„ **DISCOLOR**, 1s. 6d., 2s. 6d., and 3s. 6d.

CISSUS ARGENTEA, 2s. 6d. and 3s. 6d.

„ **PORPHYROPHYLLA**, 2s. 6d. & 3s. 6d.

CISSUS LINDENI.

This lovely plant, introduced from the cordillère of Columbia, is exceedingly showy and effective, its bright green foliage being veined and irregularly banded with silvery white. 5s. and 7s. 6d.

CLERODENDRON BALFOURII.

A handsome climbing plant, with the flowers produced in large dichotomous cymes, pure white calyx, and bright scarlet corolla. An improvement on *C. Thompsonii*. 1s. 6d., 2s. 6d., and 3s. 6d.; fine plants, 7s. 6d.

CLERODENDRON SPECIOSUM.

This new hybrid variety is a cross obtained between the well-known *C. Balfourii* and *C. splendens*. It partakes of the character of the latter in the immensely large and dense dichotomous cymes, in which the flowers are produced, but instead of the calyx being pure white, as in *C. Balfourii*, it has a reddish hue, and the corolla, instead of being scarlet, is of a deep rose, slightly shaded with violet, the marginal portions being of a bright vermilion. 3s. 6d. and 5s.

CLERODENDRON KÆMPFERI, 3s. 6d. | CLERODENDRON SPLENDENS, 2s. 6d. & 3s. 6d.

COBÆA PENDULIFLORA.

The flowers of this elegant stove climber are produced from drooping peduncles 8 to 10 inches in length; corolla green, tubular at the base for about an inch, then divided into lobes, which are from 3 to 4 inches long, pendulous and wavy, and about $\frac{1}{4}$ inch broad. The filaments of the stamens are about 3 inches long, of a dark red purple colour, thus forming a contrast to the green lobes.

Our first knowledge of this graceful and distinct species was obtained from its flowering at Kew, since which Mr. W. B. has imported it from Caraccas. 2s. 6d. and 3s. 6d.

COCCOCYPSELUM REPENS, 2s. 6d. | COMBRETUM PURPUREUM, 3s. 6d. and 5s.

COCHLIOSTEMA JACOBIANUM.

A magnificent Commelinaceous plant, producing deep green broad oblong-lanceolate leaves. The flowers are fragrant, of a soft violet and blue colour, and borne in immense panicles upon a peduncle about a foot long. It has been introduced from Ecuador. 15s., 1 and 1 $\frac{1}{2}$ guinea.

CORYNOSTYLIS ALBIFLORA.

The genus *Corynostylis* belongs to the family of the Violets, and consists of semi-scandent shrubs, with alternate leaves, and long-stalked flowers, the lower petal of which is produced behind into a long horn or spur.

The present species was found by M. Wallis on the banks of the Amazon, on the borders of the forests in the province of Pará. It is a shrubby plant, of a trailing or climbing and remarkably free-blooming habit, bearing ovate-acuminate leaves, and lovely white horn-shaped or trumpet-shaped flowers, about 2 inches long, suspended on long thread-like peduncles. These interesting flowers taken in profile present the appearance of some long-spurred *Tropæolum*, while on the front view they bear a resemblance to those of a gigantic Violet.

The remarkably floriferous habit of this species marks it out as a novelty which should be welcomed by all lovers of beautiful plants. 15s.

COFFEA ARABICA (the Coffee Plant), 3s. 6d. | COSTUS ALBESCENS, 5s.

COLEUS, *vide* Index

„ LUCIDUS, 5s.

COSSIGNEA BORBONICA, 1 $\frac{1}{2}$ guinea

„ MALORTIANUS, 2s. 6d.

CRESCENTIA ALATA, 5s.

„ ZEBRINUS, 2s. 6d. and 3s. 6d.

CROTON AUCUBÆFOLIUM.

A very distinct and fine variety from the South Sea Islands. The surface of the foliage is of a beautiful dark glossy green, thickly studded with yellow blotches, the mid-rib and veins being slightly tinged with pink. 3s. 6d.

CROTON CORNUTUM.

A distinct and very compact-growing variety, prettily blotched and spotted with yellow, and having leaves frequently varying in form, the greater number of which—from a peculiar extension of the mid-rib—have a horn at the apex, thus giving the plant a very distinct character. 15s.

CROTON HILLIANUM.

A compact-growing kind, with glossy variegated foliage, well adapted for vases or table decoration. The leaves are from 6 to 7 inches in length by 2 to 3 in width, the upper surface being shining purplish green, the mid-rib and veins bright crimson, and the under surface dull purple. It is remarkable for the reddish yellow effect of its foliage. 3s. 6d.

CROTON INTERRUPTUM.

The foliage of this plant assumes the most varied and peculiar forms; some of the leaves are of the ordinary shape, in others the mid-rib forms at the tip a prominent horn, as in the *Scolopendrium vulgare cornutum*; other leaves again have only a portion of the lamina developed, there being sometimes an interruption of 2 to 3 inches, while others assume a decidedly spiral form.

The plant is exceedingly effective, both as an exhibition variety or for decorative purposes, the leaves being of a dark green colour, with bright red mid-rib. 3s. 6d., 5s., and 7s. 6d.

CROTON IRREGULARE.

A fine distinct variety, of excellent habit and free growth.

The leaves, which assume a great variety of forms, are of a dark green colour, with a broad golden band through the centre, and all more or less blotched and spotted with yellow. 3s. 6d., 5s., and 7s. 6d.

CROTON MAXIMUM.

A magnificent and striking variety, introduced from the South Sea Islands. It is of robust habit, with large yellow leaves, marked on each side of the mid-rib with dark olive green bands of irregular form, and is admirably adapted for exhibition and general decorative purposes. 10s. 6d. and 15s.

CROTON ANGUSTIFOLIUM, 2s. 6d. & 3s. 6d.	CROTON VARIEGATUM, 1s. 6d. and 2s. 6d.
„ ELEGANS, 2s. 6d. and 3s. 6d.	„ „ LONGIFOLIUM,
„ PICTUM, 2s. 6d. and 3s. 6d.	2s. 6d. and 3s. 6d.

CROTON UNDULATUM.

This is one of the most beautiful varieties ever introduced, far superior to any other Croton yet in cultivation, both from the form of the leaf and superb colouring. It is of the usual free Croton growth, the edges of the leaves being beautifully undulated and wavy, and the variegation consisting of numerous markings and blotches, which in the matured leaves are of the brightest crimson on a dark green ground, and in the young leaves, at first yellow, gradually changing to pink and crimson, the base of the petiole being a very light green.

As a plant for table decoration it will be a universal favourite, the colours by night having a magnificent effect. It has been introduced from the South Sea Islands. 1½ guinea.

CROTON VEITCHII.

A splendid variety from the South Sea Islands, perfectly distinct both in size of foliage and colouring from any other known kind. The leaves attain a length of 12 to 14 inches, and 2½ in breadth, and in their young state are traversed by broad bands of creamy yellow, which change with age into rose and carmine purple, the intensity of those colours increasing as the leaves become older. 1½ guinea.

CURCULIGO RECURVATA.

An elegant plant, extremely useful for decorative purposes. 5s.

CURCULIGO RECURVATA STRIATA, *vide* page 4.

CURCULIGO RECURVATA VARIEGATA.

A plant of noble aspect, producing from a tuberous rhizome an arching head of recurved plaited oblong-lanceolate leaves, upwards of 2 feet long and 6 inches broad, on stalks a foot and a half in length; the leaves are green, banded in a varying manner with clear white stripes. The rich Palm-like foliage of this plant renders it of the highest ornamental character. The flowers are yellow, and grow in short racemes at the base of the leaves. The type is a plant of Indian origin. 3 guineas.

CYANOPHYLLUM BOWMANI.

This proves to be a remarkably fine stove plant, requiring less heat than *C. magnificum*. The stem is erect and branched, furnished with large glossy leaves of a bold character, and of a fine shaded olive green colour, purplish beneath. It is quite distinct in appearance from any of the allied plants, and one of the best for general cultivation. Has been introduced from Brazil. 3s. 6d. and 5s.

CYANOPHYLLUM MAGNIFICUM, 3s. 6d.
and 5s.

CYPERUS ALTERNIFOLIUS, 1s. 6d. and
2s. 6d.

CYRTODEIRA CHONTALENSIS, *vide* Index

CYPELLA GRACILIS, 5s.

CYPRIPEDIUMS, *vide* Orchids

CYPERUS ALTERNIFOLIUS VARIE-
GATUS, 2s. 6d. and 3s. 6d.

CYRTANTHERA POHLIANA, 2s. 6d.

DALECHAMPIA ROEZLIANA ROSEA.

This attractive plant has been introduced from Vera Cruz, Mexico. It blooms very freely, even on plants a few inches high, and produces its flowers nearly throughout the year, but especially during the winter months. Individually the flowers last a long time in beauty, owing to the persistent nature of the large rosy pink floral bracts. Added to these recommendations, it is sweet scented.

At one of the Royal Horticultural Society's Shows of New and Rare Plants, Mr. W. BULL received the First Prize (Silver Flora Medal) for *Dalechampia Roezliana rosea* as "the best new plant shown for the first time in flower. 1s. 6d., 2s. 6d., and 3s. 6d.

DALECHAMPIA ROEZLIANA CARNEA.

A variety similar to the preceding in growth and general character, but with bluish-white flowers. 1s. 6d., 2s. 6d., and 3s. 6d.

DESMODIUM POLYCARPUM VIOLACEUM, 2s. 6d. and 5s. each.

DICHORISANDRA MUSAICA.

This magnificent plant has large leaves, which are purple underneath, and present a veritable mosaico on the upper surface; this is formed by an innumerable quantity of small white lines, placed horizontally between the veins parallel to the mid-rib, while the ground colour is of an emerald green, with a beautiful metallic lustre. Amidst these splendid leaves the flowers are, bouquet-like, produced; they are of a beautiful azure blue, and on each appears a star of the purest white. Introduced from the regions of Eastern Peru. 15s.

DICHORISANDRA UNDATA.

This is a dwarf species from Peru; has round acuminate leaves, which are ornamented with longitudinal bands alternately of green reflected with silver, and of green shaded to black, strikingly undulated, or waved, producing a charming effect. 3s. 6d. and 5s.

DICHORISANDRA ARGENTEO-MARGINATA, 3s. 6d.

DICHORISANDRA VITTATA DISCOLOR, 3s. 6d.

DICHROSTACHYS PLATYCARPA.

This elegant-growing shrub was discovered by Dr. Welwitsch, in the Highlands of the district of Golungo Alto, Angola.

The flowers are produced in pendulous spikes about 1½ inches long, the lower half of which are bright yellow, the other half rose coloured. The leaves are of a glaucous green, and bipinnate, with fourteen and more pairs of pinnæ, the leaflets from twenty-six to thirty pairs; the legume is nearly an inch broad, and peculiarly twisted. 10s. 6d.

DIEFFENBACHIA BARAQUINIANA, 3s. 6d. and 5s.

DIEFFENBACHIA GIGANTEA, 5s.

DIEFFENBACHIA EBURNEA.

This is one of the best Dieffenbachias yet introduced, because it does not attain that coarse character which is peculiar to the family, but is of close and compact habit.

It has been introduced from South America.

The leaves are light green, prettily spotted with white. The leaf stalks and stem are of a pale cinnamon colour, ribbed with white, the latter having a pretty ivory-like appearance. 7s. 6d. and 10s. 6d.

DIEFFENBACHIA GRANDIS, 2s. 6d. & 3s. 6d. | **DIEFFENBACHIA PICTA**, 2s. 6d.

DIEFFENBACHIA PEARCEI.

A distinct and striking variety, with fine large leaves of a bright green colour, the mid-rib having a broad creamy white lining, and the leaf itself being thickly marked and spotted. It is a very attractive and useful exhibition plant. 3s. 6d. and 5s.

DIEFFENBACHIA WALLISII.

A charming species, with fine silvery white leaves, margined with green, and covered with a quantity of silver spots. Introduced from the Rio Negro. 7s. 6d. and 10s. 6d.

DIEFFENBACHIA WEIRII.

This has been introduced by the Royal Horticultural Society from South America, through their collector, Mr. Weir, after whom it is named. It is of dwarf habit, the foliage of a bright green colour, thickly blotched and spotted with pale yellow. This is one of the finest of the Dieffenbachias, and can be recommended as a very ornamental-foliaged stove plant. 5s. and 7s. 6d.

DIONÆA MUSCIPULA.

(THE FLY-TRAP PLANT, OR VENUS' FLY-TRAP.)

One of the most wonderful illustrations of vegetable structure and design known among plants in the formation of its leaf organs for entrapping insects. 2s. 6d., 3s. 6d., and 5s.

DIOSCOREA ANÆCTOCHILUS, 3s. 6d. and 5s.

DIOSCOREA DISCOLOR VARIEGATA, 2s. 6d. and 3s. 6d.

DIPLADENIA (ECHITES) AMABILIS.

A beautiful climber, of neat habit, producing freely deep rosy crimson flowers, of large size (4 to 5 inches in diameter) and of exquisite beauty; fine for exhibition purposes. 2s. 6d. and 3s. 6d.

DIPLADENIA (ECHITES) AMCENA.

This beautiful variety is a most valuable acquisition amongst stove plants. The flowers are of a lovely pink colour, suffused with rose, somewhat resembling *D. splendens*, but in every respect a great improvement on that variety, being of superior form, the lobes being stiff and round instead of reflexed and pointed. It is as free a bloomer as *D. amabilis*, and has better foliage than that variety. 3s. 6d., 5s., and 7s. 6d.

DIPLADENIA (ECHITES) MARTIANA.

This plant has been distributed and is generally known under the name of *D. crassinoda*, which, it has recently been ascertained, belongs to a totally distinct species. 2s. 6d. and 3s. 6d.

DISTIACANTHUS SCARLATINUS.

A magnificent Bromeliaceous plant, introduced from the borders of the Amazon. The central leaves are of a most intense vivid scarlet colour. 1½ guinea.

DORSTENIA ARGENTATA.

This very pretty perennial, which is a native of Bahia, in Brazil, has been figured in the *Botanical Magazine* (Tab. 5,795). It is of erect habit, with a downy purplish stem, furnished with elliptic or oblong-lanceolate leaves, 3 to 5 inches long, dark green at the margins, and having a broad silvery central band, which is irregularly extended towards the margin of the leaf. 3s. 6d.

DRACÆNA ALBICANS.

A perfectly distinct plant, furnished with long narrow pointed leaves, about 2 inches broad, and narrowing into a long channelled petiole. The colour is bright green, with a pale green or whitish border, breaking out in well-grown matured plants into a conspicuous white variegation. The leaf stalks are green. It is a plant of very elegant habit, and has been imported from the South Sea Islands. 1 guinea.

DRACÆNA ANGUSTA.

A slender-growing ornamental plant, with narrow arching leaves, about an inch wide, narrowed and compressed at the base into a purplish stalk; they are of a dull dark green above, tinted with purple beneath, and become slightly bronzed in age. The plant has been imported from the South Sea Islands. 1 guinea.

DRACÆNA ARBOREA, 3s. 6d. and 5s.

| DRACÆNA BRASILIENSIS, 3s. 6d. and 5s.

DRACÆNA CHELSONI.

This remarkably fine variety, from the South Sea Islands, is of bold free growth; its leaves are large and striking, the ground colour being a glossy dark green, almost black, which, as the plant attains size, becomes mottled and suffused with deep crimson, a broad line of the same colour bordering the leaves on each side. 1½ guinea.

DRACÆNA CONCINNA.

A neat-growing species, with the same dwarf compact habit and narrow foliage as *D. pulchella*, but in this the leaves are of a deep sombre green with purplish red margins, while the contracted stalk-like base is also green with a slight purplish tinge. It was imported from the South Sea Islands, and will make a useful small-growing decorative plant. 15s.

DRACÆNA EXCELSA.

A very beautiful South Sea Island plant, of stout habit, with erect spreading leaves, which are broadly oblong and acute, and narrowed at the base into a stalk. The colour is a rich bronzy reddish brown, with a fine glaucous bloom beneath. Like *D. terminalis* and others, the plants in the mature stage break into colour, and become distinctly marked at the margin, or on other parts of the leaf surface, with irregular bands of a delicate rosy red hue, while the stalks and stem are of a purplish red. 1½ guinea.

DRACÆNA COOPERI, 3s. 6d., 5s., and 7s. 6d.

„ DRACO, 7s. 6d.

| DRACÆNA CONGESTA (rubra), 2s. 6d. & 3s. 6d.

„ FERREA, 2s. 6d. and 3s. 6d.

DRACÆNA FERREA VARIEGATA.

This resembles *D. ferrea* in its habit, but the richer colouring of its foliage, which is variegated with bright rosy crimson, renders it one of the most beautiful decorative plants extant. 3s. 6d., 5s., 7s. 6d., and 10s. 6d.

DRACÆNA GUILFOYLEI.

This handsome species has been introduced from the South Sea Islands. It is undoubtedly one of the most beautiful of all the *Dracænas*, and is perfectly distinct. Its elegant and graceful recurved foliage is beautifully marked with creamy white and various shades of pink, red, violet, and purple. The leaves, which are of great substance, are about 2 inches in width, and from 15 to 18 inches long. In the young plants the handsome variegation is seen only upon the margins of the leaves, but as the plants acquire age the variegation covers nearly the whole surface of the leaves. 15s. and 1 guinea.

DRACÆNA GRACILIS, 5s. and 7s. 6d.

| **DRACÆNA MARGINATA**, 5s. and 7s. 6d.

DRACÆNA MACLEAYI.

An exceedingly dwarf and robust-growing variety, with dark bronzy brown leaves, which have a decided gloss or metallic tint over their whole surface. It has been introduced from the South Sea Islands, and is remarkably distinct and handsome. 1½ guinea.

DRACÆNA MOOREANA.

This magnificent novelty, introduced from the South Sea Islands, resembles *D. Cooperi* in habit, but is larger in size of leaf, and of perfectly distinct colouring. It is a noble plant, the leaves being fully 4 inches in width, 2 to 3 feet in length, and beautifully undulated. The habit is compact, and especially suitable for decorative purposes. The base of the leaf stalk and the mid-rib are of a bright reddish crimson colour, which in the leaf itself changes to a glossy bronze. For decoration it is invaluable, as the colour of the foliage is most striking. 1½ guinea.

DRACÆNA NIGRO-RUBRA.

A fine variety from the South Sea Islands, of bold erect growth; the leaves are dark brown, with bright rosy crimson centres, the young foliage being as a rule entirely of the latter showy colour. It is a very attractive and ornamental stove plant. 15s.

DRACÆNA PULCHELLA.

A pretty narrow-leaved form of *Dracæna*, forming an excellent companion plant to *D. concinna*. It has deeply bronze-tinted leaves, nearly an inch wide, and of spreading arching habit, the contracted petiole-like base being of a deep wine red, which colour also marks the edges of the leaves. It is altogether an elegant and apparently small-growing plant, likely to be extremely useful for purposes of decoration. It was introduced from the South Sea Islands. 15s.

DRACÆNA SURCULOSA MACULATA,
7s. 6d.

| **DRACÆNA REGINA**, 1½ guinea.
,, **RUMPHI**, 10s. 6d.

DRACÆNA SPECTABILIS.

An erect free-growing plant, having broad oblong-acute arching leaves, narrowing and compressed at the base into a longish green stalk. They are of a deep full green, slightly bronzed, from being tinged beneath with reddish purple. A bold and free-growing handsome plant, of distinct character, which has been introduced from the South Sea Islands. 5s. and 7s. 6d.

DRACÆNA STRICTA, 2s. 6d. and 3s. 6d.

| **DRACÆNA TERMINALIS**, 2s. 6d. and 3s. 6d.

DRACONTIUM ELATUM, *vide* page 4.**DRYMONIA TURIALVÆ.**

A splendid Gesneraceous plant, with magnificent large leaves of firm stout texture, with a beautiful metallic shade. The flowers, which are white, relieved with a slight crimson tinge, are freely produced in bunches, and have attractive brick red calyces. It is very showy and effective. 15s.

DURANTA BAUMGARTII VARIEGATA, 2s. 6d. and 3s. 6d.

ECHITES RUBRO-VENOSA.

Every one admired this gem at the great Exhibitions of Amsterdam and London, and every one affirmed that the admirable net-work which covers the leaves yields to nothing but the most brilliant *Anætochili*. This net-work is speckled with bright red (sometimes a golden yellow), and stands out conspicuously from the emerald green ground. It is an admirable plant. 3s. 6d. and 5s.

ELETTARIA DIEPENHORSTII, 5s.

EPIPHYLLUM TRUNCATUM TRICOLOR,
2s. 6d.

| **EPIPHYLLUMS**, of sorts; these are useful for winter and early spring blooming, and very showy and attractive, 24s. and 30s. per doz.

ERANTHEMUM ANDERSONI (ELEGANS).

This charming plant has been obtained from Trinidad by the Right Hon. Sir Maziere Brady, Bart. (through the Hon. Horace Fitzgerald, one of Her Majesty's Judges in that Island), from whom Mr. W. B. received the stock. It is a native of India.

It is one of the most effective and pleasing plants that can be cultivated, the beauty of its blossoms being equal to that of some of the loveliest Orchids; these are freely produced on small plants, borne in axillary and terminal spikes, the latter some 8 or 10 inches long. There is a remarkable succession of flowers; as soon as those first developed go off, others again and again supply their place, so that the spikes continue in beauty for weeks. The two upper and lateral lobes of the flowers are pure white; the Orchid-like lip or lower segment is minutely but thickly dotted with crimson lake, and broadly margined with white. 3s. 6d.

ERANTHEMUM IGNEUM.

This charming species comes from Peru. The long oval leaves are of an obscure dark green, covered with a diamond-like dust, through which there is a central band and veins of golden yellow, shaded with fiery red in the central part. 2s. 6d. and 3s. 6d.

ERANTHEMUM ASPERSUM, 3s. 6d.

„ RUBRO-NERVIUM, 1s. 6d.

„ TUBERCULATUM, 1s. 6d.

EUCHARIS AMAZONICA, 1s. 6d. and 2s. 6d.

EUPHORBIA JACQUINIÆFLORA, 2s. 6d.

„ SPLENDENS, 2s. 6d.

ERANTHEMUM PULCHELLUM, 2s. 6d.

„ SANGUINOLENTUM, *vide*
HYPÖESTES

EUCODONIA, *vide* Index

FICUS BARBATA, 2s. 6d. and 3s. 6d.

„ DEALBATA, 1 guinea.

FICUS EBURNEA.

A fine free-growing stove plant of noble aspect, having smooth stems and large oblong-ovate, or oblong-ovate, petiolate leaves, which are somewhat rounded at the base and acuminate at the apex, and measure 15 inches in length by 9 inches in breadth. These leaves, which are of a firm and moderately stout texture, are of a bright shining green colour, and their stout ivory white midrib and principal veins show very conspicuously in contrast therewith. These conspicuous white lines on the surface of the glossy and ample foliage give a striking character to the plant, which is a native of the East Indies. 5s. and 7s. 6d.

FICUS ELEGANS, *vide* page 4.

FICUS SYCOMORUS.

This is the exceedingly rare Sycomore Tree of Scripture. 15s.

FITTONIA ARGYRONEURA, 1s. 6d. & 2s. 6d.

„ PEARCEI, 1s. 6d. and 2s. 6d.

FITTONIA VERSCHAFFELTII, 1s. 6d.
and 2s. 6d.

FITTONIA GIGANTEA.

An attractive plant, with fine foliage of remarkably beautiful colouring; the upper surface of the leaves is a deep green, ornamented with a bright rose netting and veining. 3s. 6d.

FRANCISCEA CALYCINA, 5s.

GARDENIA FORTUNEI VARIEGATA,
3s. 6d. to 7s. 6d.

GLORIOSA PLANTII, 3s. 6d.

„ SUPERBA, 3s. 6d.

FRANCISCEA LINDENI, 2s. 6d. and 3s. 6d.

GESNERAS, *vide* Index

GESNERA PURPUREA MACRANTHA,
2s. 6d.

GLOXINIAS, *vide* Index.

GODOYA SPLENDIDA.

A fine compact-growing plant, with large pinnate leaves; the flowers are very fragrant, pure white, and from 10 to 15 are produced on each spike.

It has been introduced from Columbia. 1½ guinea.

GODWINIA GIGAS.

This is the largest Aroid, both in leaf and flower, of which we have as yet any precise knowledge. It was discovered in January, 1869, by Dr. B. Seemann, near to Javali mine, in the Chontales Mountains of Nicaragua, where it grows amongst brushwood in broken ground near rivulets.

The plant grows with great rapidity—several inches during a single night. It produces only a solitary leaf, and after that has died off, the flower spathe makes its appearance, both leaf and spathe being of gigantic dimensions. The petiole (of the largest specimens measured in Nicaragua) is 10 feet long, covered with minute spiny projections, and with a metallic beautifully-mottled surface, brimstone yellow, harred and striped with purple, giving it the appearance of a snake

standing erect. The blade of the leaf, which is green on both sides, is 3 ft. 9 in. long, so that the whole leaf is 13 ft. 8 in. long. The blade is divided into three primary sections, which are again repeatedly subdivided, the extreme divisions being ovato-acuminato. The peduncle is 3 ft. long and 4 in. in circumference, mottled, rough, with minute spiny projections like the petiole, and furnished towards the base with several large bracts. The flower spathe is the greatest curiosity, measuring as it does 1 ft. 11 in. in length, and 1 ft. 8 in. in width. It is of a thick leathery texture, outside of a dark bluish brown, and inside of a dark brownish red, with the exception of the base and those parts surrounding the spadix, which are whitish yellow. The spadix is only 9 in. long and 9 lines across, and bears hermaphrodite flowers.

The original specimen, sent home by Dr. Seemann, attained the first year of its cultivation to within a few inches of the dimensions noted of it in Nicaragua. 15s.

GRIAS ZAMORENSIS.

A magnificent ornamental plant, with ovate-lanceolate leaves of great dimensions.

Introduced from the province of Loxa. 2 guineas.

GRAPTOPHYLLUM PICTUM, 2s. 6d.

GYMNOSTACHIUM, vide FITTONIA.

HELICONIA VINOSA, vide page 5.

HEMEROCALLIS PICTA.

A hothouse perennial, noticeable for the curious markings at the base of its stem. It is of erect habit, with the leaves distichous, channelled, and tapering gradually to the apex. In consequence of their distichous arrangement the bases of these leaves form a flattened surface, the lower part of which is stained of a brown umber colour, succeeded by a pale or white transverse zone or band, which sometimes forms a regular sharply defined curve, while above this the brown stain is repeated. This marking is confined to the sheathing base of the leaves, their upper part or blade being green, with a glaucous under surface. The leaves when perfect spread out like the ribs of a fan, and are elegantly arched.

This ornamental plant has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 7s. 6d.

HIBISCUS SINENSIS VARIEGATUS,
2s. 6d.

„ GENERAL COURTIGIS, 3s. 6d.

HOYA CARNOSA, 2s. 6d. and 3s. 6d.

„ IMPERIALIS, 3s. 6d. and 5s.

HYPOESTES SANGUINOLENTA, 1s. 6d.
and 2s. 6d.

IPOMŒA HORSFALLIÆ, 3s. 6d. and 5s.

HIBISCUS SINENSIS RUBRO-PLENUS,
2s. 6d.

HOYA BELLA, 2s. 6d. and 3s. 6d.

„ CARNOSA VARIEGATA, 2s. 6d.
and 3s. 6d.

HYPOCYRTA BREVICALLYX, 3s. 6d. and 5s.

INDIGOFEA TEYSMANNI, 3s. 6d.

IPOMŒA LEARII, 2s. 6d. and 3s. 6d.

IXORA CROCATATA RUTILANS.

A highly improved form, as to habit of growth and bloom, of its parent *Ixora crocata*, having more the character of *I. amboinensis*, producing larger and more compact heads of fine crimson red flower tubes, and rich orange or salmon red lobes. It combines a free and vigorous style of growth, with a more effective display of bloom in the summer months. 3s. 6d. and 5s.

IXORA DIXIANA.

This magnificent plant was exhibited before the Floral Committee of the Royal Horticultural Society at South Kensington, where it deservedly received a First Class Certificate. It has fine foliage, and bears dark orange flowers in large trusses. It is an excellent variety for exhibition, being of a hardy constitution. 7s. 6d.

IXORA ALBA, 2s. 6d. and 3s. 6d.

„ COCCINEA SUPERBA, 2s. 6d. and
3s. 6d.

„ GRIFFITHII, 3s. 6d.

„ PRINCEPS, 7s. 6d.

IXORA AMBOINENSIS, 3s. 6d.

„ CROCATATA, 2s. 6d. and 3s. 6d.

„ JAVANICA, 2s. 6d. and 3s. 6d.

„ LOBBII, 3s. 6d. and 5s.

„ SALICIFOLIA, 2s. 6d. and 3s. 6d.

JACQUEMONTIA VIOLACEA.

A neat-growing trailing plant, of slender habit, producing an abundance of lovely blue flowers. 5s.

JONESIA DECLINATA, vide page 5.

KÆMPFERIA SPECIOSA.

This, one of the most handsome species yet introduced, has been imported from South Africa. The flowers, unlike many of the East Indian kinds with which we are familiar, are very attractive. It is a tuberous-rooted plant, with the leaves pale green, oblong-lanceolate and acuminate; the flower scapes strong and robust; the segments of the flower are large and broad, deeply lobed, and of a bright violet purple colour. 7s. 6d.

LASIANDRAS, vide Index.**LIBONIA PENRHOSIENSIS, vide page 5.**

LITTONIA MODESTA, 2s. 6d. and 3s. 6d. | LOUREA VESPERTILIONIS, 3s. 6d.

MACKAYA BELLA, vide page 5.**MANGIFERA INDICA.**

("THE MANGO TREE.")

Mr. W. B. having imported a large quantity of this rare plant, can now offer it at 15s.

MARANTA ALBO-LINEATA, 2s. 6d. and 3s. 6d.	MARANTA AMABILIS, 7s. 6d.
„ ARGYREA, 3s. 6d.	„ BARAQUINII, 7s. 6d.
„ CHIMBORACENSIS, 15s.	„ EXIMEA, 3s. 6d.
„ FASCIATA, 5s.	„ GOVEANA, 3s. 6d.
„ ILLUSTRIS, 7s. 6d. and 10s. 6d.	„ LEGRELLIANA, 5s. and 7s. 6d.
„ LINDENI, 7s. 6d.	„ PICTURATA, 5s. and 7s. 6d.
„ ORNATA, 3s. 6d.	„ PRINCEPS, 15s.
„ ORTEANA, 3s. 6d.	„ SETOSA, 5s.
„ ROSEO-PICTA, 3s. 6d., 5s., and 7s. 6d.	„ SPLENDIDA, 5s. and 7s. 6d.
„ VAN DEN HECKEI, 2s. 6d. and 3s. 6d.	„ VEITCHII, 15s. and 1 guinea
„ WARSCIEWICZII, 3s. 6d.	„ VIRGINALIS, 7s. 6d.
	„ ZEBRINA, 3s. 6d.

MARANTA TUBISPATHA.

A very graceful species, with obovate elliptical shortly acuminate leaves of a pale green colour, having a row of oblong deep brown blotches, in pairs, on each side of the mid-rib. The striking contrast between the lively green ground-work of the leaf, and the brown blotch, renders this plant at once distinct and elegant. 15s.

MARANTA WALLISII.

A handsome and distinct variety, with light green leaves marked with a well-defined ray of rich dark green. 7s. 6d.

MARCGRAAVIA DUBIA, 3s. 6d. | MEDINILLA MAGNIFICA, 3s. 6d. and 5s.

MESUA FERREA.

An exceedingly ornamental plant, the foliage of which is dark green, and remarkably glaucous beneath; the young shoots are of a bright transparent pink; and the flowers have petals of ivory whiteness, which present a charming contrast with the deep yellow stamens. The odour of its blossoms is something delicious. 2 guineas.

MEYENIA ERECTA, 2s. 6d.	MEYENIA VOGELIANA, 3s. 6d.
„ „ ALBA, 2s. 6d.	MICONIA PULVERULENTA, 2s. 6d.

MONOLENA PRIMULÆFLORA.

This, among neat-habited flowering stove plants, is quite a gem. The leaves are ovate-lanceolate, of a lustrous dark green above, and purple tinted beneath. The flowers are produced bouquet-like on long peduncles well above the foliage, are large and abundant, and of a beautiful clear soft rose colour, reminding one of some of the attractive Primulas, hence its name. It has been introduced from the Stato of Ecuador. 7s. 6d.

MONSTERA DELICIOSA (Philodendrum pertusum), 10s. 6d. and 15s.	MUSA ASSAMICA, vide page 6.
MUSA AFRICANA, vide page 6.	„ RUBRA, 1 guinea
„ CAVENDISHII, 7s. 6d., 10s. 6d., and 15s.	„ SAPIENTUM, 15s.
„ ORNATA, 15s.	„ VITTATA, 2 guineas
„ ROSACEA, 7s. 6d.	„ ZEBRINA, 15s.

MUSSÆNDA LUTEOLA.

A pretty plant, collected by Captain Grant in the rocky ravines of Gani and Madi. It forms a neat-growing shrub; the bracts or floral leaves which accompany the flowers are white; the calyx-tube is nearly an inch long, and flowers terminally produced, yellow, with bright orange centre. 2s. 6d. and 3s. 6d.

OPLISMENUS IMBECILLUS VARIE-
GATUS, 1s., 1s. 6d., and 2s. 6d.

PANICUM PLICATUM NIVEO-VIT-
TATUM, 2s. 6d. and 3s. 6d.

PALMS, OF SORTS, *vide* Index.

PANCRATIUM NOTATUM.

In consequence of a large importation of this useful free-flowering plant, Mr. WILLIAM BULL can offer fine strong-blooming Amaryllis-like bulbs. Its showy white flowers are produced in clusters of 9 to 12 on stiff erect scapes, the outer segments 3 to 4 inches long, with funnel-shaped centre crown upwards of an inch in diameter. The blossoms are deliciously fragrant. 2s. 6d. each; 24s. per doz.

PANCRATIUM ELEGANS, 15s.

| PANCRATIUM SPECIOSUM, 5s.

PANDANUS DECORUS.

A distinct-looking and elegant species from the high mountains of New Caledonia, where it is said to form a highly ornamental object, producing long narrow leaves. The young plants are of neat habit, furnished with bright green leaves, about half an inch broad, the upper surface somewhat channelled, and having two slight ridges, which are spiny near the apex, the lower surface having a spiny keel, and the margins being furnished with very small close-set pale-coloured spines, which render them saw-like. It appears to be a moderate-sized useful decorative plant. 1 guinea.

PANDANUS FURCATUS, *vide* page 6.

| PANDANUS LAIS, *vide* page 6.

PANDANUS SPIRALIS.

An exceedingly elegant decorative plant, partaking of the general character and appearance of *P. elegantissimus*, but with the leaves longer and narrower than in that plant. 10s. 6d.

PARMENTIERA CEREIFERA.

This is the celebrated "Candlo Treo," discovered in the valley of the River Chagres, Isthmus of Panama, by Dr. Seemann. It has opposite trifoliate leaves, and large white blossoms, which, in its native habitat, are given throughout the year, but are produced in the greatest abundance during the rainy season. As in most of the Crescentiaceæ, the flowers grow out of the old wood; the fruit is fleshy, and the seeds very small, not larger than lentils. 7s. 6d.

PASSIFLORA ALATA, 2s. 6d.

„ BUONAPARTEA, 2s. 6d.

„ EDULIS, 2s. 6d.

„ LAURIFOLIA, 2s. 6d. & 3s. 6d.

„ MADONNA, 3s. 6d. and 5s.

„ QUADRANGULARIS, 2s. 6d.

PASSIFLORA BIJOU, 3s. 6d. and 5s.

„ CARDINALIS, 2s. 6d.

„ KERMESINA, 2s. 6d.

„ LOUDONI, 2s. 6d.

„ PRINCEPS (RACEMOSA),
2s. 6d. and 3s. 6d.

PASSIFLORA FULGENS, *vide* *Tacsonia Buchananii*.

PASSIFLORA ARBOREA (GLAUCA).

This extremely interesting plant was found near the edge of the Great Guayaquilian Plain, between Loxa and Santa Fé de Bogota. The flowers are small, similar to those of an ordinary Passion Flower; the filamentous portion white, the centre orange. The fruit is oval, about the size of a pigeon's egg, of a very pale yellow colour, but covered, from its earliest stage, with a beautiful glaucous bloom. This plant can be cultivated in an ordinary stove, and, being found at an elevation of upwards of 6,000 feet above the sea, it will doubtless also thrive well in a warm greenhouse. 15s.

PASSIFLORA MACROCARPA.

A free-growing climber, introduced from the Rio Negro. The blossoms are very large, white and purple, but it possesses the remarkable feature of giving fruit, which weigh each about eight pounds. 2s. 6d. and 3s. 6d.

PASSIFLORA TRIFASCIATA.

A charming ornamental-foliaged climber, each leaf being intersected with three distinct broad bands of rosy carmine, which in a young state are white, changing to rose.

This beautiful variety is in reality a handsomely variegated-foliaged Passion Flower. 2s. 6d. & 3s. 6d.

PAVETTA BORBONICA, 10s. 6d. and 15s.

| PHARUS VITTATUS, 7s. 6d.

PENTAPETES PHŒNICEA.

Flowers five-petaled, axillary, drooping, on short peduncles, saucer-shaped, with projecting stamens, from an inch to an inch and a half in diameter, of a coppery scarlet, a good deal resembling those of some of the large-flowered red varieties of *Anagallis*. These flowers are very freely produced, even on young plants. It is a native of the East Indies. 3s. 6d.

PENTAPETES PHŒNICEA ALBA.

In general character similar to the preceding, but with white flowers. 3s. 6d.

PEPEROMIA ARGENTEA.

A pretty little silvery wax-like plant, introduced from South America, easily cultivated, and, being small and compact growing, quite an acquisition. 3s. 6d.

PEPEROMIA ARGYREA , 2s. 6d. and 3s. 6d.	PEPEROMIA ARIFOLIA , 2s. 6d.
" ROBUSTA , 2s. 6d.	" LESCHENAUZIANA , 2s. 6d.
" MACULOSA , 2s. 6d.	" VERSCHAFFELTII , 5s.

PHILODENDRON BIPINNATIFIDUM.

An ornamental species from Brazil, requiring only an intermediate house or cool stove; indeed, it is a plant so easily grown, as to be admirably adapted for cultivating in the rooms of a dwelling house. Its leaves attain a length of about 2 feet by $1\frac{1}{2}$ in breadth; they are of a bright green, and bipinnatifidly divided, and rendered handsome by this character. 7s. 6d. and 10s. 6d.

PHILODENDRON CRINIPES , 3s. 6d. and 5s.	PHILODENDRON DISCOLOR , 3s. 6d.
" PERTUSUM , 10s. 6d. and 15s.	" RADIATUM , 5s.

PHILODENDRON LINDENIANUM.

This *Philodendron* has heart-shaped leaves of delicate satiny green, shaded with metallic olive colour on the upper surface, the under part pale green, ornamented with bands of maroon. The young leaves are of a bright chamois colour, and the maroon bands of the under parts penetrate through to the upper, so that the appearance of the plants produces a glistening and indescribable effect. One of the most brilliant introductions of our epoch. It was found in the low and damp forests in the Republic of Ecuador. 3s. 6d. and 5s.

PEPINIA APHELANDRÆFLORA , 1 guinea	PIPERS , of sorts, 1s. 6d. and 2s. 6d.
PILEA MUSCOSA , "The Artillery Plant," 1s. 6d.	PITCAIRNEA DASYLIRIODES , 7s. 6d.
PINCENECTICIA TUBERCULATA , 15s.	" TABULÆFORMIS , 2s. 6d. and 3s. 6d.
PLUMBAGO COCCINEA SUPERBA , 2s. 6d.	PLUMBAGO ROSEA , 2s. 6d.

PLATYMISCIUM POLYSTACHYUM.

A fine tropical tree, inhabiting Veragua in the Isthmus of Panama. It produces a beautiful hard wood, streaked black and red, and bears pinnate leaves, composed of from three to five ovate leaflets, and numerous short ovate racemes of smallish pea-shaped yellowish flowers. 7s. 6d.

POINCIANA PULCHERRIMA.

This is the celebrated "Peacock's Pride" of Barbadoes. 7s. 6d.

POINCIANA REGIA.

This is one of the most gorgeously beautiful flowering plants belonging to the Leguminosæ. 7s. 6d.

PSYCHOTRIA CYANOCOCCA.

If one were to search the vegetable kingdom through, it would be difficult to find any other plant which displays, either in its flowers, fruit, or seeds, such a beautiful ultramarine colour as is exhibited by the berries of this new species from Chontales, Nicaragua. In leaf there is scarcely anything to distinguish it from hundreds of congeners. The colour and size of the flowers is disappearing to the lovers of gay tints and large blossoms, but both are all the more calculated to prepare us, as it were, for a surprise. As soon as the fruit begins to assume shape and substance, a tint is displayed which can be but imperfectly rendered by the Greek term *cyaneus*. In its native woods, the plant grows as underwood, and is loaded throughout the winter with large blue berries, as many as from 30 to 35 growing on one bunch. Its introducer was Dr. Seemann, who also vouches for the plant being absolutely new to science. 15s.

PSYCHOTRIA CHONTALENSIS.

"I now beg to forward to you a second species of *Psychotria*," wrote Dr. Seemann to Mr. Bull from Central America, "and in doing so I must in the first instance endeavour to disabuse your mind

from the prejudice which, no doubt, you share in common with many other hunters after ornamental plants, viz., that Psychotrias are unworthy of your attention, and do not possess those qualities to which you are specially bound to look. This species is a companion picture of *P. cyanococca*, but it is altogether more robust and hairy a kind, and is allied to the Peruvian *P. pilosa*, though differing from it by having smaller leaves, and axillary, not terminal, panicles. The berries are not of such an intensely deep blue as those of *P. cyanococca*, but their colour is still perfectly lovely, and they are larger, usually 40 to 50 growing on a bunch. If one could but dig up one of the numerous bushy specimens, crowded with fruit, by which I am here surrounded, and send it to one of the Horticultural Flower Shows, I have no doubt what the Floral Committee would be forced to do. Remember also that these two species fruit in the depth of winter, when colour is highly acceptable, and you will have no reason to grudge them a place in your collection." 15s.

RAVENALIA MADAGASCARIENSIS, "The Traveller's Tree," 15s.

ROGIERA GRATISSIMA, 3s. 6d. and 5s.

RONDELETIA SPECIOSA, 2s. 6d.

RUDGEA MACROPHYLLA, 7s. 6d. & 10s. 6d.

ROGIERA THYRSIFLORA, 3s. 6d.

RONDELETIA SPECIOSA MAJOR, 3s. 6d.

RUSSELLIA JUNCEA, 3s. 6d.

SALVADORA PERSICA, "The Mustard Tree of Scripture," 3s. 6d.

SAMYDA NOBILIS.

An extremely handsome ornamental plant, with large dark green elliptic-lanceolate leaves, which are upwards of a foot in length, and about half as much in breadth, serrated on the margin and woolly beneath; the stem is covered with a light brown pubescence, the leaves are pendulous, and being so large they give to the plant a rich attractive character.

It has been introduced from the province of Saint Catherine, Brazil. 1½ guinea.

SANCHEZIA NOBILIS VARIEGATA.

A very handsome plant for exhibition purposes; the leaves, which are from 12 to 15 inches long, are of the richest green, whilst the veins and margin are a brilliant yellow, which contrast produces a most striking effect. 2s. 6d.

SANSEVIERA GUINEENSIS, 5s.

SARMIENTA REPENS, 3s. 6d.

SANSEVIERA ZEYLANICA (javanica),

2s. 6d.

SAURAUJA SARAPIGIENSIS.

This handsome-foliaged plant is an introduction from Costa Rica. It produces leaves 20 inches long by 9 wide, which, when young, are of a pleasant reddish tint, and the mid-rib in all the leaves is of a bright red, which latter contrasts prettily with the green leaves. 10s. 6d. and 15s.

SCUTELLARIA MOCCINIANA.

This interesting plant is of a neat, dwarf, branching style of growth, with small ovately heart-shaped leaves. It is of a very free-flowering habit, producing terminal spikes of golden yellow bloom during the summer months. 2s. 6d.

SELAGINELLA SETOSA.

A charming species from Columbia, with fronds velvety green on the upper surface, and satiny rose underneath. 7s. 6d.

SELAGINELLA MARTENSII ALBO-

VARIEGATA, 1s. 6d. and 2s. 6d.

SELAGINELLAS, of sorts, 1s. 6d. and 2s. 6d.

SMILAX MACROPHYLLA MACULATA,

5s.

„ **LONGIFOLIA VARIEGATA**, 7s. 6d.

SIPHOCAMPYLUS HUMBOLDTIANUS (FULGENS).

This free-flowering effective plant has been introduced from South America, and is a great acquisition to our stoves, for it produces its showy blossoms nearly throughout the year; it is of compact habit; foliage dark green, ovate-acuminate, the blossoms rich orange scarlet, with yellow throat.

Being such a free bloomer, and producing its attractive flowers over such a lengthened period, it is a most desirable decorative plant, added to which its flowers are extremely useful for bouquets. 3s. 6d.

SONERILA MARGARITACEA,

2s. 6d. and 3s. 6d.

SONERILA MARGARITACEA ALBA,

2s. 6d. and 3s. 6d.

SPHÆROGYNE FERRUGINEA.

An elegant stove shrub, introduced from South America. The leaves are of a shaded green on the upper surface, and paler beneath, and while in a young state are stained with red; shortly stalked, elliptic-oblong in outline, wider above the centre, and shortly acuminate, the base being tapered beyond the source of the triple ribs. 5s. and 7s. 6d.

SPHÆROGYNE CINNAMOMEA, 3s. 6d. & 5s.

„ **LATIFOLIA**, 5s. & 7s. 6d.

SPHÆROSTEMA MARMORATUM, 2s. 6d.

and 3s. 6d.

SPONDIAS OLIVÆFORMIS.

A small tree, with bright green shining foliage and large terminal panicles, bearing red, ultimately dark purple fruit, which in shape resemble olives, and being used as a substitute for them, the tree is termed "Aceitno" (*i.e.*, Olive) by the natives. It was discovered by Dr. Seemann in New Segovia, Central America, and is a genuine evergreen, having been found in full leaf at the height of the dry season, when all the surrounding vegetation was either leafless or burnt up. 2 guineas.

STENOLOBIUM (TECOMA) STANS, 3s. 6d.
STEPHANOTIS FLORIBUNDA, 2s. 6d.
and 3s. 6d.

STEPHANOPHYSUM BAIKIEI, 2s. 6d.
STIGMAPHYLLUM CILIATUM, 3s. 6d.
SYNGONIUM WENDLANDII, 2s. 6d.

STRELITZIA AUGUSTA.

A noble and exceedingly ornamental plant of the Musaceous order, remarkable for its tall, erect, elongated, distichous leaves, and its fine white peculiarly formed flowers. It was introduced long since from the Cape of Good Hope, but has always remained comparatively rare. 7s. 6d.

STRELITZIA JUNCIFOLIA, 2 guineas.
,, REGINÆ, 15s. and 1 guinea.

TABERNÆMONTANA CORONARIA
FLORE-PLENO, 2s. 6d.

SYNGONIUM ALBO-LINEATUM, *vide* page 6.

TACSONIA BUCHANANI (VITIFOLIA).

This charming plant, introduced from Panama, is of free and vigorous growth. The flowers are very large, of a beautiful bright shining red colour, and being produced in the greatest profusion, give this plant such an effective and showy appearance as will always cause it to be very desirable and useful as a stove climber. 2s. 6d. and 3s. 6d.

TAPEINOTIS CAROLINÆ, 2s. 6d. & 3s. 6d. | TETRANEMA MEXICANUM, 2s. 6d.

TERMINALIA ELEGANS.

This exquisite foliage plant has been introduced from Madagascar, and is one that ranks foremost in the ornamental section. The leaves are trifoliate, lanceolate, with elegantly reticulated glossy leaflets, having a bright red mid-rib, and a rich network of dark veins on a bright green ground.

To convey a familiar notion of this plant, it may be said to be somewhat like *Pavetta borbonica*, but with trifoliate leaves, which add materially to its beauty. 1 and 1½ guinea.

TILLANDSIA LINDENI, 1 guinea
TORENIA ASIATICA, 1s. 6d.
TRADESCANTIA REPENS VITTATA,
3s. 6d.
,, ,, VARIEGATA, 2s. 6d.

TINNEA ÆTHIOPICA (the Violet-scented
Tinnea), 2s. 6d.
TYDÆAS, *vide* Index
VRIESIA BRACHYSTACHYA, 15s.

URCEOLINA AUREA.

An elegant bulbous plant, with neat broad oblong leaves, and beautiful comparatively large bright golden yellow flowers, with a barrel-shaped tube, and the limb brilliantly tipped with green. Its flowers are produced in gracefully drooping terminal clusters during the summer and autumn months. 10s. 6d. and 15s.

UROSPATHA GRANDIS, 7s. 6d. & 10s. 6d.
,, PICTURATA, 7s. 6d. & 10s. 6d.

UROSPATHA SPECTABILIS, 7s. 6d. & 10s. 6d.
,, SPLENDENS, 7s. 6d. & 10s. 6d.

UTRICULARIA ELEGANS, *vide* page 7.

VITIS (CISSUS) CHONTALENSIS.

This elegant climber has been introduced by Dr. B. Seemann, from the wooded mountains of Chontales, in the Republic of Nicaragua, Central America, where it covers rocks and trees, and by its graceful habit, lovely green foliage, and bright scarlet flowers (which appear about Christmas), forms a conspicuous object of the scenery of that region. It is a smooth plant, with an angular stem and trifoliate leaves, having toothed ovate-acuminate leaflets, and flowers growing in compound cymes, made up of 10 to 12-flowered cymiclos. It is of a very ornamental character. 7s. 6d.

VITIS (CISSUS) JAVALENSIS.

This new species was also introduced by Dr. B. Seemann from the Chontales Mountains, where it grows about the Javali gold and silver mine. The stems are terete and striate; the leaves simple, cordate-acuminate, pubescent, and of a velvety green above, with the costa and veins purplish, and of a purplish hue beneath. The flowers are as bright or even brighter than those of the preceding, grow also in compound cymes. It is very remarkable for its beautiful flowers. 15s.

NEW AND RARE GREENHOUSE PLANTS.

—:O:—

HYBRID ABUTILONS.

BRILLIANTISSIMUM, 1s. 6d.

ELEGANS, 1s. 6d.

LUTEUM ERECTUM, 2s. 6d.

CARMINEUM, 1s. 6d.

GRANDIFLORUM, 1s. 6d.

VIOLACEUM PURPUREUM, 2s. 6d.

The above are now hybrid varieties of this interesting genus; the flowers are of diversified colours, and as all are more or less rapid in growth, they are well adapted for planting against pillars or trellis-work in greenhouses or conservatories.

ABUTILON MEGAPOTAMICUM VARIEGATUM.

A handsome greenhouse shrub, of semi-scandent habit, resembling *A. megapotamicum* in its scarlet and yellow flowers, and in the shape of its elongate-ovate leaves lobed towards the base, but distinguished by the latter being richly mottled with yellow and various shades of green, in the way of *A. Thompsoni*. 3s. 6d.

ABUTILON THOMPSONI.

A distinct and pretty variegated shrub, of a neat erect habit, with small vine-like or maple-like leaves, richly mottled or marbled with yellow and dark green; useful and effective in conservatory decoration, and a good summer plant out of doors. 1s. and 1s. 6d.

ACACIAS, of sorts, 1s. 6d., 2s. 6d., and 3s. 6d.

ADENANDRA FRAGRANS, 1s. 6d. and 2s. 6d.

ACROPHYLLUM VENOSUM, 3s. 6d. and 5s.

AGAVE SCHIDIGERA, 15s.

AGAVE AMERICANA LONGIFOLIA VARIEGATA.

The leaves of this variety are nearly double the length of those of the old variegated Aloe; the variegation is also much whiter, and cleaner. 7s. 6d., 10s. 6d., and 15s.

AGAVE AMERICANA VARIEGATA.

In all sizes, from 3s. 6d., 5s., 7s. 6d., to 15s.; very handsome specimens, 1½, 2, and 4 guineas.

AGAVE FILIFERA.

7s. 6d., 10s. 6d., 15s., and 21s. Handsome pairs of this fine conservatory plant, 8 and 12 guineas per pair.

AGAVE BULBOSA, vide page 3.

AGAVE SEEMANNI.

This handsome dwarf species grows in stony places of the Department of Matagalpa, Republic of Nicaragua, Central America, whence it was introduced by Dr. Seemann. It is one of the smaller kinds, the panicle never attaining more than 6 feet in height. The leaves are rosulate, subspathulate, remarkably blunt, but producing from their apex a stiff projecting dark coloured spine, while strong spines are also borne on prominent serratures of the margin. 7s. 6d.

AGAVE SEEMANNI ACUTA.

This variety is similar to the typical form in its short subspathulate rosulate leaves, with a strong terminal spine, but it differs in the leaves being gradually drawn out to a point at the base of the spine. 7s. 6d.

AGAVE SEEMANNI PAPILLOSA.

In this variety the leaves are spatulate-oblong, with projecting marginal papillæ-like teeth, each surmounted by a dark spine, which is often recurved, while the apex of the leaf is acute, and terminated by the usual stout dark-coloured spine. 7s. 6d.

AGAVE SEEMANNI PARVISPINA.

This is a more rapid-growing plant than either of the foregoing, producing more oblong or linguulate leaves, the apex being attenuated, and terminating in a moderately stout spine while the margin is beset with numerous small pale-coloured spiny teeth. It is a very distinct form. 7s. 6d.

AGAPANTHUS, of sorts, 1s., 1s. 6d., and 2s. 6d.

AGNOSTUS SINUATA, 5s. and 7s. 6d.

ALBUCA FASTIGIATA ELONGATA, 15s.

AMARYLLIS, of sorts, 3s. 6d., 5s., and 7s. 6d.

ANOPTERIS GLANDULOSA, 5s. and

7s. 6d.

ANTHOLYZA ÆTHIOPICA MAXIMA.

A pretty Iridaceous plant from the Cape of Good Hope, which, with merely the protection of a cold frame, gives its showy orange scarlet flowers from January to April. 3s. 6d.

APHELEXIS MACRANTHA ROSEA,

1s. 6d. and 2s. 6d.

„ „ **PURPUREA,**

1s. 6d. and 2s. 6d.

ARALIA QUINQUEFOLIA, 3s. 6d.

APHELEXIS RUPESTRIS GRANDI-

FLORA, 1s. 6d. and 2s. 6d.

ARALIA PAPYRIFERA, 3s. 6d. and 5s.

„ **JAPONICA (SIEBOLDII),** 2s. 6d. & 3s. 6d.

„ **TRIFOLIATA,** 3s. 6d.

ARALIA SIEBOLDII VARIEGATA.

A handsome ornamental plant, with foliage similar to that of *A. Sieboldii*, but prettily variegated. 5s. and 7s. 6d.

ARAUCARIA COOKII.

7s. 6d., 10s. 6d., and 15s.; handsome specimens in all sizes, from 1½ to 6 guineas.

ARAUCARIA CUNNINGHAMII.

7s. 6d., 10s. 6d., and 15s.

ARAUCARIA EXCELSA.

Mr. W. B. has lately imported a fine lot of this handsome conservatory plant from New South Wales, and can offer it in various sizes, from 5s., 7s. 6d., and 10s. 6d. to 15s. each; handsome specimens in all sizes, from 2 to 12 guineas.

ARAUCARIA EXCELSA GLAUCA.

Handsome specimens of this exceedingly rare conservatory plant, 15s.; fine plants, 4 guineas.

ARAUCARIA RULEI.

A handsome ornamental plant, introduced from New Caledonia. It has verticillate horizontally spread branches, the leafy twigs very long, about an inch in diameter, with oval elliptic appressed leaves, rounded and subcarinate beneath, and curved towards the trunk. 15s., 1½ and 2 guineas.

ARUNDO DONAX VARIEGATA, 2s. 6d.

and 3s. 6d.

BIGNONIA AUSTRALIS, 2s. 6d. and 3s. 6d.

„ **GRANDIFLORA,** 1s. 6d. & 2s. 6d.

„ **JASMINOIDES ALBA**

MAGNA, 2s. 6d.

AZALEAS, of sorts, *vide* Index

BEGONIAS, *vide* Index

BIGNONIA CHERERE, 2s. 6d. and 3s. 6d.

„ **VENUSTA,** 2s. 6d. and 3s. 6d.

„ **JASMINOIDESPLENDIDA,**

1s. 6d.

BLANDFORDIA AUREA.

A very beautiful addition to the already fine group of *Blandfordia*, making a sixth reputed species in the group. It forms an evergreen conservatory plant, with narrow linear keeled or channelled leaves, from the base of which the flower scape rises to the height of 1 to 2 feet, bearing an umbellate cluster of three to five pure golden yellow drooping bell-shaped flowers, 1½ to 2 inches in length, and nearly equal in width. This variety will prove a valuable acquisition to the conservatory as a summer-flowering plant. 10s. 6d.

BLANDFORDIA CUNNINGHAMII.

The late Dr. Lindley, in describing the previously known kinds of this genus, thus refers to *Blandfordia Cunninghamii*:—"None of them are to be compared for beauty with a plant of which the late Allan Cunningham gave me a specimen, the flowers of which are fully twice as large as *B. marginata (grandiflora)*. The leaves have neither serratures nor roughness on the edge, but are perfectly smooth. The flowers are of a deep rich red tint, except at the ends of the petals, where they are yellow."

To lovers of rare and handsome-flowering greenhouse plants this will be found a valuable addition. 3s. 6d., 5s., and 7s. 6d.

BLANDFORDIA FLAMMEA, 10s. 6d. & 15s.

BORONIA DRUMMONDII, 1s. 6d. and 2s. 6d.

BOTRYODENDRON LATIFOLIUM, 15s.

BLANDFORDIA NOBILIS, 5s. and 7s. 6d.

BORONIA SERRULATA, 1s. 6d. and 2s. 6d.

BOUVARDIAS, of sorts, 1s. and 1s. 6d.

BRACHYCHITON DELABECHII.

This is the remarkable and curious-growing Bottle Tree of Australia. 15s.

BRUGMANSIA ARBOREA, 2s. 6d. & 3s. 6d.

„ **SANGUINEA,** 2s. 6d. & 3s. 6d.

„ **SUAVEOLENS,** 2s. 6d. & 3s. 6d.

BRUGMANSIA KNIGHTII (flore pleno),

2s. 6d. and 3s. 6d.

BURTONIA VIOLACEA, 2s. 6d.

CALCEOLARIA PAVONII.

A tall-growing greenhouse perennial, attaining some 6 or 8 feet in height, and proving suitable for open-air culture in summer. The stem and leaves are clothed with soft close hairs, the latter rugose. The flowers form large branched leafy panicles, and are of a canary yellow, with the large lower lip folded upwards against the smaller upper one, while the throat is marked inside with a purplish red stain. This remarkable and interesting species is a native of the Andes of Peru, and is figured in the *Botanical Magazine* (Tab. 4,525). Its continuous and successional growth and bloom render it well suited for the flower garden, where plants of tall and remarkable character can be appropriately introduced, and it proves very effective for sub-tropical gardening. 2s. 6d. and 3s. 6d.

CAMPHORA OFFICINALIS.

This is the plant that produces the well-known Camphor of commerce, and being of neat habit and growth, is an interesting conservatory or greenhouse plant. 3s. 6d.

CAMPSIDIUM (TECOMA) VALDIVIANA, vide page 4.

CAMELLIAS, of sorts, *vide* Index

CEREUS GRANDIFLORUS, (night blooming), 2s. 6d. and 3s. 6d.

„ **M'DONALDII**, 2s. 6d. and 3s. 6d.

CHOROZEMA CORDATUM SPLENDENS, 1s. 6d. and 2s. 6d.

„ **LAWRENCEANUM**, 1s. 6d. and 2s. 6d.

CALLICARPA PURPUREA, 3s. 6d.

CEPHALOTUS FOLLICULARIS, 3s. 6d. and 5s.

CESTRUM AURANTIACUM, 1s. 6d. and 2s. 6d.

CHOROZEMA HENCHMANNI, 2s. 6d. and 3s. 6d.

„ **VARIVM CHANDLERI**, 1s. 6d. and 2s. 6d.

CISSUS CAPENSIS.

A shrubby climbing plant, suitable for planting out in summer. The young twigs and leaves are downy, with rufous hairs, the older ones smooth. The stems are terete, the leaves petiolate, coriaceous, broadly cordate-reniform, very obtusely five-angled, and repandly-dentate. The inflorescence is thyrsoid, and, like all the younger portions of the plant, covered with short red-brown woolly hairs. 3s. 6d.

CITRUS. (ORANGES, LEMONS, &c.)

ACIDA (Lime), 7s. 6d. and 15s.

BIGARADIA (Seville Orange), 7s. 6d. and 15s.

JAPONICA (Otaheite Orange), 2s. 6d. and 3s. 6d.

LIMONUM (Lemon), 7s. 6d. and 15s.

MEDICA (Citron), 7s. 6d. and 15s.

NOBILIS (Mandarin Orange), 7s. 6d. and 15s.

„ (Tangerine Orange), 7s. 6d. and 15s.

POMME D'ADAM, 7s. 6d. and 15s.

SWEET LIME, 7s. 6d. and 15s.

TRIFOLIATA, 3s. 6d. and 5s.

AURANTIUM (Sweet Orange), 7s. 6d. & 15s.

DECUMANA (Shaddock), 7s. 6d. and 15s.

LIMETTA (Bergamotte), 7s. 6d. and 15s.

MARGARITA (Sweet Lemon), 7s. 6d. & 15s.

MYRTIFOLIA (Myrtle-leaved Orange), 7s. 6d. and 15s.

PARADISI (Forbidden Fruit), 7s. 6d. and 15s.

SANGUINEA (Blood Red Orange), 7s. 6d. and 15s.

ST. MICHAEL'S ORANGE, 7s. 6d. and 15s.

COBÆA SCANDENS VARIEGATA.

The foliage of this plant being distinctly variegated renders it very attractive, and an exceedingly useful greenhouse or conservatory climber. 1s., 1s. 6d., and 2s. 6d.

COPROSMA BAUERIANA.

A bushy-growing and compact-habited plant, with bright glaucous green obovate leaves. 1s. 6d.

COPROSMA BAUERIANA VARIEGATA.

An exceedingly handsome variegated plant, introduced from New Zealand; it has moderate-sized glossy obovate leaves, which are bright green in the centre, with very broad white marginal variegation, the marginal portion of the leaf creamy yellow in a young state, which diversity adds much to the beauty of the plant. 1s. 6d., 2s. 6d., and 3s. 6d.

CORREAS, of sorts, 1s. 6d. and 2s. 6d.

CROWEA STRICTA, 2s. 6d. and 3s. 6d.

CROWEA SALIGNA LATIFOLIA, 2s. 6d. and 3s. 6d.

CUSCUTA REFLEXA.

This curious parasite can now be offered in nice plants growing on the Ivy. Like its more familiar congeners, it consists of numerous entangled thread-like leafless stems, which are decorated during the autumn with blossoms resembling the bells of the *Lily of the Valley*, and these blossoms possess a most delicious fragrance. When in flower the plants look very pretty, as if Ivy was strung all over with Lily bells. 7s. 6d.

CYRTANTHUS COCCINEUS, 3s. 6d.

CYRTANTHUS MCKENII, 1s. 6d.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty some weeks—indeed, almost longer than any other flowers with which we are acquainted.

By continual breeding and selection, some of the varieties below offered are unsurpassed. Indeed, Mr. W. B.'s general collection of Cyclamens is one of the best extant.

CYCLAMEN PERSICUM, white segments, purplish red base. 1s., 1s. 6d., and 2s. 6d.
 „ PERSICUM ATROPURPUREUM, purplish rose segments, deep purple crimson base. 3s. 6d.
 „ PERSICUM ELEGANS, bluish segments, rich purplish crimson base. 5s.
 „ PERSICUM MAGNIFICUM, white segments, slightly flushed, extremely broad and fine, dark crimson base. 7s. 6d.
 „ PERSICUM PUNCTATUM, white segments, spotted with rose, deep purplish crimson base. 5s.
 „ PERSICUM ROSEUM GRANDIFLORUM, rose segments, bright crimson base. 7s. 6d.
 „ PERSICUM RUBRUM, red segments, crimson base. 2s. 6d.
 „ PERSICUM SUPERBUM, very large pure white segments, rich purplish red base. 3s. 6d.

CYCLAMEN PERSICUM ALBUM, pure white. 3s. 6d.
 „ PERSICUM CARNEUM, bluish segments, deep rose base. 3s. 6d. and 5s.
 „ PERSICUM GRANDIFLORUM, very broad and long pure white segments, bright crimson base. 7s. 6d.
 „ PERSICUM PULCHRUM, white segments, slightly blushed at the base, extremely delicate and pretty. 5s.
 „ PERSICUM ROSEUM, rose segments, carmine base. 2s. 6d.
 „ PERSICUM ROSEUM SUPERBUM, bright rose segments, very rich crimson base. 5s.
 „ PERSICUM RUBRUM SUPERBUM, very bright red segments, base of intense crimson. 5s.
 „ PERSICUM TINCTUM, bluish segments, red base. 5s.
 „ OF VARIOUS SORTS. 2s. 6d.

CYTISUS (GENISTA) EVERESTIANUS.

A seedling, and very much improved form of *Cytisus (Genista) canariensis*. It is of free and very compact growth, blooms most abundantly, and its great beauty consists in the colour of the flowers, which are of rich orange yellow, many shades deeper coloured than in the form usually cultivated. 5s.

CYTISUS FILIPES, 2s. 6d. and 3s. 6d.

CYTISUS RACEMOSUS, 9d. and 1s.

DAHLIA IMPERIALIS.

This species is of majestic, graceful, and elegant habit, and produces large drooping bell-shaped flowers, of a transparent white, shaded with delicate rose colour. When covered with a multitude of buds and full-blown flowers, it presents a most enchanting effect, and is a great adornment to a warm conservatory during the autumn. 2s. 6d.

DAPHNE ELEGANTISSIMA, 7s. 6d.

DAPHNE INDICA RUBRA, 2s. 6d. and 3s. 6d.

DAMMARA MOOREI.

An ornamental greenhouse or conservatory plant from New Caledonia, with light green lanceolate foliage. 15s.

DAMMARA HYPOLEUCA, 1 guinea

„ OVATA, 15s.

DESFONTAINEA SPINOSA, 2s. 6d. & 3s. 6d.

DICHROA VERSICOLOR, 2s. 6d.

DRACOPHYLLUM GRACILE, 2s. 6d. and 3s. 6d.

THE AUSTRALIAN GIGANTIC LILY.

(DORYANTHES EXCELSA.)

This magnificent Liliaceous plant produces a tall straight stem, on which numerous bracts are distributed. The base of this stem is surrounded by a number of fine long lanceolate leaves, and on its top appears the bunch of flowers, about twenty in number, each of the size of the common white Lily, but of the most brilliant scarlet colour. This is one of the most gorgeously beautiful plants ever introduced. 10s. 6d. and 15s.

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective appearance always imparts a tropical aspect to the house.

It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, where its graceful habit produces a remarkable and striking effect. 7s. 6d., 10s. 6d., 15s., 1, 1½, to 8 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 7s. 6d., 10s. 6d., and 15s.; fine specimens, 1½, 2, and 3 guineas.

DRACÆNA BANKSII.

Fine specimens of this ornamental plant. 10s. 6d., 15s., and 1 guinea.

DRACÆNA ERYTHORACHIS, 5s. and 7s. 6d.

DRACÆNA VEITCHII, 5s., 7s. 6d., 10s. 6d., and 15s.

DRYMISPERMUM AUSTRALE.

A neat-growing evergreen shrubby plant, with opposite elliptic-obovate entire leaves, of stontish texture, and terminal and axillary heads of flowers, which are succeeded by red berries. It comes from Australia. 3s. 6d.

DROSERA DICHOTOMA, 7s. 6d.

ECHEVERIA LUTEA GIGANTEA, 3s. 6d.

„ RETUSA FLORIBUNDA

SPLENDENS, 5s.

ELÆOCARPUS RETICULATUS (DENTATUS), 3s. 6d. and 5s.

ECHEVERIA ATROPURPUREA, 1s. and 1s. 6d.

„ METALLICA, 1s., 1s. 6d., and 2s. 6d. to 5s.

ELISENA LONGIPETALA, 15s.

EPACRIS, of sorts, 12s., 18s., and 30s. per doz.

ENTELEA BAKERI.

A strong-growing soft-wooded plant, allied to Sparmannia, to which it bears considerable resemblance. It grows freely in the open air in summer, producing its large cordate biserrate soft vine-like shining leaves in great profusion, and is well adapted for the summer garden as a foliage plant. It comes from Australia. 5s.

EPIPHYLLUMS, *vide* page 24.

ERICAS, of sorts, 12s., 18s., and 30s. per doz.

ERYTHRINAS, of sorts, 1s. 6d. and 2s. 6d.

EUPATORIUM GRACILE ODORATUM, 1s.

ERIOSTEMON BUXIFOLIUS, 2s. 6d. & 3s. 6d.

„ INTERMEDIUS, 2s. 6d. & 3s. 6d.

„ PULCHELLUS, 2s. 6d. & 3s. 6d.

„ SCABER, 2s. 6d. and 3s. 6d.

ERYTHRINA COMPACTA, *vide* page 4.

EUPATORIUM RIPARIUM.

An erect-growing plant, having somewhat the habit of a shrubby Calceolaria, and furnished with oblong-lanceolate deeply-toothed leaves, and a paniculate inflorescence of terminal and axillary corymbs of flower heads, which are themselves composed of numerous small white florets. Introduced through the St. Petersburgh Botanic Gardens from South America.

It is an early spring-blooming plant, and from the redundancy with which its white blossoms are produced on small plants, it will be exceedingly useful for making bouquets. 2s. 6d.

EUGENIA UGNI, 1s. and 1s. 6d.

FARFUGIUM GRANDE, 1s. and 1s. 6d.

FICUS ELASTICA, 2s. 6d. and 3s. 6d.

EURYA LATIFOLIA VARIEGATA, 3s. 6d. and 5s.

FICUS STIPULATA (REPENS), 1s. and 1s. 6d.

FICUS MACROCARPA.

A splendid species, introduced from the cordillère of Columbia, of robust and elegant habit, with magnificent large glossy dark green leaves, of similar form to those of *Ficus elastica*. The fruits have a most agreeable flavour, and are about the size and form of a very large orange. It is an exceedingly attractive ornamental foliage plant. 7s. 6d. and 10s. 6d.

FICUS MACROPHYLLA.

The Moreton Bay Fig Tree or Australian Banyan. A free-growing greenhouse shrub, with smooth terete stems, and thin coriaceous glossy ovate-oblong entire leaves, cordate at the base, 5 to 6 inches long, and 2½ inches broad, attached by smooth petioles of from 1 to 2 inches long; the veins are slightly elevated on both surfaces. The plant has somewhat the aspect of *F. australis*, but is of larger growth. It is, undoubtedly, the best sub-tropical plant of its kind, growing freely in a very low temperature, and even withstanding 7° or 8° of frost; hence it is not a doubtful plant for our variable climate, but if put out in the middle of May is sure to succeed. 3s. 6d. and 5s.

FICUS VESCA.

A free-growing plant, of slender habit, with thin elliptic acuminate leaves, 6 to 8 inches long, by about 2 inches broad, and attached by longish stalks; the stems are toreto, and finely pubescent. A native of Australia. 3s. 6d.

GASTRONEMA SANGUINEUM FLAMMEUM, *vide* page 4.

GAULTHERIA PUNCTATA.

This plant has been introduced from the high mountains of Java, where it was found growing 7,000 feet above the level of the sea. It is of compact growth, forming a little bushy plant, with small neat foliage, and is nearly always in flower or berry, the berries imparting a very ornamental and pretty character to the plant; the flowers are white and produced in clusters; the berries black. 3s. 6d. and 5s.

GAULTHERIA LEUCOCARPA.

This was found associated with the preceding, and partakes somewhat of its general character the flowers are white, as also are the berries, which therefore contrast prettily with the black ones of *G. punctata*, rendering them charming companion plants. 3s. 6d.

GASTRONEMA SANGUINEUM, 3s. 6d.

GENETYLLIS (HEDAROMA) FUCHSI-
OIDES, 3s. 6d. and 5s.

HOVEA CELSI, 2s. 6d. and 5s. 6d.

HYDRANGEA HORTENSIA AUREO-
VARIEGATA, 1s. 6d. and 2s. 6d.

GENETYLLIS TULIPIFERA, 3s. 6d. and 5s.

GREVILLEA ELEGANS, 2s. 6d. and 3s. 6d.

„ ROBUSTA, 2s. 6d. and 3s. 6d.

HUMEA ELEGANS, 9d. and 1s.

HYDRANGEA JAPONICA ROSALBA,
1s. 6d. and 2s. 6d.

HYDRANGEA OTAKSA.

A splendid variety, producing its immenso trusses of rose coloured flowers in the greatest profusion. It is an improvement on *H. hortensis*, and being such a free bloomer is extremely useful and attractive. 2s. 6d.

HYDRANGEA STELLATA PROLIFERA.

This is an exceedingly handsome and free-blooming variety, producing immenso corymbs of fine double star-shaped flowers of a beautiful rose colour. It is extremely distinct and attractive. 3s. 6d.

IMANTOPHYLLUM MINIATUM.

A very excellent evergreen warm greenhouse or cool stove plant, intermediate between *Clivia* and *Vallota*, or *Amaryllis*, in style of growth, with dark green leaves, and large corymbs of large, clear rich salmon or light flame coloured erect cup-like blossoms, relieved by a lighter centre; they are produced during the early winter and spring months. Unique in its character, and a most effective and beautiful plant in its season of bloom. 3s. 6d., 5s., 7s. 6d., 10s. 6d., 1 and 1½ guinea.

IMANTOPHYLLUM CYRTANTHIFLORUM.

Like the preceding in its general habit and growth, but the flowers are a shade lighter in colour, and instead of being erect, are pendulous. 5s., 7s. 6d., 10s. 6d., 1 and 1½ guinea.

INDIGOFERA DECORA, 2s. 6d. and 3s. 6d.

„ FLORIBUNDA, 1s. 6d. and
2s. 6d.

ISOLEPIS GRACILIS, 1s.

JASMINUM GRANDIFLORUM, 2s. 6d.

KENNEDYAS, of sorts, 2s. 6d. and 3s. 6d.

LAPAGERIA ROSEA.

This is one of the most beautiful greenhouse and conservatory climbers yet known, bearing numerous large, brilliant, carmine rose bell-shaped flowers, more or less spotted internally. This highly ornamental plant remains unequalled in its adaptation for the decoration of a cool house; it is a neat evergreen, free in habit, and vigorous in growth when once established, and continues in bloom the greater part of the year. 3s. 6d., 5s., 7s. 6d., and 15s.

LASIANDRA MACRANTHA.

This was introduced from Brazil. It is a very free-growing plant, giving, when 3 or 4 feet high, a profusion of fine saucer-shaped flowers, which are of a rich violet blue colour.

This plant has been found not to produce its flowers freely in a small state, but when grown into a large plant, it flowers abundantly at all the terminal shoots, and is then an extremely effective plant for a conservatory. 2s. 6d.

LASIANDRA MACRANTHA FLORIBUNDA.

This marvellous plant, the most handsome-flowered of all the Molastomaceæ, yields its lovely blossoms, which are nearly a foot and a half in circumference, almost throughout the year.

It was first discovered by Dr. Seemann, who published a figure of it in his *Journal of Botany*, since which it has been introduced from St. Catherine's, Brazil.

The abundant manner in which this plant produces its gigantic flowers in a small state, is something remarkable; even plants in 2 to 3-inch pots, when only about 3 inches high, readily produce flower buds, when the flower may really be said to be as large as the plant.

It is of easy culture, requiring to be treated in a similar manner to *Pteroma elegans*, which it somewhat resembles in general features, but altogether eclipses in the magnitude of its flowers, which are of a rich and brilliant violet blue colour. 7s. 6d., 10s. 6d., and 15s.

LESCHENAULTIA BAXTERI MAJOR,

1s. 6d. and 2s. 6d.

„ FORMOSA, 1s. 6d. and
2s. 6d.

LIBOCEDRUS DONIANA, 3s. 6d. and 5s.

LIBONIA FLORIBUNDA, 2s. 6d.

LINUM TRIGYNUM, 2s. 6d.

LOMATIA FERRUGINEA, 5s. and 7s. 6d.

LESCHENAULTIA BILOBA SPLENDENS

(MAJOR), 2s. 6d. & 3s. 6d.

„ INTERMEDIA, 1s. 6d.
and 2s. 6d.

LILIUM GIGANTEUM, 7s. 6d. and 10s. 6d.

LOMATIA ELEGANTISSIMA, 5s. and

7s. 6d.

LUCULIA GRATISSIMA, 3s. 6d. and 5s.

MACADAMIA TERNIFOLIA.

The leaves of this handsome evergreen shrub are oblong, lanceolate, spinulose-margined, evenly expanded, from 9 to 12 inches in length, by 2 to 3 inches in width, and having a rich green glossy surface. In the younger growth the leaves are opposite and in pairs, but assume a ternate character as the plants become more advanced.

The fruit is about the size of a walnut, and contains at maturity a kernel of a remarkably rich and agreeable flavour, resembling, although much superior to, the Filbert. Judging from its native locality, it may be expected to produce its desirable fruit, with a slight protection on outside walls, in an English climate; and as an evergreen of fine habit and distinct features, it will form a valuable addition to the orchard house, also for the cool conservatory border or wall.

As a shrub or small tree, it is stated to be an abundant bearer in mature growth. 15s., 1 and 1½ guinea.

MAGNOLIA FUSCATA, 2s. 6d. and 3s. 6d.

MAHERNIA VESTITA, 2s. 6d.

MANDEVILLA SUAVEOLENS, 1s. 6d.

and 2s. 6d.

MESEMBRYANTHEMUM CORDIFOLIUM VARIEGATUM.

A procumbent herbaceous succulent plant, remarkably well adapted for out-door summer bedding, or for basket culture in the greenhouse. The branches are furnished with flat fleshy heart-shaped leaves, distinctly margined with cream colour, and form a diffuse yellowish mass, entirely covering the surface of the ground. This has proved an exceedingly distinct and attractive bedding plant; indeed, it is difficult to convey an adequate idea of its effect, when used as an edging or in groups by itself. The flowers are bright rosy purple. 1s. 6d.

METROSIDEROS FLORIBUNDA, 1s. 6d.

MIMULUS, of sorts, *vide* Index

MONOCHÆTUM ENSIFERUM, 1s. 6d. and
2s. 6d.

MONOCHÆTUM LEMONIANUM, 2s. 6d.
and 3s. 6d.

„ SERICEUM MULTI-
FLORUM, 2s. 6d. & 3s. 6d.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. It is so hardy that, planted in rich soil, it grows freely during the summer months in the open air, and requires to be wintered only in a cool house. Its immense leaves attain a length of 8 to 10 feet, and are of a beautiful dark green, the mid-rib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of 12 to 15 feet in height.

This splendid plant cannot be too strongly recommended, for it is also admirably adapted for conservatory decoration, and will be more extensively cultivated when it becomes better known.

MUTISIA DECURRENS, 5s.

MYRTUS, of sorts, 1s. and 1s. 6d.

NERINES, of sorts, 1s. 6d. and 2s. 6d.

MYRSIPHYLLUM ASPARAGOIDES,

7s. 6d.

NERIUMS, of sorts, 2s. 6d.

NIEREMBERGIA RIVULARIS.

A perennial, very handsome, and of a trailing habit; its flowers are sessile, very large, of a yellowish white colour, elevated on a slender tube. 9d.

ORANGE TREES.

Fine healthy plants, in all sizes, from 15s., 1, 1½, 2, to 8 guineas each.

PALMS, OF SORTS, *vide* Index.

PANAX RULEI.

A shrubby plant, furnished with opposite leaves, on longish petioles. The leaves are trifoliate, with ovate leaflets 2 to 3 inches long, the central one narrowed to a stalk-like base, and the two lateral ones sessile and unequal-sided. It is a distinct free-growing evergreen plant, and was obtained from Melbourne. 3s. 6d.

PASSIFLORA CÆRULEA GRANDI-

FLORA, 2s. 6d.

„ **LOUDONI**, 2s. 6d.

„ of sorts, 1s. 6d., 2s. 6d., and 3s. 6d.

PHILESIA BUXIFOLIA, 5s. and 7s. 6d.

PASSIFLORA EDULIS, 2s. 6d.

„ **IMPÉRATRICE EUGÉNIE**,
2s. 6d.

PHENOCOMA PROLIFERA BARNESII,
2s. 6d. and 3s. 6d.

PHORMIUM COLENSOI VARIEGATUM.

This very beautiful plant has narrowish erect pointed leaves, scarcely an inch in width, elegantly banded at the margin with one or sometimes two narrow stripes of creamy white. It has the same distichous mode of growth as *P. tenax*, but is altogether a smaller and more elegant plant, while its more erect habit and narrower leaves give it quite a distinct appearance from that of the variegated *Phormium tenax*. The leaves grow about 3 feet high, and are of a dark green in the central portion, with a narrow coloured margin. The flowering scape grows from 3 to 6 feet high, and the flowers are described as being an inch and a half long, with their inner segments acuminate and reflexed. The plant is a native of New Zealand, and is a free-growing greenhouse perennial. 4 guineas.

PHORMIUM TENAX, highly ornamental, strong plants, 3s. 6d., 5s., 7s. 6d., 10s. 6d., and 15s.

PHORMIUM TENAX VARIEGATUM.

This is a finely variegated form of the well-known New Zealand Flax. The leaves are of the same size as the species, with conspicuous broad stripes of creamy white running out their whole length, and contrasting well with the light shining green ground colour. It is a truly noble plant, and is well adapted both for planting out in the flower garden and lawn, for pot culture, and for conservatory decoration. It is, moreover, one of our finest ornamental-leaved plants for exhibition. 1½, 2, and 3 guineas.

PIMELEA DECUSSATA, 1s. 6d. and 2s. 6d.

„ **NEIPPERGIANA**, 2s. 6d. & 3s. 6d.

PIMELEA HENDERSONI, 2s. 6d. and 3s. 6d.

„ **SPECTABILIS**, 2s. 6d. and 3s. 6d.

PITHECOLOBIUM PRUINOSUM.

A beautiful woody leguminous plant, related to *Inga* and *Calliandra*, having the young branches, foliage, and inflorescence clothed with a rusty pubescence. The leaves are bipinnate, with oblong acuminate leaflets, and the flowers, with their long exerted white stamens, grow in globular umbels from the axils of the upper leaves. It is a native of Queensland. 5s. and 7s. 6d.

PLEROMA SARMENTOSA.

A very beautiful plant from the cool valleys of Peru and Chili. The flowers are 2 to 2½ inches in diameter, deep violet or violet purple, and very handsome. A drawing of them is given in the *Botanical Magazine* (Tab. 5,629), where Dr. Hooker says:—"As this plant is as well adapted for greenhouse cultivation as *Monochaetum*, and is far more beautiful, it is one of the most valuable acquisitions to our houses of late years." 1s. 6d. and 2s. 6d.

PLEROMA ELEGANS, 2s. 6d.

„ HETEROMALLA, 7s. 6d.

PLUMBAGO CAPENSIS, 1s. 6d. and 2s. 6d.

POMEGRANATES, 3s. 6d., 7s. 6d., to 15s.

PODOCARPUS CUPRESSINA.

Mr. W. B. has succeeded in importing a few nice plants of this exquisitely graceful species. 1½ guinea.

PODOCARPUS MACROPHYLLUS VARIEGATUS.

A handsome greenhouse or conservatory evergreen Conifer, introduced from Japan; it has linear leaves, from 2 to 3 inches long by a quarter of an inch broad, very remarkable from being sometimes white striped, and sometimes wholly white, forming alhino branches, which contrast strongly with the deep green of the rest of the plant.

It is a striking and pretty decorative plant, from the pure white and effective character of the variegation. 7s. 6d.

PODOCARPUS MAKI VARIEGATA.

A finely variegated greenhouse shrub, of Yew-like habit, with hold linear leaves 2 to 3 inches long, spreading and recurved, green, broadly margined with white, producing a well-marked variegation. It comes from Japan. 1 guinea.

POLYGALA CORDIFOLIA, 2s. 6d. and 3s. 6d.

POLYGALA DALMAISIANA, 2s. 6d. and 3s. 6d.

PRIMULA SINENSIS MAGNIFICA.

This superb variety is a welcome addition to this useful family. Its flowers are produced on stout erect footstalks, are very double, and individually of immense size, of a bright rosy carmine colour. It is strongly recommended as a decorative plant for the greenhouse, or for growing where cut blooms are required; for the latter purpose it is invaluable, on account of the redundancy with which its blossoms are continually produced. 7s. 6d.

PRIMULA SINENSIS, double white, useful for winter blooming, 1s.

„ „ „ „ fimbriated, 1s. 6d.

„ „ NIVEA PLENA, 2s. 6d.

„ „ FILICIFOLIA ALBA, 1s. 6d.

„ „ „ RUBRA, 1s. 6d.

„ „ RUBELLA PLENA, 2s. 6d.

REINECKIA CARNEA VARIEGATA.

This is an exceedingly pretty neat-growing variegated-foliaged plant, producing very attractive rosy white flowers. 1s. 6d. to 2s. 6d.

REINECKIA (SANSEVIERA) CARNEA, 1s. 6d. and 2s. 6d.

RHODEA JAPONICA, 2s. 6d. and 3s. 6d.

„ „ AUREA, 1½ guinea.

RHODEA JAPONICA MACROPHYLLA MARGINATA.

An ornamental plant of bold habit, with the long lanceolate leaves broadly margined with creamy white. It is easily cultivated and highly decorative. 15s. and 1 guinea.

RHOPALA CORCOVADENSIS, 5s. & 7s. 6d.

„ ELEGANS (COMPLICATA), 3s. 6d.

RHOPALA JONGHEI, 15s.

„ MAGNIFICA, 10s. 6d. and 15s.

RHYNCHOSIA CUNNINGHAMII.

An interesting greenhouse climber, with velvety stems, trifoliate leaves, made up of broadly ovate acuminate leaflets, and racemes of yellow flowers in the leaf axils, often two or more together. It is a native of Queensland. 3s. 6d. and 5s.

RHYNCHOSPERMUM JASMINOIDES, 2s. 6d. and 3s. 6d.

RICHARDIA ALBO-MACULATA, 2s. 6d. and 3s. 6d.

RICHARDIA AFRICANA (*Calla aethiopica*), 9d. and 1s.

SARRACENIA PURPUREA, 2s. 6d. and 3s. 6d.

ROEZLIA REGIA.

This magnificent plant was found in the stato of Oaxaca. The leaves are 4 to 6 feet long, and 4 to 6 inches broad; its peduncle, about 5 inches in diameter, forms a pyramid 20 to 30 feet high, and 10 to 12 feet wide. The sprigs of the same, turning inwards, are covered with thousands of white blossoms, almost as large again as those of *Polianthes tuberosa*, and of the same fragrance. 15s. and 1½ guinea.

RUELLIA PITCAIRNÆFOLIA.

An exceedingly handsome ornamental plant, with long bright green drooping foliage, well adapted for vases and decorative purposes. 15s. and 1 guinea.

SELAGINELLA KRAUSSIANA VARIEGATA.

A very pretty variegated variety, with all the branchlets pointed with white, looking in the winter as if tipped with snow; but this character is peculiar to it in winter, for during the summer it assumes a somewhat green aspect. 1s. 6d. and 2s. 6d.

SOLLYA DRUMMONDII, 1s. 6d. and 2s. 6d.

STATICE HOLFORDII, 2s. 6d. and 3s. 6d.

„ MACROPHYLLA, 3s. 6d.

STENOCARPUS CUNNINGHAMII, vide

AGNOSTUS

TACSONIA MANICATA, 2s. 6d.

„ PINNATISTIPULA, 2s. 6d.

SOLLYA LINEARIS, 2s. 6d. and 3s. 6d.

STATICE PROFUSA (RATTRAYANA), 2s. 6d. and 3s. 6d.

STRELITZIA REGINÆ, 15s. and 21s.

TACSONIA MOLLISSIMA, 2s. 6d.

„ VAN VOLKEMI, 1s. 6d. and 2s. 6d.

TACSONIA ERIANTHA.

A noble plant, resembling in habit and colour of flower the well-known *T. mollissima*, from which, however, it differs conspicuously in the white under surface of the foliage, and long bracts. It is very free flowering, and exceedingly useful and effective as a greenhouse or conservatory climber. 5s.

TACSONIA TOMENTOSA SPECIOSA, vide page 6.

TECOMA JASMINOIDES ALBA, 2s. 6d. and 3s. 6d.

TESTUDINARIA ELEPHANTIPES, 15s. and 31s. 6d.

TROPÆOLUMS, of sorts, 1s., 1s. 6d., and 2s. 6d.

TRITONIA AUREA MAJOR, 3s. 6d.

TECOMA JASMINOIDES SPLENDIDA, 2s. 6d. and 3s. 6d.

TREMANDRA ERICÆFOLIA, 1s. 6d. & 2s. 6d.

„ HIRSUTA, 1s. 6d. and 2s. 6d.

„ VERTICILLATA, 1s. 6d. and 2s. 6d.

TRITONIA AUREA, 1s. and 1s. 6d.

TRICHINIUM MANGLESII.

This remarkably pretty and interesting plant is a greenhouse perennial. The foliage varies in form from lanceolate to spatulate, and is arranged in a radical tuft, from which arises several branched stems, each of which usually bear two or three flower spikes; these are of an elongated form, and composed of closely-arranged florets of a pleasing rosy maranth colour, and which, except at their tips, are clothed with long white hairs, the contrast of which with the protruding red petal-like segments produces a singular and striking effect.

Those flower heads, if cut before they are too far advanced, may be preserved for some weeks, and possess, in fact, the rigid texture of the “Everlastings.” 3s. 6d.

VALLOTA EXIMIA, 5s.

„ PURPUREA, 1s. 6d. and 2s. 6d.

VALLOTA PURPUREA MAJOR, 2s. 6d. and 3s. 6d.

XYLOMELUM PYRIFORME.

This handsome New Holland Proteaceæ has been variously referred to the genera Banksia, Ilacœa, and Grevillea. It is an evergreen, with lanceolate oblong coriaceous opposite leaves, 5 or 6 inches long, furnished in the young state with spines like those of the common Holly, but becoming entire in the mature plant. The flowers grow in dense cylindrical axillary spikes, and are succeeded by thick woody oblong follicles, 4 or 5 inches long. This singular plant was discovered in Port Jackson, New South Wales, by Sir Joseph Banks, but has only recently been introduced. 15s.

XANTHORRHOEA HASTILIS, 5s.

| YUCCA QUADRICOLOR, 1½, 2, and 3 guineas.

YUCCA ALBO-SPICA.

15s. and 1 guinea each.

YUCCA ALOIFOLIA VARIEGATA.

5s., 7s. 6d., 10s. 6d., 1 and 1½ guinea each. Handsome specimens, 3 and 4 guineas each.

GREENHOUSE RHODODENDRONS.

- AUCKLANDII**, this is exceedingly rare, and one of the handsomest of the Himalayan series; its fine large white flowers are sometimes from 4 to 6 inches in diameter. 15s.
- COUNTESSE OF HADDINGTON**, very large bluish white flowers; an exceedingly beautiful hybrid variety. 5s., 7s. 6d., and 10s. 6d.; fine plants, 15s.
- EDGEWORTHII**, a handsome free-flowering species, with large pure white spreading cup-shaped fragrant flowers. 2s. 6d., 3s. 6d., and 5s.
- FORMOSUM GRANDIFLORUM**, a free-blooming variety, with finely-formed pure white flowers; a neat-growing kind, and very useful for conservatory decoration. 2s. 6d., 3s. 6d., and 5s.
- FRAGRANTISSIMUM**, this splendid hybrid is the result of a cross between *R. Edgeworthii* and *R. formosum* (*Gibsoni*), partaking of the delicious fragrance of the former, while it retains the shrubby habit and abundant flowering qualities of the latter. The flower, which is of great substance, and measuring upwards of 5 inches in diameter, is of the purest white, lightly spotted with ochre on the upper segment; the back of the flower also presents a lovely appearance, being delicately pencilled and shaded with rose on a glistening alabaster-like ground. 7s. 6d.
- JASMINIFLORUM**, an elegant free-blooming species, with fragrant white flower tubes, borne in clusters. 2s. 6d., 3s. 6d., 5s., and 7s. 6d.
- JAVANICUM**, a splendid species, with bright orange flowers. 5s. and 7s. 6d.
- JENKINSII**, a handsome evergreen shrub, bearing dark green leathery oblong lanceolate leaves. The flowers are exceedingly large, funnel-shaped, and of a snowy whiteness. Its handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 3s. 6d. and 5s.
- LOEBII**, an exceedingly distinct and most brilliant coloured species. It is a free bloomer, with a truss of from 8 to 12 flowers, which are 3 to 4 inches in length, curved, tubular, and of a brilliant glossy crimson colour, giving the plant a most striking character. Having been introduced from Borneo, it requires to be grown in an intermediate stove. 1 guinea.
- NUTTALLII**, large colossal trusses of snow white funnel-shaped flowers, relieved by a golden tinted centre, and elegantly suffused with a rosy tint outwardly. This magnificent species produces the largest flowers of any known Rhododendron; it is a large-growing plant, only adapted for conservatories or large houses, and when in bloom is a truly magnificent object. 2s. 6d., 3s. 6d., 5s., and 7s. 6d.
- PRINCESS ALEXANDRA**, a pretty hybrid variety, of dwarf compact growth, with similar but larger and longer-tubed flowers than those of *R. jasminiflorum*, being pure white, with pink stamens. A free-blooming plant, well adapted for conservatory decoration. 7s. 6d.
- PRINCESS ALICE**, a neat dwarf bushy-growing variety of the *ciliatum* type, with comparatively small leaves, and producing clusters of deliciously scented bell-shaped white flowers, flushed with pink on the outward surface. 2s. 6d., 3s. 6d., 5s., and 7s. 6d.
- PRINCESS HELENA**. This pretty hybrid form was obtained with *R. Princess Alexandra* from a cross with *R. jasminiflorum*, but is readily distinguished from it by its much longer-tubed flowers, of a delicately tinted soft pink colour, streaked with darker shades; its profusion of bloom and neat dwarf growth are qualities which render it a valuable variety for greenhouse ornamentation. 5s. and 7s. 6d.
- PRINCESS ROYAL**, a handsome and distinct variety, of neat compact growth, with clusters of richly shaded rose coloured funnel-shaped flower tubes. 3s. 6d., 5s., and 7s. 6d.
- THIBAUDIODES**. This is one of the Bhotan kinds, and combines the merits of rarity, beauty, and remarkable form. At first sight, one would be apt to suppose that it might belong to the *Correas*, or rather to the *Thibaudias*, the flowers having the same alabaster-like translucent lustre as those of that genus, and a good deal of the form and colour of some of the species—hence its name. Its flowers are produced in terminal trusses, and are of a beautiful bright red, except at the mouth of the corolla, which is pale yellowish green; the translucency of their texture adds greatly to their beauty. 3s. 6d. and 5s.
- VEITCHIANUM**, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 3s. 6d., 5s., and 7s. 6d.
- VIRGATUM**, a slender plant, with the flowers solitary or in pairs, having the tube of the corolla short and obconical, and the limb segments spreading. The flowers, in the different plants that have been raised from seed, vary in hue from bluish to white. It is of Indian origin, growing on the skirts of pine forests in the Sikkim Himalaya, at an elevation of 8,000 to 9,000 feet. 3s. 6d.
- VIRGATUM HYBRIDUM**, a neat-habited bushy-growing variety, producing fine trusses of beautiful pure white flowers, of good form. It is an extremely useful decorative plant. 3s. 6d.

GREENHOUSE RHODODENDRONS—Continued.

VIRGINALIS, the flowers of this extremely beautiful variety are exceedingly large, funnel-shaped, and very pure white. It is a handsome-growing shrub with fine dark green foliage, and is a splendid plant for conservatory decoration, the size and snowy whiteness of its blossoms rendering it extremely attractive. 5s. and 7s. 6d.

VERONICAS.

ATTRACTION, an exceedingly distinct and pretty variety, producing fine spikes of flowers of a rich and beautiful light crimson colour; of good compact habit, and very free flowering. 3s. 6d.

ANNETTE, pale bluish purple, with distinct white eye; short thick spikes of flowers; a very free bloomer. 2s. 6d.

BLUE GEM, a shrubby-growing variety of neat habit, producing most profusely spikes of beautiful blue flowers; a capital bedder. 1s.

CAROLINE, light lilac blue, with small white eye, an exceedingly free-flowering variety, producing short dense spikes of bloom. 2s. 6d.

CELESTIAL, this is a very pleasing variety, with flowers of a sky blue colour having a white centre; free, and of good habit. 1s. 6d.

CRÈME ET VIOLET, a remarkable variety, with pale rose flowers, the base of the petals being clear mauve, and the stamens of a beautiful violet colour, contrasting well with the rosy coloured part of the flower. It is of dwarf bushy habit. 1s. 6d.

CYRUS, bright blue, with white centre; a distinct and attractive variety, producing freely fine spikes of good large flowers. It is of good compact style of growth. 3s. 6d.

DENISE PONTON, a very free-blooming variety, producing fine flowers of a beautiful rosy carmine colour; habit neat and compact. 3s. 6d.

DIADEM, this variety produces flowers of a beautiful rose colour having a distinct white centre; it is of compact and shrubby growth. 2s. 6d.

DISPLAY, rosy crimson, with small white eye; a free-flowering variety, of good habit, producing fine long spikes of blossom. 3s. 6d.

ENSIGN, clear blue, with very large attractive white eye; an exceedingly profuse bloomer. 2s. 6d.

FESTOON, rosy purple, with clear white eye; of very dwarf habit and free flowering. 3s. 6d.

FLORENCE, a compact-growing and free-flowering variety, producing fine spikes of flowers of a beautiful soft pink colour. 2s. 6d.

GARLAND, bright blue, with very large and attractive white centre; free flowering, and of compact habit. 2s. 6d.

HELEN, a variety of good habit, producing pretty rose coloured flowers. 2s. 6d.

HERALD, fine rosy purple flowers, white at the base; a robust-growing and very free-blooming variety. 2s. 6d.

HEROINE, a very profuse-blooming variety, of remarkably good habit, producing fine stout spikes of rich rosy crimson flowers, with distinct white eyes. 3s. 6d.

IMPÉRIALE, this variety produces fine flower spikes, in clusters, of a brilliant amaranth red, changing to carmine magenta, and elegantly set off with projecting white stamens. 1s.

LEONARD, bluish purple, with white eye; a very free bloomer, giving short thick flower spikes. 2s. 6d.

RUBENS, a variety of robust habit and vigorous growth; the flowers are large and fine, of a beautiful violet colour. 3s. 6d.

TRIUMPH, a beautiful variety of thick short-jointed habit, with small foliage; it is a very free bloomer, producing in fine spikes its lovely deep violet purple white-eyed flowers. 3s. 6d.

VESTA, an exceedingly floriferous variety, of very compact growth, with stout vigorous foliage; the flowers are of a beautiful light blue colour, with attractive white centres. 3s. 6d.

NEW AND RARE HARDY PLANTS.

—o—
ABIES ALCOQUIANA.

This interesting and perfectly hardy Conifer was introduced under the name of *Pinus* (*Abies*) *bicolor* by Maximowicz, from Japan, where it grows at from 6,000 to 7,000 feet elevation, on Mount Fusi-Yama. It is a slender-growing tree, of considerable height, bearing crowded sharply mucronate leaves, and pendulous sessile oblong-cylindrical, obtuse, straight or somewhat curved reddish fawn coloured cones, which are between 2 and 3 inches long. The timber is said to be of excellent quality. 7s. 6d.

ABIES OBOVATA JAPONICA.

An ornamental coniferous plant, of neat habit and free growth, belonging to the *Abies* group. It forms in its native country a tree with a pyramidal head, bearing whorls of spreading branches. The leaves are green, solitary, and crowded, spreading in all directions, rigid, and needle-shaped, with a pungent point. The cones are said to be erect, oval or oblong-cylindrical, and obtuse. The present variety was received from Dr. Regel, of St. Petersburg, the seeds having been gathered by the Russian Government collectors. 7s. 6d.

ACER DISSECTUM FOLIIS ROSEO-MARGINATIS, 21s.
 „ NEGUNDO VARIEGATUM, 2s. 6d. and 3s. 6d.
 „ CRASSIFOLIUM, 1 guinea
 „ RUFINERVE, 15s.
 „ „ ALBO-LIMBATUM, 1 guinea
 „ TATARICUM GINNALA, 15s.
 ALNUS GLUTINOSA AUREA, 3s. 6d.
 AMPELOPSIS TRICUSPIDATA (syn. *Vitis japonica*), 1s.
 ARISÆMA MARMORATUM, 5s.
 „ (syn. SAUROMATUM) NIGRICANS, 5s.
 ARTHROTAXIS SELAGINOIDES, 5s. and 7s. 6d.
 ARUNDINARIA FALCATA, 2s. 6d. & 3s. 6d.

ACER JAPONICUM ATROPURPUREUM, 10s. 6d. and 15s.
 „ LÆVIGATUM, 7s. 6d.
 „ PALMATUM SANGUINEUM, 1½ guinea
 „ „ PARTITUM, 15s.
 „ PULCHRUM, 7s. 6d.
 ACORUS JAPONICUS SIEBOLDII AUREO-STRATUS, 3s. 6d.
 ALNUS JAPONICA, 15s.
 ARISÆMA CORNUTUM (syn. *Sauromatum guttatum*), 2s. 6d. and 3s. 6d.
 „ PARDINUM, 5s.
 „ PICTUM, 5s.
 „ RINGENS, 2s. 6d. and 3s. 6d.
 „ „ PURPUREUM, 3s. 6d. and 5s.
 ARUNDO CONSPICUA, 2s. 6d.

ASPIDISTRA ELATIOR ANGUSTIFOLIA VARIEGATA.

An effective variegated plant, with lanceolate dark green leaves, which are broadly banded and striped with cream colour. 7s. 6d.

ASPIDISTRA LURIDA, 2s. 6d. and 3s. 6d.
 AUCUBAS, *vide* Index

ASPIDISTRA LURIDA VARIEGATA, 2s. 6d. and 3s. 6d.

AZALEA MOLLIS.

This showy hardy deciduous shrub bears oblong-obovate leaves, villose on the nerves and margin, and large funnel-shaped orange coloured flowers in terminal umbels. Introduced from the mountains of Japan. 7s. 6d.

AZALEAS.

Hardy varieties, of sorts, 12s., 18s., and 30s. per dozen.

BAMBUSA ARGENTEA STRIATA.

This handsome Japanese plant has been received from Dr. Regel, of St. Petersburg, under the name above quoted. Like all the Bamboos, it is of an extremely graceful habit, and, in this instance, the elegance of the plant is very much augmented by the fine silvery glaucous hue of the under side of the foliage. It is of a moderately vigorous habit, and the leaves, which are 3 to 4 inches long, and about three quarters of an inch broad, are of a full green on the upper surface, glaucous beneath, and striped in a varying degree, but usually freely with white, forming an elegant variegation. It is a strikingly ornamental hardy decorative plant. 5s. and 7s. 6d.

BAMBUSA FORTUNEI VARIEGATA, 1s. 6d. and 2s. 6d.
 „ NIGRA, 7s. 6d.
 BETULA COSTATA, 7s. 6d.
 BIOTA ELEGANTISSIMA, 5s. and 7s. 6d.
 „ SIEBOLDII, 2s. 6d.

BAMBUSA MAXIMOWICZII, 7s. 6d.
 „ RETICULATA, 7s. 6d.
 „ VIRIDE STRIATA, 7s. 6d.
 BERBERIDOPSIS CORALLINA, 2s. 6d. and 3s. 6d.
 BERBERIS STENOPHYLLA, 2s. 6d.
 „ of sorts, 2s. 6d. and 3s. 6d.

BETULA ALBA FASTIGIATA.

A magnificent variety of this beautiful tree, of tall erect habit, similar to that of *Populus fastigiata*. 5s.

BIGNONIA GRANDIFLORA, 1s. 6d. and 2s. 6d.

BIGNONIA RADICANS MAJOR, 1s. and 1s. 6d.

CASTANEA VESCA ALBO-MARGINATA.

This now silver-striped Chestnut is a very handsome and highly ornamental plant, the foliage being very distinctly and strikingly marked. 5s.

CASTANEA VESCA LACINIATA.

A now cut-leaved Chestnut; it is exceedingly handsome, and a very useful and effective ornamental-foliaged plant. 5s.

CEANOTHUS AZUREUS, 1s. 6d. and 2s. 6d.

„ **FLORIBUNDUS**, 1s. 6d. and 2s. 6d.

„ **PAPILLOSUS**, 1s. 6d. and 2s. 6d.

CEANOTHUS DENTATUS, 1s. 6d. and 2s. 6d.

„ **GLOIRE DE VERSAILLES**, 3s. 6d.

CERASUS PENDULA ROSEA.

An exceedingly ornamental plant, and extremely free flowering, the beautiful clear rose coloured flowers covering the drooping branches, and thus forming a pretty object for the shrubbery or flower garden. 10s. 6d.

CERASUS SIEBOLDII ROSEO-PLENA.

This novelty is a Japanese Cherry, with very double flowers of a beautiful rose colour, produced in long pendent bunches. It is perfectly hardy, well adapted for pot culture and forcing, and, being exceedingly free flowering, is also extremely useful for bouquets. 5s.

CHIMONANTHUS FRAGRANS, 1s. 6d. and 2s. 6d.

CHIMONANTHUS GRANDIFLORUS, 2s. 6d. and 3s. 6d.

CLEMATIS LADY BOVILL.

An exceedingly attractive variety of this useful group of hardy climbers. The flowers are of a deep lavender hue, and are produced in great abundance. Awarded a First Class Certificate by the Royal Horticultural Society. 7s. 6d.

CLEMATIS MAGNIFICA.

A most hardy and vigorous-growing variety. The colour is purple, suffused with a strong crimson shading over the whole surface of the flower, making it very attractive. 7s. 6d.

CLEMATIS PRINCE OF WALES.

Large flowers, of a deep rich violet purple, with red bars down the centre of the segments. It was awarded a First Class Certificate by the Royal Horticultural Society. 2s. 6d. and 3s. 6d.

CLEMATIS RUBELLA.

Very rich velvety claret; the deepest coloured Clematis yet offered. Received a First Class Certificate from the Royal Horticultural Society. 2s. 6d. and 3s. 6d.

CLEMATIS.

AURELIANA, sky blue, 2s. 6d.

GLOIRE DE SAINT-JULIEN, 5s.

JEANNE D'ARC, 5s.

LANUGINOSA CANDIDA, white, 2s. 6d.

OTTO FRÖBEL, 5s.

RUBRO-VIOLACEA, large purple violet, 2s. 6d.

FORTUNEI, large double white, 2s. 6d.

JACKMANII, rich large violet purple, 2s. 6d.

JOHN GOULD VEITCH, 5s.

LANUGINOSA NIVEA, large white, 2s. 6d.

SIEBOLDII, 1s. and 1s. 6d.

STANDISHII, blue, profuse flowering, 2s. 6d.

CORYLUS AVELLANA PENDULA.

A weeping variety of the Hazel Nut, of a distinct and ornamental character. It will be a great acquisition to our gardens, its very decided drooping habit of growth producing a striking effect. It received a prize at the International Exhibition at Paris, in 1867. 15s.

CRATÆGUS OXYACANTHA COCCINEA

PLENA, 1s. 6d. and 2s. 6d.

CRYPTOMERIA ELEGANS, 2s. 6d. & 3s. 6d.

„ **JAPONICA VARIEGATA**.

CUPRESSUS BALFOURIANA.

A fine overgreen, of sturdy growth, with the rigid patently-branched ramuli deflexed, so as to give the plant a semi-drooping habit. As it comes from British Columbia, it cannot be otherwise than perfectly hardy, and thus will prove an acquisition amongst choice Conifers. 7s. 6d.

CUPRESSUS GOVENIANA VARIEGATA

„ **LAWSONIANA GLOBOSA**, 5s.

CUPRESSUS LAWSONIANA ARGENTEA, 2s. 6d.

CUPRESSUS LAWSONIANA AUREO-VARIEGATA.

A most attractive and beautiful golden variegated seedling variety; in habit it has all the graceful characteristics of the species, with perhaps a greater inclination to a weeping habit. 5s.

CUPRESSUS LAWSONIANA ERECTA VIRIDIS.

This magnificent shrub is one of the finest of all evergreens. It is tall and close-growing in habit, forming beautiful pyramidal specimens as upright in growth as an Irish Yew. It is in every sense an evergreen, for despite any amount of cold or heat, damp or drought, it maintains throughout, from the circumference to the centre, a hue of the freshest green. This constancy, in a plant of this character, is one of the highest recommendations it can bear. It increases in beauty as it advances in size.

In the symmetrical outline of the tree itself, in the regularly radiating vertical ramifications, and in the slender graceful character of the everywhere erect spray, there is about this plant an air of refinement rarely met with, and which, combined with its bright and enduring verdure, stamps it as a gem of the first order amongst hardy evergreens. 5s. and 7s. 6d.

CUPRESSUS LAWSONIANA PENDULA ALBA.

A remarkably graceful hardy evergreen shrub, with pendulous branches, entirely of a beautiful whitish or glaucous hue. The graceful pendent habit, and distinct and novel silvery shade of colour, render this plant most desirable for all collections of hardy trees. It is an exceedingly useful and effective ornamental-foliaged shrub. 15s.

DAPHNIPHYLLUM ROXBURGHII.

A deciduous tree, belonging to the natural order *Euphorbiaceæ*. It has an extensive geographical range; the plants here offered are from Japan. As known in gardens, it has an erect twiggy habit, with oblong-ovate or ovate opposite deep green leaves, and it ultimately bears axillary racemes of minute flowers. It is also called *D. glaucescens*. 3s. 6d.

DELPHINIUM ALOPECUROIDES.

A distinct and handsome variety, of robust habit; it blooms in June and July. The spikes of bloom are generally 2 feet in length, densely clothed with very full and compact double flowers, the ground colour of which is a creamy white, therefore in reality a blue-edged flower, though from its fullness it presents the appearance of a bright blue self, paler and somewhat shaded towards the centre. 1s. 6d. and 2s. 6d.

DESMODIUM PENDULIFLORUM.

This admirable Japanese novelty is one of the most attractive of flowering shrubs. Its drooping branches are entirely hidden by millions of deep rich purple flowers, which are successively produced from the end of August to the beginning of winter; on a lawn, the effect is exceedingly striking. 5s.

DEUTZIA CRENATA CANDIDISSIMA PLENA.

An exceedingly free-flowering variety, producing fine large, very double, pure white flowers. It will be a very useful winter and spring-blooming plant, and looks extremely elegant when covered with its large bunches of pure white flowers. 3s. 6d.

DIMORPHANTHUS MANDCHURICUS.

This noble deciduous shrub has been introduced from Manchuria, and therefore is perfectly hardy. Its handsome multifid leaves are about a yard in length, and as much in breadth, the mere mention of which conveys some idea of the grand effect this plant produces. 5s.

DODECATHEON GIGANTEUM

" JEFFREYI

ESCALLONIA MACRANTHA, 1s. 6d. and 2s. 6d.

EUGENIA UGNI, 1s. and 1s. 6d.

EUONYMUS RADICANS VARIEGATUS, 1s. and 1s. 6d.

DODECATHEON MEDIA SANGUINEUM

" " SPLENDIDUM

EUONYMUS MACROPHYLLUS ALBO-

VARIEGATUS, 2s. 6d. & 3s. 6d.

" MACROPHYLLUS AUREO-

VARIEGATUS, 2s. 6d. & 3s. 6d.

FORSYTHIA FORTUNEI.

This plant, from Pekin, flowers in the spring, in a similar manner to *F. viridissima*, but in this new introduction the flowers are much larger, and of a bright golden yellow; the foliage also is broadly ovate, while that of *F. viridissima* is oblong lanceolate. 1s. 6d. and 2s. 6d.

FRAXINUS LONGICUSPIS.

A slender deciduous Japanese tree, with tetragonous branches, whose bark is marked by lenticular warts. It has pinnate leaves, with two or three pairs of leaflets, which in the mature state are lanceolate with a long acuminate point, but in the young plants are blunt, and even rounded. The inflorescence forms an erect terminal or lateral panicle. According to Siebold this is one of the plants on which the wax insect feeds. 7s. 6d.

FUNKIA LILIIFLORA.

A splendid variety; flowers of great dimensions (4 inches across), snowy white, and highly odorous. 3s. 6d.

GLADIOLUS CRUENTUS, *vide* page 5.

GUNNERA MANICATA.

This majestic species originates from cold and freezing regions, known in Southern Brazil under the name of Campos des Lages. It is one of the last and best discoveries of the collector M. Libon, who found it in marshy parts, and at the foot of the principal spur of Sierra do Mar. From the conscientious account of this traveller, every leaf of this Gunnera acquires about 15 feet in circumference, and one can easily imagine the space this colossal plant covers. 10s. 6d. and 15s.

GUNNERA SCABRA.

This is a native of the Andes of Peru, and although now pretty widely distributed, is certainly not, however, yet as largely cultivated as, by its merits, it deserves to be. It should be found wanting in no garden where a space of 15 or 20 feet in circumference can be allotted to it, so that it may spread out its magnificent foliage. Its broad leaves, borne upon stout petioles, are more than 4½ feet in diameter. For producing a picturesque appearance on a large lawn, or in parks, few subjects equal a finely grown specimen of this noble plant. If planted in a deep rich soil it speedily attains a majestic size. 2s. 6d. and 3s. 6d.

HEDERA ALGERIENSIS VARIEGATA,
2s. 6d.

„ other choice sorts, 1s. 6d. and 2s. 6d.

HEDERA LATIFOLIA MACULATA,
2s. 6d.

„ silvery variegated, 1s. 6d.

HEPATICA ANGULOSA.

A magnificent new species, fully twice the size of the common blue Hepatica in all its parts. Leaves five-lobed, hairy; flowers sky blue, frequently as large as a crown piece; a plant that ought to be in every garden. 1s. 6d. and 2s. 6d.

HIBISCUS SYRIACUS PURPUREO-PLENUS ARGENTEO-MARGINATIS.

This is a desirable plant of American introduction; the leaves are bright green, margined with white; flowers purple, very double, and freely produced. 2s. 6d. and 3s. 6d.

HOTEIA JAPONICA, *syn.* Spiræa barbata. 1s. 6d. and 2s. 6d.

HYDRANGEA JAPONICA PANICULATA GRANDIFLORA.

This splendid variety was introduced from Japan by the late Dr. von Siebold. The trusses are of immense size, the flowers white, very delicately shaded with light rose. 2s. 6d. and 3s. 6d.

IDESIA POLYCARPA, *syn.* Polycarpa Maximowiczii. 7s. 6d.

IRIS KÆMPFERI RUTHERFORD ALCOCK.

A most gorgeous variety, producing flowers of an exceedingly bright indigo blue, 6 inches in diameter. 7s. 6d.

IRIS VIOLACEA.

This is a beautiful new species of a genus which comprises many a gem of the herbaceous border. It is a perennial, and perfectly hardy in our climate, being a native of the Caucasus. The leaves are lanceolate-ensiform, cuspidate; the scape 2 feet high and leafy; the spathe each two-flowered; and the flowers themselves of a rich deep violet purple, having a cylindrical tube, the outer segments of the perianth deflexed, 2 inches long, broadly ovate, spotted with yellow towards the base.

For this charming novelty Mr. W. B. is indebted to Dr. de Bary, from whose specimens, cultivated in the Botanic Garden at Halle, it has recently been described by Dr. Klatt. 15s.

LARIX PENDULA.

This makes an ornamental pyramidal tree, 80 to 100 feet high, and yields a useful and durable white wood. 3s. 6d.

LARDIZABALA BITERNATA, 2s. 6d. and | LIMONIA TRIFOLIATA, 3s. 6d. and 5s.
3s. 6d.

LEONTICE CHRYSOGONUM.

This genus, which bears the name of Lion's Leaf, belongs to the Berberidaceæ, and consists of a few curious perennial species, rarely met with in cultivation. That now offered, found in Greece and Asia Minor, and also in the Caucasus, has received the name of *Bongardia Rauwolfii*. It forms a rough roundish tuber, 1 to 2 inches across, from the top of which spring three or four narrow leaves, which are pinnately divided into several sets of segments, arranged in threes and fours in a semi-verticillate manner, the individual segments being cuneate, toothed at the apex, and marked near the base with a transverse purple band. The flower scape is 6 or 8 inches high, somewhat corymbos, bearing golden yellow blossoms about an inch across. The plant should be grown in a cold frame, or as it vegetates early and rots during the autumn a cool greenhouse is even preferable, though Miller relates that with well-established plants, in sheltered positions and favourable seasons, he has succeeded in keeping it through the winter unprotected. 3s. 6d.

LIGUSTRUM CORIACEUM.

A distinct evergreen, of dwarf growth and compact habit, with thick glossy leaves. 3s. 6d.

LILIUM AURATUM.

In consequence of a large importation of the lovely and fragrant Japanese Lily, *Lilium auratum*, it is now offered at the undermentioned extremely low prices. The golden-rayed Japanese Lily, the queen of this wondrous race, is now known in every garden where plants of value and beauty are regarded with admiration. 1s. 6d., 2s. 6d., and 3s. 6d.

LILIUM AURATUM.

(VARIETIES.)

Mr. WILLIAM BULL has flowered several thousands of *Lilium auratum*, and among them a few of extraordinary beauty have been found. These may be relied upon as being extremely fine; indeed, only such as are of especial merit and very distinct have been selected. Nothing would be easier than to multiply varieties of this Lily *ad infinitum*, for it is well known that, however great the general resemblance, scarcely two produce flowers exactly alike; but although varying one from the other, the difference is generally not sufficient to warrant any other than the original name being given. The striking beauty, however, of the following justly entitle them to that distinction:—

AMABLE, a fine flower with a very wide golden bar, all the petals thickly spotted and streaked with rich crimson; a most beautiful variety. 7s. 6d.

ATTRACTION, this variety has a remarkably deep golden band, which renders it extremely distinct and attractive; the petals are all richly spotted. 7s. 6d.

BEAUTY, a splendid variety with a rich golden yellow bar in the centre of each petal, the whole of the flower being thickly and largely spotted with rich bright claret colour. 15s.

BRILLIANT, the petals of this variety are thickly studded with large spots of a bright rosy crimson colour, are very wide, and have a rich golden band in the centre; a very showy flower. 7s. 6d.

DIADEM, this is a very distinct flower, the petals, which have a deep golden band, being only very slightly dotted with small crimson spots. 7s. 6d.

MATCHLESS, a beautiful flower; the petals have a bright yellow bar, and are thickly and strongly marked with spots and streaks of rich magenta crimson. 10s. 6d.

MAXIMUM, a large and very fine variety, selected from many thousands of *L. auratum*. 7s. 6d.

OCHROLEUCUM, a very distinct variety, the whole of the flower being thickly studded with deep yellow spots, and the petals banded with pure gold colour. 31s. 6d.

PICTUM, a splendid flower, with a beautiful golden bar, bordered with crimson, and very thickly covered with rich crimson spots; a very fine and attractive variety. 10s. 6d.

RUBRO-VITTATUM. This is a magnificent variety, its great distinctive feature being that the bands, instead of being yellow, as in the ordinary variety of *Auratum*, are red, and consequently very fascinating and attractive; the spots are also very large, and of a bright crimson colour. 31s. 6d.

SPLENDOUR. This is a very pretty flower; the petals are banded with clear greenish yellow, and are very thickly sprinkled with large spots of rich dark crimson. 7s. 6d.

LILIUM AURATUM, VARIETIES—Continued.

SUNBEAM, a strikingly beautiful flower, the bright yellow bands being shaded or tinged with brown, and the whole of the petals thickly spotted with bright reddish crimson. 7s. 6d.

SURPRISE, an exceedingly rich-looking and attractive flower; the petals have an intensely deep golden bar, shaded with crimson towards the tip, and the whole of the flower is very thickly covered with large rich bright crimson spots. 10s. 6d.

VIRGINALE. This beautiful variety is so distinct and striking that it presents a charming contrast to the other varieties of *auratum*. The flowers are pure white, with the exception of the yellow rays, which are unusually brilliant, and a few scattered spots of pale lemon colour. Intermixed with other varieties, the appearance of this lovely kind is truly beautiful.

LILIUM COLCHICUM.

The flowers of this distinct and handsome Caucasian species are of a rich citron colour, spotted with black. 5s.

LILIUM HUMBOLDTII.

A splendid species, from Humboldt County, California, growing about 5 feet high, and producing large golden yellow flowers, which are spotted with purple. 15s.

LILIUM LEICHTLINII.

A charming Japanese Lily, of small slender growth, usually about 2 to 3 feet high. The stem is clothed with linear-lanceolate leaves. The flowers are of a clear pale golden yellow colour, thickly spotted with purple, and having the segments gracefully recurved. 7s. 6d.

LILIUM LONGIFLORUM ALBO-MARGINATUM.

This interesting new Lily has been recently imported from Japan. The leaves have a distinct and even narrow border of white, which adds considerably to the interest of the plant, while the habit of growth is similar to that of *L. longiflorum*, and the flowers also are pure white, as in that species. It forms a very pretty and desirable novelty amongst Japan Lilies. 7s. 6d.

LILIUM THUNBERGIANUM BICOLOR.

A handsome hardy Lily, growing about 1 ft. high, with erect flowers, which measure about 5 inches in expansion, and have the tips of the segments recurved. The sepaline divisions of the perianth are about an inch, the petaline over an inch and a half broad, all of a bright orange red, with a distinct flame of orange up the centre of each, and a few dark coloured dots on the petaline divisions, all having a pubescent furrow at the base. It has been imported from Japan, and has received a Certificate from the Royal Botanic Society. 7s. 6d.

LILIUM THUNBERGIANUM FLORE-PLENO.

A beautiful and distinct hardy Lily, growing a foot or more in height, and bearing two flowers at the top of the stem, which is clothed with lance-shaped leaves 3 to 4 inches long. The flowers are of a deep fiery red, partially dotted with black spots, 6 inches broad, the segments recurved, and having in the centre, in place of stamens, six erect obovate-spathulate petaloid filaments, which are deeply bifid, with the anther seated in the cleft. Those petaloid bodies are somewhat stained with crimson and partly dotted, the edges being paler. The bulbs were imported from Japan. 15s.

LILIUM THUNBERGIANUM MARMORATUM.

This is a very distinct form of a fine hardy Lily, obtained from Japan. The flowers are of a deep orange red, with irregular tawny stains on all the divisions, giving them a mottled appearance, while the segments are stout and smooth-edged, and marked with a few spots of black near the nectary furrow, which is very distinctly downy. The petaline segments of the perianth are somewhat larger than the sepaline divisions, ovate, obtuse, and clawed. It is about 1 ft. in height. 5s.

LILIUM THUNBERGIANUM PUNCTATUM.

A remarkably attractive and very dwarf-growing hardy Lily, rarely exceeding 9 or 10 inches in height. The flowers are erect, and of a rich dark crimson colour, conspicuously marbled and mottled with orange and yellow; the segments are pointed, and being much darker at the base than at the tips they give the flower the appearance of having a dark centre. It has been introduced from Japan. 15s.

LILIUM TIGRINUM FLORE-PLENO.

This attractive variety produces beautiful double flowers of a bright orange scarlet colour; the segments are thickly studded with dark brown spots, except at the tips, which are recurved. It has been introduced from Japan, and is a novel and extremely handsome variety. It was figured in *The Florist and Pomologist* for February, 1871. 15s.

LILIUM TIGRINUM FORTUNEI.

A very showy and attractive variety; it is of noble aspect, growing to the extent of 6 or 7 feet high, the lower flower stalks running out far and free from the stem, thus giving the inflorescence a pyramidal outline. The flowers, a great number of which are borne on each stem, are of a rich deep scarlet colour, distinctly spotted with black. 2s. 6d.

LILIUM TIGRINUM SPLENDENS.

This magnificent Lily is of exceedingly robust growth; the stem clothed or densely set from the base with compact lanceolate foliage. The flowers, which are of beautiful form, are of a bright orange scarlet colour, thickly studded with large dark brown spots. It is larger and far superior to any other variety in its class, and is a profuse bloomer, producing as many as two dozen flowers on a stem. It was awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. 5s. and 7s. 6d.

LILIUM WASHINGTONIANUM.

A superbly beautiful species from Nevada, California, growing about 5 ft. high, and producing a long panicle of from 15 to 20 flowers, which have long tubes and widely expanded mouths, pure white, shading off to lilac, and are deliciously fragrant. 15s.

LILIUM CANADENSE SUPERBUM, 3s. 6d.

„ **SPECIOSUM ALBUM**, 1s. 6d. and 2s. 6d.

„ „ **PUNCTATUM**, 2s. 6d. and 3s. 6d.

„ „ **RUBRUM**, 1s. 6d. and 2s. 6d.

„ **THUNBERGIANUM AURANTIACUM MULTIFLORUM**, 2s. 6d.

„ „ **CORONATUM**, 7s. 6d.

„ „ **ROSEUM**, 2s. 6d.

„ „ **SANGUINEUM**, 3s. 6d.

LILIUM CALIFORNICUM, an exceedingly rare species; until recently re-introduced, not to be met with. 1 guinea.

„ **SPECIOSUM ROSEUM**, 1s. 6d. and 2s. 6d.

„ „ **RUBRUM SUPERBUM**, 2s. 6d. & 3s. 6d.

„ **THUNBERGIANUM**, 2s. 6d.

„ „ **ATROSANGUINEUM**

„ „ **MACULATUM**, 2s. 6d.

„ „ **AUREUM NIGRO-MACULATUM**, 2s. 6d.

„ „ **FULGENS**, 2s. 6d.

LIRIODENDRON TULIPIFERUM AUREO-PICTUM, 3s. 6d.

MAGNOLIA CAMPBELLII.

Our first knowledge in Europe of this gorgeously beautiful new hardy plant was derived from a plate given in a very magnificent work, entitled, *Illustrations of Himalayan Plants*. The descriptions and analyses in that work are from the pen and pencil of Dr. J. D. Hooker, C.B., F.R.S., and the following is an extract from his observations:—

“The *Magnolia Campbellii* was discovered by Dr. Griffith in Bhotan; it is a large forest tree, abounding on the outer ranges of Sikkim, at elevations of 8,000 to 10,000 feet, appearing on the road above Pachem, and thence ascending to the top of Sinchul, 8,000, and Tengle, 10,000 feet; though occasionally seen on the central ranges at the same elevations, it is much less frequent. The flowers are produced abundantly in April, at the end of all the branches, when the tree is as yet perfectly leafless; they vary from white to deep rose colour, or almost crimson, and in size from 6 to 10 inches; the scent is faint. In May the tree is in full leaf, and the fruit ripens in October, when a few small and often deformed flowers are sometimes produced. The flowering branch drawn in Mr. Cathcart's collection is nearly twice as large as that represented here. Young plants have the leaves perfectly glabrous; those of older trees are more or less silky on the under surface.”

Without referring to *Illustrations of Himalayan Plants*, it is difficult to realise the magnificence either in size or colour of this *Magnolia*. A copy of the work can be seen at Mr. W. Bull's establishment, and he will be happy to show it to visitors. Dr. Hooker's figure has been copied in the *Flore des Serres et des Jardins de l'Europe* and *L'Illustration Horticole*, but although beautifully executed, it has necessarily, from the size of these works, been much reduced. 2 guineas.

LONICERAS, of sorts, at 1s.

MAGNOLIA GRANDIFLORA, 2s. 6d., 3s. 6d., and 5s.

MAGNOLIA CONSPICUA, 2s. 6d. and 3s. 6d.

„ **LENNÉ**, 5s. and 7s. 6d.

„ **PURPUREA**, 1s. 6d. and 2s. 6d.

OPHIPOGON JABURAN AUREO-VARIEGATUM.

A half-hardy Japanese plant, with broad grassy leaves, margined with yellow, and producing freely dense spikes of deep violet blue flowers. 5s.

OPHIPOGON SPICATUM ARGENTEO-MARGINATUM.

A plant similar in growth to the preceding, and also from Japan, but the leaves of this are edged with white, and the flowers are pure white. 5s.

OSMANTHUS ROTUNDIFOLIUS.

A new hardy evergreen shrub, from Japan, with dark green shining leaves, of good substance ; it is free in habit, and makes a compact and ornamental bush. 5s. and 7s. 6d.

OSMANTHUS AQUIFOLIUM VARIE-	PASSIFLORA CÆRULEA , 1s. and 2s. 6d.
GATUS , 2s. 6d.	PODOCARPUS FLAGELLIFORMIS , 10s. 6d.

PHILADELPHUS GRANDIFLORUS SPECIOSISSIMUS.

This very pretty dwarf-growing shrub gives freely a profusion of snow white flowers. It is an excellent plant for forcing. 2s. 6d.

PHILADELPHUS KETELEERI FLORE-PLENO.

This hardy shrub is a most desirable acquisition, on account of the agreeable perfume of its flowers, which are pure white, semi-double, and produced very freely in large bunches. 2s. 6d.

PIPER FUTOKADSURA.

A remarkable evergreen hardy plant, with so much the aspect of *Piper nigrum* (Black Pepper of commerce) as not to be readily distinguishable at first sight. It is a free-growing climber, bearing stalked cordate-ovate acuminate dark green leaves, about 3 inches broad, the petioles and under surface of which are pubescent. This interesting plant is found near Nangasaki in Japan. 3s. 6d.

PLANERA JAPONICA.

This is the *Ulmus Keia ki* of Siebold. A deciduous tree, with slender branches and branchlets, and furnished with oblong-ovate or narrowly ovate-lanceolate coarsely crenato-serrated leaves, which in young plants are set in a distichous manner in one plane on the slender flexuose twigs. It occurs on the higher mountains of Japan, and bears the native names of Koia ki, Keaki, and Koyaki. 3s. 6d.

POLYGONATUM VERTICILLATUM ARGENTEO-STRITUM.

This pretty herbaceous plant was introduced from Japan by Mr. Fortune ; its bright green foliage is distinctly striped with white. 5s.

POLYGONATUM VERTICILLATUM AUREO-STRITUM.

Similar to the preceding, but the foliage striped with yellow. 5s.

POLYGONUM SACHALINENSE.

A free-growing perennial herbaceous plant, producing stout erect branched stems, furnished with ovate oblong leaves, 6 to 8 inches long, cordate at the base, having red footstalks and traversed by a red mid-rib. The flowers grow in small compound racemes. It will form a distinct plant for the herbaceous border, and coming from the Amoor country is perfectly hardy. 5s.

PRIMULA CORTUSOIDES AMÆNA.

A beautiful free spring-flowering herbaceous plant ; flowers rich rosy purple, produced freely in large clusters, well above the foliage. 2s. 6d.

PRIMULA CORTUSOIDES AMÆNA ALBA.

This variety is similar to the preceding in general habit, but the flowers are pure white. 3s. 6d.

PRIMULA INTERMEDIA.

There is always a charm about pretty spring flowers, and this is a gem. It is a hybrid between *Primula ciliata* and *P. minima* ; the habit is robust and vigorous, and it blooms in the most profuse manner, throwing strong trusses of flowers, on each of which is a very large number of pips. It is sweet scented, the colour a brilliant plum colour or rosy purple, and is admirably adapted for spring garden decoration, whether planted in beds, clumps, or edgings. 3s. 6d.

PRIMULA INTERMEDIA ACME, a beautiful bluish purple flower, with small but bright yellow eye. 5s.

PRIMULA INTERMEDIA EMBLEM, a very distinct variety, producing most profusely reddish brown flowers, with bright yellow centres. 5s.

PRIMULA INTERMEDIA HEROINE, purplish blue, with small but bright yellow eye ; a very free bloomer, trusses large and fine. 5s.

PRIMULA INTERMEDIA MINSTREL, a fine plum coloured flower, with yellow centre ; a very attractive free-blooming variety. 5s.

PRIMULA INTERMEDIA PORTIA, rich pink, with primrose eye, fine large trusses ; a very distinct and pretty variety. 5s.

PRIMULA INTERMEDIA SCEPTRE, reddish purple, with yellow centre ; fine large flowers freely produced in good trusses. 5s.

RHAPHIOLEPIS OVATA.

A fine perfectly hardy evergreen shrub, producing spikes of white flowers 3 to 4 inches in length, and succeeded by clusters of rich purple berries. 2s. 6d. and 3s. 6d.

RETINOSPORA LEPTOCLADA.

A distinct and handsome plant, and one of the most hardy of hardy Conifers. It is erect and pyramidal in growth, branching proportionately wide at the base, and tapering upwards to a gracefully attenuate point. The colour of its growth is a fine silvery glaucous tint. 2s. 6d., 3s. 6d., and 5s.

RETINOSPORA PLUMOSA.

An admirable species, introduced from Japan. Its habit is pyramidal and compact, the foliage a pale glaucous green, particularly light and graceful in appearance. 7s. 6d.

RETINOSPORA PLUMOSA AUREA.

A golden variety of the above; a free grower, forming a fine contrast to the various green shades of the other species. 7s. 6d.

RETINOSPORA PLUMOSA VARIEGATA.

Perhaps one of the most elegant and attractive little Conifers known. The foliage is similar to that of *R. plumosa*, but thickly spotted with white, giving it the appearance of being covered with small flakes of snow. 7s. 6d.

RETINOSPORA FILIFERA, 7s. 6d.

" " **GRACILIS**, 10s. 6d.

" " **LYCOPODIODES**,
5s. and 7s. 6d.

" **OBTUSA**, 1s. 6d. and 2s. 6d.

" " **ALBA**, 10s. 6d.

" " **AUREA**, 5s.

" " **COMPACTA**, 10s. 6d.

" " **KETELEERII**,
10s. 6d.

RETINOSPORA { **FILICOIDES**, 7s. 6d.
and 15s.

" **PISIFERA AUREA**,
3s. 6d., 5s., and 7s. 6d.

" **SQUARROSA**, 3s. 6d. and 5s.

RHODODENDRON PRÆCOX, 3s. 6d. and 5s.

" " **RUBRUM**, 3s. 6d.

" " **SUPERBUM**,
3s. 6d. and 5s.

RHODODENDRONS, choice hybrids, of sorts,
to name, 2s. 6d., 3s. 6d., and 5s.

RHODODENDRON CAUCASICUM FLAVIDUM.

This new and interesting addition to our hardy evergreen shrubs, is very distinct from the ordinary type of *R. caucasicum*, with rose coloured flowers, and long known in cultivation. In the new variety now introduced the flowers are of a pale straw yellow, thickly spotted on the upper segment with deep green dots. It is a native of the Caucasian mountains. Small plants, 7s. 6d.

RHODODENDRON METTERNICHII.

A fine ornamental evergreen shrub, with oblong or obovate-oblong acute leathery leaves, which are ferrugineo-tomentose beneath. It has terminal corymbose heads of from ten to fifteen large sub-campanulate flowers of a beautiful rose colour. Being a native of the mountains of Japan, it is probably quite hardy in this country. 10s. 6d.

RHODODENDRON (AZALEA) RHOMBICUM.

An erect-stemmed deciduous shrub belonging to the group usually known as hardy Azaleas in this country. It grows to the height of a couple of feet or more, and has stontish branches, and thickish broadly rhomb-shaped leaves, which are 2 inches or upwards in length, and somewhat rusty beneath. The flowers are, according to Siebold, of a lovely red colour, and grow on hairy peduncles in small clusters at the ends of the branches. It is a Japanese plant, and quite hardy. 15s.

RHUS GLABRA LACINIATA.

A new hardy deciduous shrub, with deeply cut feathery foliage, which changes to rich deep crimson and brown in autumn. 7s. 6d.

SAXIFRAGA FORTUNEI.

This is an exceedingly handsome Japanese plant; it produces fine corymbs of white blossoms at a season when flowers are very scarce—viz., September, October, and November. Being an easily cultivated plant, it is an exceedingly desirable introduction. 1s. 6d. and 2s. 6d.

SEDUM MAXIMOWICZII.

This new Japanese Sedum is perfectly hardy, and of dense habit, producing its large heads of yellow flowers in the most profuse manner, and forming plants of circular growth about $1\frac{1}{2}$ feet high, and as much through; such a plant giving about 100 heads of blossom, each head from 2 to 3 inches in diameter. 2s. 6d.

SELAGINELLA JAPONICA.

This interesting plant has been introduced from Japan, and has proved itself to be quite hardy in this country. 1s. 6d. and 2s. 6d.

SALIX BABYLONICA MASCULA, 5s. | SKIMMIA JAPONICA, 1s. 6d. and 2s. 6d.

SKIMMIA OBLATA.

A most beautiful Japanese evergreen shrub, producing berries of the brightest vermilion. This is one of Mr. Fortune's discoveries, and proves to be quite distinct from all other Skimmias as yet known, in the remarkably oblate shape of its bright red berries, so obviously different from the dull red oblong fruit of other Skimmias. It is also strikingly distinct in its foliage, which is of a different texture, as well as in its habit, from the other species known to us. It is a free-growing shrub, with dense clear green leaves, the panicles of bright coloured berries nestling amongst the foliage at the ends of the branches. 3s. 6d., 5s., and 7s. 6d.

SOLANUM DULCAMARA VARIEGATA.

This new and beautiful Solanum is quite hardy, of free growth and excellent habit. The ground colour of the leaf is bright green, distinctly margined with pure white; the blooms are a rich purple, succeeded by bunches of scarlet berries, giving the plant a very effective appearance. It is an ornamental plant for pot culture, and, being quite hardy, will prove a great acquisition for bedding purposes. 3s. 6d.

SPIRÆA PALMATA.

In a description of this plant, given in the *Botanical Magazine*, No. 285, Dr. Hooker says:—"By far the handsomest species of the genus hitherto imported, and certainly one of the most beautiful hardy plants in cultivation; the deep purple red of the stems and branches, passing into the crimson purple of the glorious broad corymbs of flowers, contrasts most exquisitely with the foliage, which in autumn assumes beautiful tints of brown and golden yellow." It is a native of Japan, and was discovered and introduced by Mr. Fortune. 7s. 6d.

STYRAX JAPONICA.

This very pretty hardy deciduous shrub is of dwarf compact growth, with elegantly spreading branches, furnished with bright green elliptic leaves, and gives a profusion of white flowers, somewhat resembling Snowflakes. It will be a very useful plant for early forcing along with Deutzias, Spiræas, &c., and an exceedingly pretty and useful shrub for borders in the open air. It is a native of Japan. 5s. and 7s. 6d.

STYRAX OBASI, 15s. | TECOMA RADICANS MAJOR, 1s. and 1s. 6d.

TAXUS HIBERNICA FASTIGIATA VARIEGATA.

(THE GOLDEN IRISH YEW.)

This is the exact type of the Irish Yew, with foliage of the same fine golden colour as the old variegated Yew. It was exhibited at the Royal Horticultural Society's Show in June, 1863, where it received a First Class Certificate, and again at the International Horticultural Exhibition it was awarded another First Class Certificate. 15s.

THUJOPSIS BOREALIS VARIEGATA.

A silver-variegated variety of the well-known *Thuja borealis*. 7s. 6d. and 10s. 6d.

THUJOPSIS DOLABRATA, 3s. 6d. and 5s.

„ LÆTEVIRENS, 3s. 6d. and 5s.

TREVESIA SUNDAICA, $1\frac{1}{2}$ guinea

TRICYRTIS HIRTA, 1s. 6d.

TRITOMA ROOPERI, 1s. 6d.

„ UVARIA GRANDIS, 2s. 6d.

TROPÆOLUM SPECIOSUM, 1s. and 1s. 6d.

THUJOPSIS DOLABRATA VARIEGATA, 3s. 6d. and 5s.

„ STANDISHII, 7s. 6d. and 10s. 6d.

TRICYRTIS HIRTA FLORE-NIGRO, 1s. 6d. and 2s. 6d.

ULMUS CAMPESTRIS AUREA, 3s. 6d.

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers.

They are well adapted for training against low walls or trolises, *vide* page 43.

VIBURNUM SIEBOLDII.

A bold and effective evergreen shrub, with dark brown warted branches, and opposite dark green flat leaves, which are thick, coriaceous, and laurel-like in character. The leaf stalks are about an inch long; the blades broadly oblong oval, entire in the lower half, and obscurely and bluntly serrated towards the apex. It is a native of Japan, and has sometimes appeared under the name of *V. amafurka*, which is probably its vernacular name. 7s. 6d. and 15s.

VIBURNUM MACROCEPHALUM, 3s. 6d.

VITIS HETEROPHYLLA VARIEGATA,

PLICATUM, 2s. 6d.

1s. 6d. and 2s. 6d.

WEIGELA HENDERSONI.

A free-flowering and effective variety, producing beautiful carmine flowers, which are spotted with white on the edge; the stamens are pale sulphur white, and the buds bright red, contrasting admirably with the fully expanded flowers. 2s. 6d.

WEIGELA LAVALLEI.

The flowers of this attractive variety are of a rich purplish red colour, with yellow centres, and are very freely produced in exceedingly long bunches. It is a distinct and handsome variety of robust growth, and is also an excellent plant for forcing. 3s. 6d.

WEIGELA LEMOINEI.

An extremely floriferous variety; the flowers are very large, of a very brilliant scarlet colour, marked with purple in the centre of each lobe; the buds are of a dark purple colour. 2s. 6d.

WEIGELA LOWII.

This effective variety produces fine flowers, of a rich deep red colour, three times as large as those of *Diervilla multiflora*; the buds are of a purplish crimson colour. 2s. 6d.

WEIGELA AMABILIS VARIEGATA, 1s.

WEIGELA PURPURATA, 2s. 6d.

WEIGELAS, of sorts, 1s. 6d. and 2s. 6d.

YUCCA FILAMENTOSA, 1s. and 1s. 6d.

YUCCA GLORIOSA, 2s. 6d., 3s. 6d., and 5s.

„ RECURVA, 2s. 6d., 3s. 6d., and 5s.

WISTARIA MACROBOTRYS.

This variety, introduced from Japan, is of vigorous growth, and exceedingly free flowering, producing fine large full bunches of flowers, of immense length. The foliage is dark green; the flowers are white, tinted with bluish purple, and very large and fine. It is a most attractive and ornamental plant. 15s.

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the species and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Brazil and Madagascar, at one time only heard of in tales of fiction, plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the sizes of the plants and rarity of the species, particulars of which can be furnished on application.

African Mangosteen	Garcinia Livingstonei	Africa
Alligator Pear	Persca gratissima	W. Indies
Allspice	Eugenia Pimenta	W. Indies
Arnotto Dye Plant	Bixa Orellana	Tropical America
Arrowroot	Maranta arundinacea	S. America
Australian Banyan	Ficus macrophylla	Australia
Balsam of Peru	Myroxylon Pereira	Peru
Bamboo Cano	Bambusa arundinacea	India
Banana	Musa sapientum	W. Indies
Bark of Commerce	Cinchona officinalis	Tropical America
Betel Nut Palm	Arcea Catechu	E. Indies
Belle Pepper	Piper Betle	E. Indies
Bitter Aloe	Aloe socotrina	Island of Socotra

OFFICINAL AND MEDICINAL PLANTS—Continued.

Bitter Quassia	Quassia amara	Gutana
Black Pepper	Piper nigrum	E. Indies
Black Tea	Thea Bohica	China
Bottle Tree of Australin	Brachychiton Delabechii	Australia
Bread-fruit Tree	Artocarpus incisa	Otaheite
Butter Tree	Bassia butyracea	E. Indies
Cabbage Palm	Euterpe edulis	Brazil
Camphor	Campophora officinalis	Japan
Candle Tree	Parmentiera cereifera	Panama
Cardamon	Amomum Cardamomum	E. Indies
Cherimoyer	Anona Cherimolia	S. America
Chinese Plantain Tree	Musa Cavendishii	China
Cinnamon Tree	Cinnamomum verum	Ceylon
Clove Tree	Caryophyllus aromaticus	Moluccas
Cocoa	Theobroma Cacao	Tropical America
Coffee	Coffea arabica	Yemen
Contrayerva Root	Dorstenia Contrayerva	S. America
Cotton Tree	Gossypium herbaceum	E. Indies
Croton Oil Plant	Croton Cascarilla	S. America
Cuba Bast	Paritium elatum	W. Indies
Cubeb Pepper	Piper Cubeba	Java
Dato	Phoenix dactylifera	Levant
Divi Divi	Cesalpinia coriaria	W. Indies
Edible Fruited Passion Flower	Passiflora edulis	Brazil
Edible Vangueria	Vangueria edulis	Madagascar
Edible Zalcacca	Zalacca edulis	E. Indies
Fiddle Wood	Citharexylon quadrangulare	Jamaica
Gamboge	Xanthoxymus pictorinus	E. Indies
Garlic Pear	Cratogeomys gynandra	Jamaica
Gigantic Granadilla	Passiflora macrocarpa	Rio Negro
Ginger	Zingiber officinale	E. Indies
Granadilla	Passiflora quadrangularis	W. Indies
Green Tea	Thea viridis	China
Groy Bark	Cinchona peruviana	Tropical America
Horso Radish Tree	Moringa pterygosperma	E. Indies
Ipecacuanha Tree	Cophaelis Ipecacuanha	Brazil
Jalap	Exogonium Purga	Mexico
Japanese Pepper	Piper Futokadsura	Japan
Latanier Palm	Latania borbonica	Bourbon
Lomon Grass	Cymbopogon Schoenanthus	E. Indies
Loquat	Eriobotrya japonica	Japan
Malogany Tree	Swietenia Mahagoni	W. Indies
Mango	Mangifera indica	E. Indies
Mangosteen	Garcinia Mangostana	Java
Manilla Hemp	Musa textilis	Philippine Islands
Mastic Tree	Schinus Molle	Peru
Matico	Artanthe elongata	Peru
Mexican Apple	Casimiroa edulis	Mexico
Mustard Tree of Scripture	Salvadora persica	Persia
Nardoo	Marsilea macropus	Australia
Nicker Tree	Gulandina Bonduc	Sumatra
Oil Palm	Elais guineensis	Guinea
Opoponax	Opoponax Chironium	S. Europe
Orange Fig	Ficus macrocarpa	Columbia
Pnpaw Tree	Carea Papaya	Both Indies
Patchouli Scent Plant	Pogostemon Patchouli	E. Indies
Peruvian Cocoa	Erythroxylon Coca	Peru
Physic Nut	Jatropha Curcas	Africa
Queensland Nut	Macadamia ternifolia	Queensland
Red Bark	Cinchona succirubra	Tropical America
Resin	Amyris sylvatica	Carthage
Rice	Oryza sativa	Ethiopia
Rice Paper Plant	Aralia papyrifera	China
Rose Apple	Jambosa vulgaris	E. Indies
Sarsaparilla	Smilax Sarsaparilla	N. America
Silk Cotton Tree	Bombax malabaricum	Malabar
Soap Berry Tree	Sapindus Saponaria	W. Indies
Sour Sop	Anona muricata	W. Indies
Strychnine	Strychnos Nux-vomica	E. Indies
Sugar Cano	Saccharum officinarum	India
Sugar Palta	Arenga saccharifera	E. Indies
Sweet Potato	Batatas edulis	E. Indies
Sweet Sop	Anona squamosa	Tropical America
Tallow Tree	Stillingia sebifera	China
Tamarind Tree	Tamarindus indica	E. Indies
Telegraph or Moving Plant	Desmodium gyrans	E. Indies
Tonquin Bean	Dipterix odorata	Guiana
Travellers' Tree	Ravenala madagascariensis	Madagascar
Turneric	Curcuma longa	E. Indies
Turpentine Tree	Pistacia Terebinthus	S. Europe
Vanilla	Vanilla aromatica	S. America
Violet Sugar Cano	Saccharum violaceum	W. Indies
Yellow Vanilla	Vanilla lutescens	E. Indies.

Purchasers of Official and Medicinal Plants, Tropical Fruits, &c., can have large or small collections of living specimens made from the preceding, at any prices from 2 to 40 guineas; the difference in price of the collections principally depends upon the number of plants included, their size, and the rarity of the species.

ORCHIDS.

Extract from *The Gardener*, March 1870.

WINTER-BLOOMING ORCHIDS.

In the early part of January last we had an opportunity of inspecting a new Orchid house that Mr. WILLIAM BULL, of the King's Road, Chelsea, S.W., has just erected for the growth of Orchids. "This house has been constructed so as to embody many of the special features that have from time to time been suggested and described as to the manner in which an Orchid house should be erected. In its present form it seems to be a model Orchid house for amateur growers, and seems likely to prove an admirable house of its kind for nurserymen also. It is a span-roofed structure, and along the apex of the roof there is a good substantial wooden coping, under which a roller is fixed, which, when suitable materials for shading are fastened to it, will be used either for keeping out the bright rays of the sun in summer, or for keeping out frost in severe weather in winter. The house is divided into four compartments. The first is a lobby, which must be entered before reaching the other divisions; so that, let the condition of the external atmosphere be what it may, no cold draughts are admitted into the Orchid house proper. The first division, after passing through the lobby, is intended for cool Orchids and flowering specimens. This is no doubt a great point in connection with Orchid culture, as not only do the flowers last much longer in such a structure, but their beauty is seen to greater advantage and much more pleasure by ladies than when the plants are regularly kept in the hot and damp atmosphere of the growing house. The second division is called the East Indian House, and the third, the South American or Cattleya House. Down the centre of the two latter compartments is an open tank, containing three hot-water pipes for giving off moisture. The tanks are kept filled by a pipe and taps from the reservoir outside. These pipes are also perfectly under control, as, by using valves placed in the cool house, the temperature can be raised or lowered as required. At the end of the Cattleya House a compact and useful potting shed, heated by hot water, is attached. This being entered from the house, greatly facilitates the operation of potting, &c. And here, again, is a precaution against draught. Under the floor of this shed is a spacious tank, which receives all the rain-water from the roof. Pipes are laid from the hot-water tank in the house to this cistern, so that warm or chilled water can be easily had when required, either for watering the plants or for any other purpose. The hot-water pipes for heating the houses are arranged along the outer walls, and provision is made for regulating the temperature in each house, by having separate stop-valves fitted to each set of piping. Ventilation has also been provided with the same care to prevent the introduction of cold currents of air. This is effected by having small apertures made in the outer walls, just below the heating medium, so that cold air, before passing into the interior, must first come in contact with the hot pipes, and so become somewhat warmed. The ventilation is effected simply by a sufficient number of small sliding glass frames for the requirements of each house. Another important feature is the staging, which is open, both in the breadth that runs down the centre over the tanks, and around the sides; the latter also, instead of being fixed close up to the wall, have a space of about six inches between them, for the heat to pass into that portion of the house which in most other erections is the coldest part—i.e., that portion of the stage nearest the glass. The stages being made open, the genial humidity which rises from the tanks is allowed to pass freely amongst the plants throughout the house, and the paths can be kept comparatively dry, which is a pleasure scarcely dreamt of where no tanks of this kind are provided."

For this capital description of the details of Mr. Bull's Orchid house we are indebted to the *Gardeners' Chronicle*; but since this report was taken, Mr. Bull has added one other improvement of considerable merit. Finding that the moist atmosphere became condensed on the glass and rafters forming the roof, and then fell off in heavy drops, to the manifest injury of some of the plants, especially of those in flower, zinc gutters have been attached to each rafter throughout the house. The moisture on the glass invariably runs to one side or the other, and falling from the rafter into the gutter, is by means of pipes carried down behind the side-stages into the tanks beneath the houses. Mr. Bull deserves much credit for the admirable manner in which all the details of this excellently-constructed house have been arranged.

At the time of our visit the first division of the house was very gay with blooming Orchids. It was a bitter cold day when we went to Chelsea, a biting north-east wind prevailing; and yet, owing to the precaution of this lobby, but little of this found its way into the house as we entered it. Some lovely forms of *Lycaste Skinneri* first claimed attention. These admit of great variation, and some are very beautiful indeed; one named *marginata* had a very rich lip, margined with white. There could also be observed a tendency to flower in pairs; in several instances twin blooms were produced on

one stom. *L. Barringtonia*, var. *grandiflora*, was also very fine, and was figured by Dr. Hooker in his *Botanical Magazine* in 1867. A plant of *Sophranitis grandiflora* had six charming flowers finely coloured, and fully expanded, with six buds yet to open. Some plants of *Laelia anceps* were very showy, the flowers borne on long stems, having terminal groups of two or three blossoms. One form had a fine dark lip, and darker sides to the throat than is usually seen, and a good blotch of yellow in the lip. This is to be called *L. anceps flavida*. Many plants of *L. anceps* were just coming into bloom. A little later in blooming is *L. furfuracea*, the buds of which were just on the point of opening. A somewhat rare and certainly beautiful species is *L. albida*, one specimen in particular being of fine development. The flowers are French white, marked with gold. One had larger flowers, which were tinted with buff. A variety of *L. albida*, named *grandiflora*, had the lip tinted with rosy lilac, which also stands out somewhat erect; the sepals were also broader and stiffer in all their parts, and of better shape. Blooming Odontoglosses were in strong force: such as *O. triumphans*, having a spike of six flowers of fine quality, and, it was said, not often seen with so many flowers at one time. *O. pulchellum*, var. *grandiflorum*, represented a fine large form, very handsome. The true form of *O. hystrix* was here—one having five expanded flowers blotched with chocolate on a pale lemon ground, the upper part broadly margined, and a pale sulphur lip much fringed. There were also several handsome varieties of *O. bicorniense*—some pure white, others pale pink. One named *roseum* was quite distinct, and of a pale soft rose hue, the sepals broader, and the spots of brown on them denser than usual. Another named *grandiflorum* had a pale pink lip of unusual size, quite an inch in width, sepals chocolate, and bore a spike of sixteen flowers. Another variety, somewhat paler, had a spike of twenty-six flowers. As an illustration of branching Orchids, some of the forms of *O. bicorniense* had much-branched spikes. *O. luteo-purpureum*, one of the handsomest of the family, had two fine spikes, each containing eight attractive yellow flowers, barred and blotched with bronzy crimson. *O. Inseayi* presented several charming types differing in character; in some the chocolate marking was deeper than in others, and there was more yellow on the lip. One was named *splendens*: in this instance the sepals were very broad, and had pale brown spots; the lip was of rich gold, with orange maroon spots. Another named *ampliatum* had a great breadth of sepals, the lip pale primrose. *O. cordatum* was also very handsome; *O. cristatum* was very pretty and distinct; and *O. maculatum* was just coming into bloom. *O. grande* was in nice bloom, though it usually flowers in August and September from the young growth. This variety named *hyemalis* is said to bloom, as a rule, in December and January; and the great difference between this and the old form is, that it flowers from old ripened wood. Of this there were several plants. The flowers of some were not yet opened, and this tendency to bloom in mid-winter makes it the more valuable. *Oncidium nebulosum* had a spike of flowers from 2 to 3 yards in length, and a shorter spike besides, the buds not yet expanded. Very pretty and curious was the somewhat minute *Oncidium ornithorhynchum*, with five spikes of lilac purple flowers, and a golden and somewhat jagged lip. The small flowers were not unlike a mass of minute birds, and were palpably scented like Violets. Of Cattleyas, *C. Triana* was in nice bloom; so was the beautiful *C. Wagueri*, pure white, with a faint tinge of lemon on the interior of the throat. *C. Dawsoni* was another handsome form, having delicate blush white petals, the lip prettily fringed with soft purplish rose; and there was a fine piece of *Cattleya Loddigesii*, which, though old, has a very attractive appearance in a collection, the flowers white, tinted with pale violet, and generally seen deeper in colour than in this example. *C. Warscewiczii* had delicate blush white flowers, the throat deep orange, the delicate lip handsomely fringed. There was also a good example of *Mesospinidium sanguineum*, having a long, thin, drooping spike, with small, deep, pinkish rose flowers, the white column affording a good contrast. The fine hold spikes of some of the Calanthes also made a charming display. All the varieties are exceedingly useful, and very beautiful as winter-blooming kinds, are easily grown, and the flowers durable. *C. vestita luteo-oculata*—the one generally found in collections—was very pretty, and had French white flowers and yellow centres. *C. luteo-oculata nivalis*, a very rare variety, had snow white flowers and deep orange centres, and was very fine and distinct. *C. Veitchii* was also very handsome, and had charming pale rose flowers on spikes from 2 to 3 feet in length. *Zygopetalum Muckayi* was in full bloom, and a variety named *majus* represented a form which had the purple markings in the lip deeper and more distinct than is usually seen. *Limnolobos rosca* and *L. rosca superba* were also effective; and so was *Barkeria Skinneri*, with its large spikes of violet rose flowers. *B. Lindleyana* had the sepals and petals tinted with rosy violet, the lip fringed with purplish crimson, and white throat; the spike was from 2 to 3 feet in length, and had a terminal cluster of flowers. Near it was *Maxillaria luteo-striata*, spotted and striped with buff and maroon. The curious *Cælogyne brunnea*, with greenish yellow flowers, must also be noticed, and it is sure to be appreciated by the lovers of the curious in Orchids.

In the East India division were fine and healthy specimens of *Vandas*, *Saccolabiums*, *Aërides*, *Phalenopsis*, &c. Some of the former were very large, and of vigorous development. There was

a splendid specimen of *Angraecum sesquipedale*, throwing up a fine spike of flowers, and equally fine examples of *Aërides Fieldingii*. In the way of imported Orchids, Mr. Bull pointed out some six or seven plants of *Phalenopsis Schilleriana*, which alone had been saved from a consignment of from 500 to 600 plants, shewing that the importer runs a great risk, and also furnishing a valid reason for the high price this magnificent species commands.

In the end house was a fine specimen of *Arpophyllum giganteum*, nearly 2 feet through, and throwing up numerous flower spikes; *Lelia purpurata*, very fine; also *Leptotes serrulata*, coming into bloom, and promising to flower freely; some very fine plants of *Cypripedium villosum*; *C. Lowii*, with a grand spike of five flowers; *C. longifolium*, a very rare species; the pure white *C. niveum*, a very beautiful form, not yet distributed; *C. Dayanum*, *C. caudatum*, &c. *Cattleya bulbosa*, a very rare and beautiful species, had some handsome flowers of a peculiar mauve violet hue; and there was a grand specimen of *Oncidium sarcoodes*, said to be one of the finest specimens in Europe, formed of eleven bulbs, the strongest 3 inches in circumference and 6 inches in length. It was throwing up two spikes of flowers, which were 2 to 3 feet in length. *O. Kramerianum*, with three flower stems, began to bloom in August last, and still continued to produce flowers at the termination of the stem, the young bloom issuing from amid the decaying elements of the old one. *Lelia acuminata violacea* was also very handsome, and had a stem with a cluster of three violet coloured flowers at the end of it.

S distinguishes the stove kinds; I, intermediate house; and C, cool house. Those marked thns (*) are winter-blooming kinds.

I ACINETA BARKERI.....	Mexico	15s.
I — DENSE	South America.....	21s.
I — SELLA-TURCICA	Chiriqui.....	31s. 6d.
I — SUPERBA (Humboldtii)	Columbia	10s. 6d. and 15s.
S ACRIOPSIS PICTA.....	Batavia	31s. 6d.
I ADA AURANTIACA	Pamplona	31s. 6d. and 42s.
I AERIDES AFFINE	Sylhet	31s. 6d.
I — — MAJUS	Sylhet	31s. 6d.
I — — ROSEUM	Sylhet	7s. 6d., 10s. 6d., and 15s.
I — — RUBRUM	Sylhet	42s.
I — CRISPUM (Brookei)	Courtallum	15s., 31s. 6d., and 42s.
S — FIELDINGII (Fox Brush)	Bombay.....	42s., 63s., to 84s.
S — HUTTONI	Java	84s.
C — JAPONICUM	Japan	84s.
S — LARPENTÆ.....	East Indies	63s. and 84s.
I — LINDLEYANUM.....	Coonoor.....	31s. 6d., 42s., and 63s.
S — LOBBII	Moulmein	15s., 31s. 6d., to 84s.
S — MACULOSUM	Bombay.....	21s., 31s. 6d., and 42s.
S — NOBILE	India	31s. 6d.
S — ODORATUM (cornutum)	East Indies	7s. 6d. and 15s.
S — — MAJUS	East Indies	15s. and 31s. 6d.
S — — LONGIRACEMOSUM	East Indies	31s. 6d.
S — — PURPURASCENS	East Indies	21s. and 31s. 6d.
S — QUINQUEVULNERUM	Philippine Islands	63s. and 84s.

A most beautiful species, producing white flowers covered with very small bright crimson spots, five large spots on points.

S — — ALBUM	Philippine Islands	63s. and 84s.
S — RUBRUM	Bombay.....	42s. and 63s.
S — SCHRÖDERI.....	Bombay.....	
S — SUAVISSIMUM	East Indies	7s. 6d., 10s. 6d., and 15s.
S — TESTACEUM	Moulmein	31s. 6d.
S — VEITCHII.....	Moulmein	
S — VIRENS	Java	21s. and 31s. 6d.
S — — DAYANUM	East Indies	21s., 31s. 6d., and 42s.

A very handsome variety that can be strongly recommended.

S — — SUPERBUM.....	Java	31s. 6d. and 42s.
C — WARNERI.....	Bombay.....	31s. 6d. and 42s.

ORCHIDS—Continued.

The genera *Aërides*, *Phalaenopsis*, *Saccolabium*, and *Vanda* include not only very fine Orchids, but some of the most beautiful flowering plants in cultivation. Two species of *Aërides*, in the way of *crispum* and *odoratum*, *nobile* and *suavissimum*, have bluish or white flowers, slightly shaded or spotted with light rose, and comparatively thin loose spikes, with larger waxy flowers; other species, such as *affine*, *Lobbiti*, and *Fieldingii*, have close compact spikes of rather smaller flowers, very delicately spotted with beautiful rosy pink.

Phalaenopsis is an exceedingly ornamental and very free-flowering genus, producing fine spikes of beautiful butterfly-like flowers.

Saccolabiums, which resemble the smaller kinds of *Aërides*, have close very compact spikes of small flowers, beautifully spotted with bright rosy pink.

Vandas produce fine large spikes of flowers with white grounds. *V. carulea* is of a delicate sky blue; *V. gigantea*, yellow with brown spots; *V. suavis* is marked with bright crimson bars and spots; *V. teres*, with rose blotches; *V. tricolor* has a rose lip, and is spotted with yellow and crimson.

<i>I</i>	<i>AGROSTOPHYLLUM</i>	<i>KHASYANUM</i>	... Khasya	31s. 6d.
<i>I</i>	<i>ANÆCTOCHILUS</i> (<i>Physurus</i>)	<i>ARGENTUS</i>	} Brazil	5s.
<i>I</i>	—	<i>PICTUS</i>		
<i>S</i>	—	<i>DAWSONIANUS</i> , <i>vide</i> <i>GOODYERA</i> .		
<i>S</i>	—	<i>LOBBII</i>	Java	
<i>S</i>	—	<i>LOWII</i>	Borneo	21s.
<i>S</i>	—	<i>VIRESCENS</i>	Borneo	31s. 6d.
<i>S</i>	—	(<i>Macodes</i>) <i>PETOLA</i>	Java	15s.
<i>S</i>	—	<i>PARDINUS</i> (<i>new</i>)	Solomon Islands	84s.
<i>I</i>	—	<i>ROXBURGHII</i>	Nepal, Assam, Khasya	31s. 6d.
<i>S</i>	—	<i>SETACEUS</i>	Ceylon	
<i>S</i>	—	<i>CORDATUS</i>	Ceylon	31s. 6d.
<i>S</i>	—	<i>INTERMEDIUS</i>	Ceylon	15s.
<i>S</i>	—	<i>VEITCHII</i>	Java	
<i>S</i>	—	<i>XANTHOPHYLLUS</i>	Ceylon	15s.
<i>S</i>	<i>ANGRÆCUM</i>	<i>BILOBUM</i>	Cape Coast Castle	42s. and 63s.
<i>S</i>	—	<i>CAUDATUM</i>	Sierra Leone	
<i>S</i>	—	<i>CITRATUM</i>	Madagascar	
<i>S</i>	—	<i>CLANDESTINUM</i>	Bourbon	15s. and 31s. 6d.
<i>S</i>	—	<i>CHAILLUNANUM</i>	Gaboon	42s. and 63s.
* <i>S</i>	—	<i>EBURNEUM</i>	Madagascar	63s. and 84s.
<i>C</i>	—	<i>FALCATUM</i>	Japan	15s. and 21s.
<i>C</i>	—	<i>JAPONICUM</i>	Japan	63s.
<i>S</i>	—	<i>PELLUCIDUM</i>	Sierra Leone	31s. 6d. to 42s.
* <i>S</i>	—	<i>SESQUIPEDALE</i>	Madagascar	42s., 63s., and 84s.
A splendid species, producing magnificent wax-like long-tailed white flowers.				
<i>S</i>	—	<i>SUPERBUM</i> , <i>vide</i> <i>ANGRÆCUM</i> <i>EBURNEUM</i> .		
* <i>S</i>	—	<i>VIRENS</i> (<i>Brongniartianum</i>)	Madagascar	42s. to 84s.
<i>C</i>	<i>ANGULOA</i>	<i>CLOWESII</i>	Columbia	15s. and 31s. 6d.
<i>C</i>	—	<i>MACRANTHA</i>	Columbia	15s. and 31s. 6d.
<i>C</i>	—	<i>EBURNEA</i>	Peru	42s.
<i>C</i>	—	<i>RUCKERI</i>	Columbia	31s. 6d. and 42s.
<i>C</i>	—	<i>UNIFLORA</i>	Columbia	31s. 6d. and 42s.
* <i>S</i>	<i>ANSELLIA</i>	<i>AFRICANA</i>	Sierra Leone	21s., 31s. 6d., and 42s.
<i>I</i>	<i>ARPOPHYLLUM</i>	<i>GIGANTEUM</i>	Mexico	31s. 6d.
<i>I</i>	—	<i>SPICATUM</i>	Mexico	31s. 6d.
<i>I</i>	<i>ASPASIA</i>	<i>LUNATA</i>	Brazil	21s.
<i>S</i>	—	<i>PSITTACINA</i>	Panama	31s. 6d.
<i>C</i>	<i>BARKERIA</i>	<i>ELEGANS</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>	—	<i>LINDLEYANA</i>	Costa Rica	15s. and 21s.
<i>C</i>	—	<i>MELANOCAULON</i>	Mexico	31s. 6d.
* <i>C</i>	—	<i>SKINNERI</i>	Guatemala	5s., 7s. 6d., & 10s. 6d.
* <i>C</i>	—	<i>SUPERBA</i>	Guatemala	21s.
<i>C</i>	—	<i>SPECTABILIS</i>	Mexico	7s. 6d., 10s. 6d., and 15s.
<i>S</i>	<i>BATEMANIA</i>	<i>COLLEYI</i>	Demerara	21s.
<i>S</i>	—	<i>MELEAGRIS</i> , <i>vide</i> <i>HUNTLEYA</i> <i>MELEAGRIS</i> .		

ORCHIDS—Continued.

<i>I</i> BIFRENARIA AURANTIACA	Brazil	21s.
<i>I</i> — INODORA FLAVA	Brazil	15s.
<i>I</i> — RACEMOSA	Brazil	31s. 6d.
<i>C</i> BLETIA ACUTIPETALA	America	7s. 6d.
<i>C</i> — FULGENS	Mexico.....	15s.
<i>C</i> — HYACINTHINA ALBO-STRATA ..	Japan	31s. 6d.
<i>S</i> — SHERRATTII	New Grenada.....	31s. 6d.
<i>S</i> — VERECUNDA	Tropical America	10s. 6d. and 15s.
<i>I</i> BOLBOPHYLLUM LOBBII.....	Brazil	15s.
<i>S</i> — PSITTACOGLOSSUM	Moulmein	21s.
<i>I</i> — UMBELLATUM	Nepal	31s. 6d.
<i>S</i> BRASSAVOLA ACAULIS	Central America.....	15s.
<i>S</i> — DIGBYANA	Honduras.....	31s. 6d. and 42s.
<i>S</i> — FILIFOLIA	New Grenada.....	15s.
<i>C</i> — GLAUCA	Mexico.....	10s. 6d. and 15s.
<i>C</i> — NODOSA	Tropical America	7s. 6d. and 10s. 6d.
<i>I</i> — STRIATA	New Grenada.....	31s. 6d.
<i>I</i> BRASSIA BRACHIATA	Guatemala	21s. and 31s. 6d.
<i>S</i> — CAUDATA	Cuba, Panama.....	15s.
<i>C</i> — CINNABARINA	New Grenada.....	31s. 6d.
<i>S</i> — CINNAMOMEA	Cuba, Panama.....	31s. 6d. and 42s.
<i>I</i> — GIREOUDIANA	Costa Rica	31s. 6d.
<i>S</i> — LANCEANA	Guiana	15s. and 31s. 6d.
<i>S</i> — LAWRENCEANA	Demerara	15s. and 31s. 6d.
<i>S</i> — MACROSTACHYA.....	Demerara	31s. 6d.
<i>I</i> — OCANENSIS	New Grenada, Ocaña ..	21s. and 31s. 6d.
<i>C</i> — VERRUCOSA	Guatemala	15s.
<i>C</i> — MAJOR	Guatemala	21s. and 31s. 6d.
<i>I</i> — WAGENERI	Caraccas	15s. to 31s. 6d.
<i>S</i> — WARSCWICZII	Maranon	31s. 6d.
<i>I</i> — WRAYÆ.....		7s. 6d. and 10s. 6d.
<i>S</i> BROUGHTONIA SANGUINEA	Jamaica	10s. 6d. and 15s.
<i>I</i> BURLINGTONIA AMÆNA (decora) ..	Brazil	21s. and 31s. 6d.
<i>S</i> — BATEMANII.....	Ecuador.....	31s. 6d.
<i>S</i> — CANDIDA	Brazil.....	21s. and 31s. 6d.
<i>I</i> — DECORA PICTA	Brazil.....	31s. 6d.
<i>I</i> — FRAGRANS	Brazil.....	7s. 6d., 10s. 6d., & 15s.
<i>S</i> — GRANADENSIS	New Grenada	31s. 6d.
<i>S</i> — RIGIDA	Brazil.....	15s. and 21s.
<i>S</i> — VENUSTA	Brazil.....	15s. and 21s.
<i>I</i> CALANTHE MASUCA	Nepal, Sikkim	21s. and 31s. 6d.
<i>I</i> — GRANDIFLORA.....	E. Indies	63s.
<i>C</i> — SIEBOLDTII.....	Japan.....	31s. 6d. and 42s.
* <i>I</i> — VEITCHII	Garden hybrid.....	21s.
* <i>I</i> — SUPERBA	Garden hybrid.....	42s.
<i>C</i> — VERATRIFOLIA	East Indies	15s. and 21s.
* <i>I</i> — VESTITA ALBA	Tavoy, Java	15s. and 21s.
* <i>I</i> — LUTEO-OCULATA	Tavoy, Java	3s. 6d., 5s., and 7s. 6d.
* <i>I</i> — NIVALIS	Tavoy, Java	31s. 6d.
* <i>I</i> — NIVALIS	Tavoy, Java	21s.
* <i>I</i> — RUBRO-OCULATA	Tavoy, Java	3s. 6d., 5s., and 7s. 6d.
* <i>I</i> — ROSEA	Tavoy, Java.....	10s. 6d., 15s., and 21s.
* <i>I</i> — TURNERI.....	Moulmein	21s.

These varieties of *C. vestita* are exceedingly beautiful, and very useful as winter-flowering plants; being easily grown, and the flowers very durable, they should be grown in every collection of stove plants.

<i>S</i> CAMAROTIS PURPUREA	Sylhet	15s.
<i>I</i> CATASETUM BARBATUM.....	Brazil.....	21s.
<i>I</i> — CALLOSUM	Caraccas	21s.
<i>I</i> — DISCOLOR	Brazil.....	21s.

ORCHIDS—Continued.

<i>I</i> CATASETUM LAMINATUM	Mexico	21s.
<i>I</i> — MACULATUM	Mexico	21s.
<i>I</i> — OCHRACEUM	Bogota	21s.
<i>I</i> — SANGUINEUM	New Grenada	21s.
<i>I</i> — TRIDENTATUM	Brazil	21s.
<i>C</i> CATTLEYA ACLANDIÆ	Brazil	15s. and 21s.
<i>I</i> — AMABILIS	New Grenada	42s.
This very distinct-looking Cattleya, imported from New Grenada, has the general characteristics of <i>C. Trianae</i> , to which it is closely allied, flowering also at the same season—namely, in the early spring months. It has compressed clavate furrowed stems, each bearing a single broadly ligulate leaf, and the scapes are two-flowered, the flowers being white, suffused with a faint roseate tinge when newly opened, which passes off as they become matured. The sepals are lanceolate, and quite entire; the petals broadly and shortly ovate, with a wavy toothed edge, and the lip short and tubular, without the expanded apex seen in the true form of <i>C. Trianae</i> , marked with a small bar of orange yellow on the disk towards the base. The great peculiarity of the plant is, that the petals do not reflex, as is usual, but stand forward, giving the flowers the appearance of being only partially expanded, a difference which renders them both distinct and effective in a collection.		
<i>S</i> — AMETHYSTOGLOSSA	Brazil	31s. 6d. and 42s.
<i>I</i> — AMETHYSTINA	Brazil	7s. 6d., 10s. 6d., & 15s.
<i>I</i> — BICOLOR	Brazil	21s. and 31s. 6d.
* <i>C</i> — BOGOTENSIS	New Grenada	31s. 6d. and 42s.
<i>C</i> — BOOTHIANA, <i>vide</i> <i>C. LOBATA</i> .		
<i>C</i> — BULBOSA	Brazil	15s. and 21s.
<i>C</i> — CITRINA	Oaxaca	7s. 6d. and 10s. 6d.
<i>C</i> — CRISPA	Brazil	7s. 6d., 10s. 6d., & 15s.
<i>C</i> — — SUPERBA	Brazil	15s. and 21s.
<i>S</i> — DOWIANA	Costa Rica	31s. 6d. & 42s. to 84s.
* <i>C</i> — ELDORADO	Rio Negro	42s., 63s., to 84s.
* <i>C</i> — — SPLENDENS	Rio Negro	84s.
<i>C</i> — ELEGANS, <i>vide</i> <i>LÆLIA ELEGANS</i> .		
<i>I</i> — EXONIENSIS	Hybrid	147s.
<i>I</i> — FORBESII	Rio do Janeiro	10s. 6d. and 15s.
<i>I</i> — GRANDIS, <i>vide</i> <i>LÆLIA GRANDIS</i> .		
<i>I</i> — GRANULOSA	Panama	21s.
<i>C</i> — GUTTATA	Brazil	21s. and 31s. 6d.
<i>I</i> — HARRISONIANA	Brazil	15s., 21s., and 31s. 6d.
<i>C</i> — INTERMEDIA	Brazil	7s. 6d., 10s. 6d., & 15s.
<i>I</i> — LABIATA	Brazil	31s. 6d. and 42s.
<i>I</i> — — SPLENDENS	Brazil	63s.
<i>C</i> — LEOPOLDII	Brazil	10s. 6d., 15s., and 21s.
<i>I</i> — LINDLEYANA	Brazil	31s. 6d.
<i>C</i> — LOBATA	Brazil	31s. 6d. and 42s.
<i>C</i> — LODDIGESII	Brazil	7s. 6d. and 10s. 6d.
<i>C</i> — — SUPERBA	Brazil	15s.
<i>I</i> — LUTEOLA	Brazil	31s. 6d.
<i>I</i> — MARGINATA, <i>vide</i> <i>LÆLIA MARGINATA</i> .		
<i>C</i> — MAXIMA (biflora, Lawrenceana, } Quindos)	Ecuador, Papayan	31s. 6d. and 42s.
<i>I</i> — — VIOLACEA	Papayan	42s.
<i>C</i> — MOSSIÆ	La Guayra	5s., 7s. 6d., & 10s. 6d.
<i>C</i> — — AURANTIACA	La Guayra	15s. and 31s. 6d.
<i>C</i> — — PICTA	Santa Martha	15s. and 31s. 6d.
<i>C</i> — — ROSEA	La Guayra	21s.
<i>C</i> — — SCHLIMII	Venezuela	31s. 6d.
<i>C</i> — — SPECIOSISSIMA	Venezuela	21s., 31s. 6d., and 42s.
<i>C</i> — — SUPERBA	La Guayra	31s. 6d.
<i>I</i> — PALLIDA	Mexico	31s. 6d.
<i>C</i> — PERRINII, <i>vide</i> <i>LÆLIA PERRINII</i> .		15s., 21s., and 31s. 6d.
<i>C</i> — PINELII, <i>vide</i> <i>LÆLIA PINELII</i> .		21s. and 31s. 6d.
<i>C</i> — — MARGINATA	Brazil	21s. and 31s. 6d.

ORCHIDS—Continued.

*C	CATTLEYA QUADRICOLOR	New Grenada	31s. 6d. and 42s.
*C	— CARNEA	New Grenada	31s. 6d. and 42s.
C	SPECIOSISSIMA (Bassetii, Lemo- niana, Luddemanniana)	Caraccas	21s. and 31s. 6d.
C	— SKINNERI	Costa Rica.....	7s. 6d., 10s. 6d., & 15s.
S	— SUPERBA	Essequibo	21s. and 31s. 6d.
S	— SPLENDENS	Essequibo	31s. 6d. to 63s.
*C	— TRIANÆ	New Grenada	15s., 21s., and 42s.
*C	— ALBIDA	New Grenada	31s. 6d. and 42s.
*C	— DAWSONI	New Grenada	84s.
*C	— DELICATA	New Grenada	31s. 6d. and 42s.
*C	— ROSEA	New Grenada	21s.
A rose coloured variety of this, one of the prettiest section of Cattleyas.			
*C	— SPLENDENS	New Grenada	84s.
This is a really superb variety; one of the most handsome in the <i>Triancæ</i> section.			
*C	— VIOLACEA	New Grenada	63s.
I	— WAGENERI	Caraccas	84s.
I	— WARNERI	Brazil	63s. and 84s.
C	WALKERIANA, vide C. BULBOSA.		
*I	— WALLISII	Rio Negro	63s.
*C	— WARSCEWICZII	New Grenada	15s., 21s., and 42s.
*C	— DELICATA	New Grenada	31s. 6d. and 42s.
S	CHELONANTHERA SPECIOSA	Java	31s. 6d.
S	CHYSIS AUREA	New Grenada	21s. and 31s. 6d.
I	— BRACTESCENS	Peru	31s. 6d. and 42s.
I	— LIMMINGHEI	Central America	31s. 6d. and 42s.
S	CIRRHOPELALUM PICTURATUM	East Indies	31s. 6d.
S	— THOUARSII	Otaheite, Java, Madagascar	31s. 6d.
S	CCELOGYNE ASPERATA (Lowii)	Borneo	31s. 6d.
I	— ASSAMICA	Assam	31s. 6d.
*I	— BRUNNEA	South America.....	15s.
*C	— CRISTATA	Nepal, Sylhet	15s., 21s., and 31s. 6d.
I	— ELATA	Kumaon	21s.
I	— FLACCIDA	Nepal	15s.
I	— FUSCESCENS	Nopal	15s. and 21s.
I	— GARDNERIANA	Nepal, Khasya.....	21s. and 31s. 6d.
I	— HOOKERIANA	Sikkim	31s. 6d.
I	— OCHRACEA	Bhotan	21s.
I	— OCELLATA	Sylhet, Khasya	31s. 6d.
S	— PANDURATA	Borneo	15s. and 21s.
I	— PARISHII (papagena)	Moulmein	10s. 6d. and 15s.
S	— SCHILLERIANA	East Indies	21s.
S	— SPECIOSA	Java	15s. and 21s.
S	COMPARETTIA FALCATA	Caraccas, Ocaña, &c.	21s. and 31s. 6d.
S	CORYANTHES ELEGANTIUS.....	Rio Negro.....	63s.
S	— MACRANTHA	Caraccas	31s. 6d.
S	— SPECIOSA	Domerara	31s. 6d.
S	CYCNOCHES AUREUM	Central America	63s.
I	— BARBATUM	Guatemala	42s. to 63s.
I	— MUSCIFERUM	Columbia	21s. and 31s. 6d.
I	— PESCATOREI, vide LUDDEMANNIA PESCATOREI.		
S	— VENTRICOSUM MACRANTHUM	Guatemala	63s.
S	CYMBIDIUM ALOIFOLUM	East Indies	10s. 6d.
I	— ASSAMICUM	Assam	63s.
I	— EBURNEUM	China.....	84s., 105s., and 126s.
I	— GIGANTEUM	Nepaul	15s.
I	— MASTERSII	East Indies	31s. 6d. and 42s.
I	— TIGRINUM	Moulmein Mountains	31s. 6d.
I	CYPRIPEDIUM BARBATUM	Mount Ophir	2s. 6d. and 3s. 6d.
I	— BIFLORUM	Mount Ophir	21s.

ORCHIDS—Continued.

<i>I</i> <i>CYPRIPEDIUM BARBATUM GRANDI-FLORUM</i>	Java	15s., 21s., and 31s. 6d.
<i>I</i> — <i>MAJUS</i>	Mount Ophir	31s. 6d.
<i>I</i> — <i>NIGRUM</i>	Mount Ophir	10s. 6d., 15s., and 21s.
<i>I</i> — <i>PICTUM</i>	Mount Ophir	10s. 6d.
<i>I</i> — <i>PURPUREUM</i>	Mount Ophir	5s. and 7s. 6d.
<i>I</i> — <i>SUPERBUM</i>	Mount Ophir	21s. and 31s. 6d.
<i>S</i> — <i>CAUDATUM</i>	Panama	21s., 31s. 6d., and 42s.
Flowers yellow and bright brown or rose, with two very long tail-like petals.		
<i>S</i> — <i>ROSEUM</i>	Panama	42s., 63s., and 84s.
<i>I</i> — <i>CONCOLOR</i>	Monlmoine	15s., 21s., and 31s. 6d.
<i>S</i> — <i>DAYANUM</i>	Borneo	84s.
<i>I</i> — <i>FAIRRIANUM</i>	Assam	21s. and 31s. 6d.
<i>I</i> — <i>HIRSUTISSIMUM</i>	Assam	15s., 21s., and 31s. 6d.
<i>S</i> — <i>HOOKERÆ</i>	Borneo	7s. 6d., 10s. 6d., & 15s.
* <i>C</i> — <i>INSIGNE</i>	Nepal	3s. 6d. and 5s.
* <i>C</i> — <i>MAULEI</i>	Nepal	7s. 6d., 10s. 6d., & 15s.
<i>I</i> — <i>JAVANICUM</i>	Java	15s. and 21s.
<i>S</i> — <i>LÆVIGATUM</i>	Philippine Islands	
<i>I</i> — <i>LONGIFOLIUM</i>	Costa Rica	84s. and 126s.

A new species, of tufted habit, with flower scapes upwards of 2 feet in height, often branched, and in some cases bearing the extraordinary number of from 20 to 40 flowers. The dorsal sepal is green, picked out with red brown veins; the petals green, with red brown marginal lines in the broader part, wholly of a reddish brown upwards; the lip is green, stained with red brown over the convex portion, the lower edge of the mouth being truncately waved, with a small rounded lobe at each angle, and the staminode is bordered by a fringe of black hairs. The floriferous habit is altogether unprecedented in the Lady's Slipper family.

<i>S</i> — <i>LOWII</i>	Borneo	21s., 31s. 6d., and 42s.
<i>I</i> — <i>NIVEUM</i>	East Indies	

This little floral gem has the habit of *Cypripedium concolor*, to which it is most nearly allied. The leaves are dark green, marbled with white. The flowers are white, marked with minute delicate violet spots, and have a deep yellow blotch on the staminode. Mr. W. B. has imported large quantities of this novelty, and can now offer it at 1½ guinea each, or 12 guineas per dozen.

<i>I</i> — <i>PARDINUM</i>	India	63s.
<i>S</i> — <i>PARISHII</i>	East Indies	
<i>S</i> — <i>PEARCEI</i> (caricinum)	Pern	15s. and 21s.
<i>C</i> — <i>SCHLIMII</i>	Ocaña	21s., 31s. 6d., and 42s.
<i>S</i> — <i>STONEI</i>	Borneo	21s., 31s. 6d., and 42s.
<i>I</i> — <i>SUPERBIENS</i> (Veitchii)	Java	42s.
<i>C</i> — <i>VENUSTUM</i>	Nepal	3s. 6d. and 5s.
<i>I</i> — <i>VILLOSUM</i>	{ Moulmein and Tonghoo } Mountains	{ 21s., 31s. 6d., and 42s. }

S *CYRTOCHILUM FILIPES*, *vide* *ONCIDIUM FILIPES*.

<i>S</i> — <i>STELLATUM</i>	Calcutta	5s. and 7s. 6d.
<i>I</i> <i>CYRTOPERA FLAVA</i>	North India	15s.

A very rare and beautiful terrestrial Orchid; the stems grow from 1½ to 2 ft. high, and bear as many as 30 fine large yellow flowers in a spike.

<i>I</i> <i>CYRTOPODIUM ANDERSONI</i>	Brazil	31s. 6d.
<i>S</i> — <i>BRACTEATUM</i>	Columbia	31s. 6d.
<i>S</i> — <i>TIGRINUM</i>	Rio Branco	31s. 6d.
<i>I</i> <i>DENDROBIUM ADUNCUM</i>	East Indies	7s. 6d. and 10s. 6d.
<i>I</i> — <i>AGGREGATUM</i>	East Indies	10s. 6d. and 15s.
<i>I</i> — <i>MAJUS</i>	East Indies	15s. and 21s.
<i>I</i> — <i>ALBO-SANGUINEUM</i>	Moulmein	7s. 6d. and 10s. 6d.
<i>S</i> — <i>ANOSMUM</i>	East Indies	15s. and 21s.
<i>S</i> — <i>BARBATULUM</i> (Fytchianum)	Moulmein and Rangoon	21s. and 31s. 6d.
<i>S</i> — <i>BENSONIÆ</i>	Arracan Hills	42s.
<i>S</i> — <i>BICOLOR</i> (Palpebræ)	Bombay	10s. 6d. and 15s.
<i>I</i> — <i>BIGIBBUM</i>	New Holland	

ORCHIDS—Continued.

<i>S</i>	<i>DENDROBIUM CALCEOLUS</i>	East Indies	15s.
<i>I</i>	— <i>CAMBRIDGEANUM</i>	Chittagong	15s., 21s., and 31s. 6d.
<i>C</i>	— <i>CHRYSANTHUM</i>	Nepal	7s. 6d., 10s. 6d., & 15s.
<i>S</i>	— <i>CHRYSOTOXUM</i>	East Indies	15s. and 21s.
<i>S</i>	— <i>SUPERBUM</i>	East Indies	21s. and 31s. 6d.
<i>I</i>	— <i>CLAVATUM</i>	East Indies	21s. and 31s. 6d.
<i>I</i>	— <i>CÆRULESCENS</i>	Khasya	21s.
* <i>S</i>	— <i>CRASSINODE</i>	Arracan & Siam Mountains	63s. and 84s.
<i>S</i>	— <i>CREPIDATUM</i>	Borneo	31s. 6d. and 42s.
<i>S</i>	— <i>CRETACEUM</i>	Burmah	10s. 6d. and 15s.
<i>S</i>	— <i>CRYSTALLINUM</i>	Arracan Mountains	63s.
<i>I</i>	— <i>CUPREUM</i>	East Indies	21s.
<i>S</i>	— <i>DALHOUSIANUM</i>	East Indies	15s. and 21s.
<i>S</i>	— <i>DAYANUM</i>	Borneo	10s. 6d., 15s., and 21s.
<i>I</i>	— <i>DEVONIANUM</i>	Khasya	21s. and 31s. 6d.
<i>I</i>	— <i>DENSIFLORUM</i>	East Indies	15s. and 21s.
<i>I</i>	— <i>ALBUM</i>	East Indies	42s. and 63s.
<i>I</i>	— <i>DIXANTHUM</i>	East Indies	21s. and 31s. 6d.
<i>S</i>	— <i>EBURNEUM</i>	Moulmein	21s. and 31s. 6d.
<i>S</i>	— <i>EGERTONIÆ</i>	East Indies	21s. and 31s. 6d.
<i>S</i>	— <i>FALCONERI</i>	East Indies	42s., 63s., and 84s.
<i>S</i>	— <i>FARMERI</i>	Calcutta.....	15s. and 21s.
<i>S</i>	— <i>AUREO-FLAVUM</i>	Moulmein	31s. 6d. and 42s.
<i>S</i>	— <i>AUREUM</i>	Arracan Mountains	31s. 6d. and 42s.
<i>I</i>	— <i>FIMBRIATUM</i>	Nepal	7s. 6d. and 10s. 6d.
<i>I</i>	— <i>OCULATUM</i>	Nepal	15s. and 21s.
<i>I</i>	— <i>FORMOSUM</i>	Rangoon and Moulmein ..	15s.
<i>I</i>	— <i>GIGANTEUM</i>	Rangoon and Moulmein ..	15s., 21s., and 31s. 6d.
<i>I</i>	— <i>GIBSONI</i>	Tenasserim	31s. 6d.
<i>I</i>	— <i>GRIFFITHIANUM</i>	Burmah	31s. 6d.
<i>I</i>	— <i>HENSHALLII</i>	East Indies	31s. 6d.
<i>I</i>	— <i>HETEROCARPUM</i>	Bombay.....	21s. and 31s. 6d.
<i>S</i>	— <i>HEYNEANUM</i>	Bombay.....	7s. 6d., 10s. 6d., & 15s.
<i>I</i>	— <i>INFUNDIBULUM</i>	Moulmein	21s. and 31s. 6d.
<i>C</i>	— <i>JAPONICUM</i>	Japan	7s. 6d.
<i>S</i>	— <i>JENKINSII</i>	Gualpara	15s. and 21s.
<i>C</i>	— <i>KINGIANUM</i>	Australia	21s. and 31s. 6d.
<i>S</i>	— <i>LASIOGLOSSUM</i>	Burmah	42s. and 63s.
<i>S</i>	— <i>LITUIFLORUM</i>	East Indies	31s. 6d.
<i>I</i>	— <i>LINGUIFORME</i>	New South Wales	31s. 6d.
<i>I</i>	— <i>LUTEOLUM</i>	Moulmein	21s. and 31s. 6d.
<i>S</i>	— <i>MACROPHYLLUM</i>	Manilla	7s. 6d., 10s. 6d., & 15s.
<i>S</i>	— <i>GIGANTEUM</i>	Manilla	31s. 6d. and 42s.
<i>I</i>	— <i>MALENI</i>	Ecuador	
<i>S</i>	— <i>MCCARTHLIÆ</i>	Ceylon	31s. 6d. and 42s.
<i>S</i>	— <i>MACRANTHUM, vide D. MACROPHYLLUM.</i>		
* <i>C</i>	— <i>MONILIFORME (Linawianum).</i>	Japan	15s.
<i>I</i>	— <i>MOSCHATUM</i>	Burmah, Pegu, Sylhet ..	10s. 6d. and 15s.
* <i>C</i>	— <i>NOBILE</i>	Macao	5s., 7s. 6d., and 15s.
* <i>I</i>	— <i>MAJUS</i>	Macao	
* <i>I</i>	— <i>PENDULUM</i>	Macao	21s. and 31s. 6d.
<i>I</i>	— <i>NODATUM</i>	Moulmein	7s. 6d., 10s. 6d., & 15s.
<i>S</i>	— <i>ONOSMUM</i>	Moluccas	31s. 6d. and 42s.
<i>S</i>	— <i>PALPEBRÆ (bicolor)</i>	Bombay.....	10s. 6d. to 31s. 6d.
<i>I</i>	— <i>PARISHII</i>	Moulmein	15s. and 21s.
<i>I</i>	— <i>PAXTONI</i>	Khasya	21s. and 31s. 6d.
<i>I</i>	— <i>PIERARDI</i>	Delta of Ganges	7s. 6d. and 10s. 6d.
<i>I</i>	— <i>LATIFOLIUM</i>	Delta of Ganges	15s. and 21s.
<i>I</i>	— <i>PRIMULINUM</i>	East Indies	15s. and 21s.
<i>I</i>	— <i>PULCHELLUM</i>	Sylhet	7s. 6d. and 10s. 6d.

ORCHIDS—Continued.

<i>S</i>	<i>DENDROBIUM SANGUINOLENTUM</i> ...	Bombay	15s. and 21s.
<i>S</i>	— <i>SCHRODERI</i>	East Indies	
<i>S</i>	— <i>SECUNDUM</i>	Malacca, Java	10s. 6d.
* <i>C</i>	— <i>SPECIOSUM</i>	Port Jackson	10s. 6d., 15s., and 21s.
* <i>I</i>	— <i>HILLII</i>	Anstralia	31s. 6d. to 84s.
<i>I</i>	— <i>SULCATUM</i>	East Indies	21s. and 31s. 6d.
* <i>S</i>	— <i>SUPERBUM</i> , <i>vide D. MACROPHYLLUM</i> .		
<i>C</i>	— <i>TATTONIANUM</i>	North Australia	
<i>S</i>	— <i>TAURINUM</i>	Manilla	42s. and 84s.
<i>S</i>	— <i>THYRSIFLORUM</i>	East Indies	
<i>S</i>	— <i>TORTILE</i>	East Indies	21s.
<i>S</i>	— <i>ROSEUM</i>	East Indies	21s.
<i>S</i>	— <i>TRANSPARENS</i>	Nepal	10s. 6d. and 15s.
The pendent stems of this plant, when clothed with its beautiful pallid purple-eyed flowers, are extremely handsome.			
<i>I</i>	— <i>TRIADENIUM</i>	Java	21s.
<i>S</i>	— <i>WARDIANUM</i>	Assam	
<i>S</i>	<i>DENDROCHILUM FILIFORME</i>	Manilla	21s. and 31s. 6d.
* <i>S</i>	— <i>GLUMACEUM</i>	Philippine Islands	21s.
<i>I</i>	<i>DIDACTYLE GLADIATA</i>	Brazil	31s. 6d.
<i>C</i>	— <i>MERIDENSIS</i>	Columbia	31s. 6d.
<i>C</i>	— <i>TRIPETALA</i>	Brazil	31s. 6d.
<i>C</i>	<i>DISA GRANDIFLORA</i>	Capo of Good Hope	15s. and 21s.
<i>S</i>	<i>EPIDENDRUM AMABILE</i>	Bahia	7s. 6d. and 10s. 6d.
<i>I</i>	— <i>ÆMULUM</i>	Tropical America	21s.
<i>C</i>	— <i>ATROPURPUREUM</i> , <i>vide E. MACROCHILUM</i> .		
<i>C</i>	— <i>AURANTIACUM</i>	Mexico	7s. 6d. and 10s. 6d.
<i>S</i>	— <i>BICORNUTUM</i>	Demerara	21s. and 31s. 6d.
<i>C</i>	— <i>BRASAVOLÆ</i>	Central America	42s.
<i>C</i>	— <i>CAMPYLOSTALYX</i>	Costa Rica	21s. and 31s. 6d.
<i>I</i>	— <i>CAUDATUM</i> , <i>vide BRASSIA CAUDATA</i> .		
<i>S</i>	— <i>CILIARE</i>	Tropical America	7s. 6d.
<i>S</i>	— <i>CINNABARINUM</i>	Bahia	21s.
<i>C</i>	— <i>CNEMIDOPHORUM</i>	Guatemala	
<i>S</i>	— <i>COLLARE</i>	Peru	42s.
<i>I</i>	— <i>DICHROMUM</i>	Bahia	10s. 6d. and 15s.
<i>I</i>	— <i>ELLIPTICUM</i>	West Indies	7s. 6d.
<i>C</i>	— <i>ERUBESCENS</i>	Mexico	31s. 6d. to 63s.
<i>I</i>	— <i>FRAGRANS</i>	Tropical America	15s. to 31s. 6d.
<i>I</i>	— <i>IBAGUENSE</i>	Ecuador	31s. 6d.
<i>I</i>	— <i>MACROCHILUM</i>	Venezuela	10s. 6d. and 15s.
<i>I</i>	— <i>ALBUM</i>	New Grenada	15s. and 21s.
<i>I</i>	— <i>ROSEUM</i>	Now Grenada, Guatemala	15s. and 21s.
<i>S</i>	— <i>VULNERUM</i>	New Grenada	31s. 6d.
<i>I</i>	— <i>NEMORALE</i>	Mexico	15s. and 21s.
<i>C</i>	— <i>OBTUSUM</i>	Mexico	7s. 6d. and 10s. 6d.
<i>I</i>	— <i>PENTOTES</i>	Brazil	31s. 6d.
<i>C</i>	— <i>PRISMATOCARPUM</i>	Chiriqui	15s. and 21s.
<i>I</i>	— <i>ROSEUM</i>	Mexico	5s. and 7s. 6d.
<i>C</i>	— <i>RHIZOPHORUM</i>	Mexico	15s. and 21s.
<i>I</i>	— <i>SCEPTRUM</i>	New Grenada	10s. 6d. and 15s.
<i>S</i>	— <i>SCRIPTUM</i>	Mexico	21s.
<i>C</i>	— <i>SELLIGERUM</i>	Guatemala	7s. 6d. and 10s. 6d.
<i>S</i>	— <i>STAMFORDIANUM</i> (basilare)	Guatemala	21s. and 31s. 6d.
<i>I</i>	— <i>STENOPETALUM</i>	Surinam	31s. 6d.
<i>I</i>	— <i>TIGRINUM</i>	New Grenada	10s. 6d. and 15s.
<i>S</i>	— <i>TRACHYCHILUM</i>	Mexico	31s. 6d.
<i>I</i>	— <i>TRICOLOR</i>	Ecuador	31s. 6d.
<i>C</i>	— <i>VERRUCOSUM</i>	Mexico	21s.
<i>C</i>	— <i>MAJUS</i>	Mexico	31s. 6d.

ORCHIDS—Continued.

<i>C</i> EPIDENDRUM VIRENS	Caraccas	21s.
<i>C</i> — VIRGATUM	Mexico	21s.
<i>C</i> — VITELLINUM	Mexico	7s. 6d.
<i>C</i> — MAJUS	Mexico	42s.
<i>I</i> ERIA ACERVATA	East Indies	21s.
<i>I</i> — CLAVICHAULIS	East Indies	21s.
<i>I</i> — CONVALLARIOIDES	East Indies	21s.
<i>S</i> — OBESA	Moulmein	15s.
<i>C</i> ERIOPSIS BILOBA	New Grenada	15s.
<i>I</i> — RUTIDOBULBON	New Grenada	10s. 6d. and 15s.
<i>I</i> — SCEPTRUM	Peru	63s.
<i>S</i> EULOPHIA MACULATA	Brazil	15s.
<i>I</i> EVELYNA KERMESINA	Caraccas	63s.
<i>S</i> GALEANDRA DEVONIANA	Guiana	31s. 6d. and 42s.
<i>S</i> — DIVES	New Grenada	42s. and 63s.
<i>I</i> GALEOTIA FIMBRIATA	New Grenada	84s.
<i>S</i> GONGORA ALBO-PURPUREA	Mexico	15s.
<i>S</i> — AUREO-PURPUREA	Venezuela	15s.
<i>S</i> — MACRANTHA	Venezuela	21s.
<i>S</i> — SCAPHEPHORUS	Peru	21s.
<i>S</i> GOODYERA DAWSONIANA	East Indies	7s. 6d.

Mr. W. B. has recently imported many hundreds of this hitherto rare species, and can now offer good strong plants at 7s. 6d. each, or 3 guineas per dozen.

This splendid Orchid is a great acquisition to its class, and very remarkable for the wonderfully glossy and shining surface of its lovely leaves, which are of a dark olive green colour, purplish on the under side, and on the upper beautifully veined with bright golden crimson.

— — ATROVIRIDIS, *vide* page 5.

— — PICTA, *vide* page 5.

<i>I</i> — DISCOLOR	South America	3s. 6d. and 5s.
<i>C</i> — JAPONICA	Japan	15s.
<i>C</i> — PUBESCENS	North America	3s. 6d.
<i>I</i> GOVENIA FASCIATA	Columbia	15s.
<i>I</i> — TINGENS	Peru	15s.
<i>S</i> GRAMMATOPHYLLUM SPECIOSUM ..	Batavia, Java	
<i>I</i> GROBYA AMHERSTIÆ	Brazil	15s.
<i>I</i> HABENARIA MARGARITACEA	St. Catharino's	31s. 6d.
<i>I</i> HARTWEGIA PURPUREA	Mexico	31s. 6d.
<i>C</i> HELCIA SANGUINOLENTA	Andes of Guayaquil	15s., 21s., and 31s. 6d.
<i>I</i> HOULLETTIA BROCKLEHURSTIANA ..	Brazil	15s. and 21s.
<i>I</i> — ODORATISSIMA	New Grenada	31s. 6d.
<i>I</i> — ANTICQUIENSIS	New Grenada	42s.
<i>I</i> — TIGRINA	Ocaña	31s. 6d.
<i>S</i> HUNTLEYA CERINA	Costa Rica	31s. 6d. and 42s.
<i>S</i> — MELEAGRIS	Para	42s.
<i>S</i> — VIOLACEA	Surinam	42s.
<i>S</i> IONOPSIS PANICULATA	Brazil	10s. 6d. and 15s.
<i>S</i> — TENERA	Caraccas	15s. to 31s. 6d.
<i>I</i> LACÆNA BICOLOR	Guatemala	21s. to 31s. 6d.
* <i>C</i> LÆLIA ACUMINATA	Mexico	7s. 6d. and 10s. 6d.
* <i>C</i> — — VIOLACEA	Mexico	7s. 6d. and 10s. 6d.
* <i>C</i> — ALBIDA	Guatemala	5s., 7s. 6d., & 10s. 6d.

A most desirable Orchid for winter flowering; its handsome white wax-like blossoms last in perfection a long time, and are extremely useful for cutting. The plant is easily cultivated in a cool house.

* <i>C</i> — — GRANDIFLORA	Guatemala	31s. 6d. and 42s.
* <i>C</i> — ANCEPS	Mexico	10s. 6d. and 15s.
* <i>C</i> — — BARKERIANA	Mexico	31s. 6d.
* <i>C</i> — — DAWSONI	Juquila, Mexico	84s.
<i>C</i> — AUTUMNALIS	Mexico	15s., 21s., and 31s. 6d.
<i>C</i> — — GRANDIFLORA	Mexico	

ORCHIDS—Continued.

<i>C</i> — <i>LÆLIA BOOTHIANA</i> , vide <i>L. LOBATA</i> .	
<i>C</i> — <i>CINNABARINA</i>	Brazil..... 15s. and 21s.
<i>C</i> — <i>CRISPA</i> , vide <i>CATTLEYA CRISPA</i> .	
<i>C</i> — <i>CRISPILABIA</i> (Lawrenceana)	Brazil..... 10s. 6d. and 15s.
<i>C</i> — <i>ELEGANS</i>	Brazil..... 42s., 63s., and 84s.
<i>C</i> — <i>ERUBESCENS</i>	Guatemala 7s. 6d., 10s. 6d., & 15s.
<i>C</i> — <i>FLAVA</i>	Brazil..... 10s. 6d. and 15s.
* <i>C</i> — <i>FURFURACEA</i>	Mexico 10s. 6d. and 15s.
* <i>C</i> — <i>RUBRA</i>	Mexico 31s. 6d.
<i>I</i> — <i>GRANDIS</i>	Brazil..... 42s. and 63s.
<i>I</i> — <i>GIGANTEA</i>	Guayaquil
<i>S</i> — <i>LINDLEYANA</i>	Bahia
<i>C</i> — <i>LOBATA</i>	Brazil..... 31s. 6d. and 42s.
<i>C</i> — <i>MAJALIS</i> or <i>FLOWER DE MAIO</i> ..	Oaxaca 15s., 21s., and 31s. 6d.
This is one of the most handsome Orchids known. The individual blossoms are 9 inches across.	
<i>I</i> — <i>MARGINATA</i>	Oaxaca 21s., 31s. 6d., and 42s.
<i>I</i> — <i>PEDUNCULARIS</i>	Guatemala, Mexico..... 21s.
<i>C</i> — <i>PERRINII</i>	Brazil..... 10s. 6d., 15s., and 21s.
<i>C</i> — <i>MAJOR</i>	Brazil..... 10s. 6d., 15s., and 21s.
<i>C</i> — <i>PINELLII</i> (pumila)	Brazil..... 21s. and 31s. 6d.
<i>C</i> — <i>PRÆSTANS</i>	Brazil..... 63s.
<i>I</i> — <i>PURPURATA</i>	Brazil..... 15s., 21s., and 31s. 6d.
<i>I</i> — <i>BRYSIANA</i>	Brazil..... 42s. to 84s.
<i>I</i> — <i>LEOPOLDII</i>	Brazil..... 63s. to 126s.
<i>I</i> — <i>SUPERBA</i>	Brazil.....
<i>I</i> — <i>RUPESTRIS</i>	Brazil..... 42s. and 84s.
<i>I</i> — <i>SCHILLERIANA</i>	Brazil..... 42s. and 84s.
<i>I</i> — <i>SPLENDENS</i>	Brazil..... 84s. and 105s.
<i>I</i> — <i>STELZNERIANA</i>	Brazil..... 63s. and 84s.
<i>C</i> — <i>SUPERBIENS</i>	Malacatan..... 21s. and 31s. 6d.
<i>C</i> — <i>LEPTOTES BICOLOR</i>	Brazil..... 7s. 6d. and 10s. 6d.
<i>I</i> — <i>SERRULATA</i>	Brazil..... 15s. and 21s.
* <i>I</i> — <i>LIMATODES ROSEA</i>	Moulmein 7s. 6d. and 10s. 6d.
* <i>I</i> — <i>SUPERBA</i>	Moulmein 15s. and 21s.
<i>I</i> — <i>VESTALIS</i>	Moulmein 21s. and 31s. 6d.
<i>C</i> — <i>LISSOCHILUS SPECIOSUS</i>	South Africa..... 15s.

A remarkably showy and rare terrestrial Orchid, growing 4 feet high or upwards, and producing several carinate ensiform leaves, and a many-flowered scape of showy yellow flowers, of which the small ovate sepals are reflexed, and the much larger oblong petals expanded like wings, while the lip, also yellow at the point and reddish at the base, is heart-shaped.

<i>C</i> — <i>LYCASTE AROMATICA</i>	Mexico 7s. 6d. and 10s. 6d.
<i>C</i> — <i>AURANTIACA</i>	Columbia 15s. and 31s. 6d.
<i>C</i> — <i>BALSAMEA</i>	Guatemala 15s. to 31s. 6d.
<i>S</i> — <i>BARRINGTONIÆ GRANDIFLORA</i> ..	West Indies 10s. 6d., 15s., and 21s.
<i>C</i> — <i>CRUENTA</i>	Guatemala 7s. 6d. and 10s. 6d.
<i>C</i> — <i>DEPPEI</i>	Mexico 10s. 6d. and 15s.
<i>I</i> — <i>FULVESCENS</i>	Merida 10s. 6d. and 15s.
<i>I</i> — <i>GIGANTEA</i>	Merida 15s. and 21s.
<i>I</i> — <i>HARRISONI</i>	Merida 15s.
* <i>C</i> — <i>LANIPES</i>	Guayaquil..... 10s. 6d., 15s., and 21s.
<i>C</i> — <i>MACROPHYLLA</i>	Peru, Caraccas 15s.
* <i>C</i> — <i>SKINNERI</i>	Guatemala..... 7s. 6d., 10s. 6d., & 15s.

One of the best and most abundant flowering of cool Orchids, producing freely large blossoms, which generally are white or blush shaded with rose, and the labellum spotted with crimson.

There are many varieties of this beautiful Orchid, scarcely two being alike.

They require little room, being of dwarf and compact habit; should have plenty of water whilst growing, and never be allowed to get dry.

* <i>C</i> — <i>ALBA</i>	Guatemala
* <i>C</i> — <i>CANDIDA</i>	Guatemala 31s. 6d.
* <i>C</i> — <i>DELICATISSIMA</i>	Guatemala 15s.

ORCHIDS—Continued.

*C	LYCASTE SKINNERI GRANDIS	Guatemala	42s.
*C	—— MACULATA	Guatemala	15s.
*C	—— MAGNIFICA	Guatemala	31s. 6d.
*C	—— MARGINATA	Guatemala	31s. 6d.
*C	—— PICTA	Guatemala	31s. 6d.
*C	—— PURPURATA	Guatemala	21s.
*C	—— ROSEA	Guatemala	15s.
*C	—— SPECIOSA	Guatemala	21s.
*C	—— SPLENDENS	Guatemala	31s. 6d.
*C	—— SUPERBA	Guatemala	15s.
*C	—— VIRGINALIS	Guatemala	
I	—— TETRAGONA	Brazil	7s. 6d. to 21s.
I	LYCOMORMIUM SQUALIDUM	Peru	21s. and 31s. 6d.
I	LUDDERMANNIA PESCATOREI	Columbia	31s. 6d. to 63s.
C	MASDEVALLIA CIVILIS	Marañon	
C	—— COCCINEA	New Grenada	
C	—— CORDATA		
C	—— ELEPHANTICEPS		
C	—— PUMILA	Peru	
C	—— TOVARENSIS	Tovar	
C	—— VEITCHIANA	Peru	
C	MAXILLARIA ACUTIPETALA	Central America	21s.
I	—— COLLEYI	South America	10s. 6d.
I	—— FOVEATA	Caraccas	21s.
C	—— HARRISONIÆ	Caraccas	5s. and 7s. 6d.
S	—— LEPTOSEPALA	La Guayra	15s. to 21s.
C	—— LUTEO-ALBA	Merida	15s. to 31s. 6d.
*C	—— LUTEO-STRATA	New Grenada	7s. 6d. and 10s. 6d.
C	—— NIGRESCENS	Merida	15s. and 21s.
C	—— OCHROLEUCA	Brazil	15s.
C	—— PICTA	Brazil	15s.
C	—— PUNCTO-STRATA	Brazil	7s. 6d.
C	—— TENUIFOLIA	Mexico	15s.
C	—— VENUSTA	New Grenada	15s. and 21s.
C	MESOSPINIDIUM SANGUINEUM	Ecuador	15s., 21s., and 31s. 6d.
I	MILTONIA BICOLOR	Brazil	15s. and 31s. 6d.
I	—— CANDIDA	Brazil	31s. 6d. and 42s.
I	—— MAJOR	Brazil	
I	—— CLOWESII	Brazil	21s. and 31s. 6d.
I	—— MAJOR	Brazil	21s. and 31s. 6d.
I	—— CUNEATA	Brazil	42s. to 63s.
I	—— FESTIVA	Brazil	42s. to 63s.
I	—— FLAVESCENS	Brazil	10s. 6d. and 15s.
I	—— MORELIANA	Brazil	21s. and 31s. 6d.
I	—— REGNELLII (cereola)	Brazil	21s. and 31s. 6d.
I	—— SPECTABILIS	Brazil	7s. 6d. to 21s.
I	—— SUPERBA	Brazil	15s.
S	—— STELLATA, vide CYRTOCHILUM STELLATUM.		
I	—— VIRGINALIS	St. Catherine's	
C	—— WARSEWICZII, vide ONCIDIUM WELTONI.		
S	MORMODES CARTONI	New Grenada	21s. and 31s. 6d.
S	—— HOLOCHRYSUM	Ecuador	42s.
S	—— IGNEUM	New Grenada	42s.
I	—— LUXATUM	Mexico	
I	—— PARDINUM	Mexico	15s. and 21s.
C	NASONIA PUNCTATA (cinnabarina)	Andes of South America	21s. to 63s.
I	NEOTTIA MACULATA	New Grenada	7s. 6d.
I	—— ORTGIESIANA	New Grenada	15s.
I	—— PICTA	New Grenada	7s. 6d.
I	—— SPECIOSA	New Grenada	15s. to 31s. 6d.

ORCHIDS—Continued.

<i>S</i> NEPHELAPHYLLUM CORDATUM	East Indies	5s., 7s. 6d., & 10s. 6d.
<i>S</i> — PULCHRUM	Java	5s., 7s. 6d., & 10s. 6d.
<i>S</i> NOTYLIA AMAZONICA	Brazil	15s.
<i>S</i> — REPLICATA	Rio Negro.....	15s.

* <i>C</i> ODONTOGLOSSUM ALEXANDRÆ.....	Bogota	21s., 31s. 6d., and 42s.
---	--------------	--------------------------

This extremely beautiful Orchid is one of the most lovely of the Odontogloss, requiring only a cool house, producing freely its fine spikes of white spotted flowers.

* <i>C</i> — BOWMANNI	Bogota	
* <i>C</i> — EBURNEUM	Bogota	84s.
* <i>C</i> — NIVALIS	Bogota	84s.
* <i>C</i> — PESCATOREI	Bogota	63s.
* <i>C</i> — SUPERBUM	Bogota	84s.
* <i>C</i> — SUPERBIENS.....	Bogota	84s.
* <i>C</i> — TRIANÆ	Bogota	42s. and 63s.

This is an extremely beautiful variety; the white flowers slightly flushed with rose.

* <i>C</i> — AUREO-PURPUREUM	New Grenada	21s. and 31s. 6d.
------------------------------------	-------------------	-------------------

Flower spike from 6 to 8 ft. long, flowers 2 inches in diameter, yellow and dark chestnut; new to this country; it must not be confounded with *Odontoglossum luteo-purpureum*.

* <i>C</i> — BICTONIENSE.....	Guatemala.....	7s. 6d., 10s. 6d., & 15s.
* <i>C</i> — GRANDIFLORUM.....	Guatemala.....	31s. 6d.
* <i>C</i> — ROSEUM	Guatemala.....	21s.
* <i>C</i> — SPLENDENS	Guatemala.....	21s.

**C* — BLUNTII, *vide* O. ALEXANDRÆ.

<i>C</i> — CARINIFERUM	Central America	42s.
* <i>C</i> — CERVANTESII	Mexico	10s. 6d. and 15s.
* <i>C</i> — ROSEUM	Mexico	10s. 6d. and 15s.
<i>C</i> — CITROSMUM	Mexico	10s. 6d. and 15s.
<i>C</i> — ROSEUM	Mexico	15s. and 21s.
* <i>C</i> — CORDATUM	Mexico	10s. 6d. and 15s.
<i>C</i> — CORONARIUM	Ocaña	42s.
<i>C</i> — MINIATUM	Ocaña	126s.
<i>C</i> — CRISPUM, <i>vide</i> O. ALEXANDRÆ.		

<i>C</i> — CRISTATUM	Peru	15s. and 21s.
<i>C</i> — ARGUS.....	Peru	21s.
<i>C</i> — CANARIA	Peru	21s.
<i>C</i> — DAYANUM	Peru	15s. and 21s.
<i>C</i> — CROCATUM	Peru	42s.
<i>C</i> — DAWSONI	Peru	42s.
<i>C</i> — DENSIFLORUM	New Grenada	21s.
<i>C</i> — EHRENBURGII	Peru	21s. and 31s. 6d.
<i>I</i> — EGERTONI	Costa Rica.....	10s. 6d. and 15s.
<i>C</i> — GLORIOSUM.....	Ocaña.....	21s., 31s. 6d., and 42s.

These produce very fine spikes of large and beautiful flowers, white, with purple spots, which are deliciously fragrant.

<i>C</i> — GRANDE	Guatemala	5s. and 7s. 6d. to 15s.
<i>C</i> — SUPERBUM.....	Guatemala	15s. and 21s.
<i>C</i> — HALLII	Ecuador.....	42s. and 63s.
<i>C</i> — HASTILABUM	Santa Martha	21s. and 31s. 6d.
<i>C</i> — HYSTRIX	New Grenada	31s. 6d., 42s., and 63s.
* <i>C</i> — INSLEAYI.....	Mexico	7s. 6d., 10s. 6d., & 15s.
* <i>C</i> — AMPLIATUM	Mexico	15s.
* <i>C</i> — SPLENDENS	Mexico	15s.
<i>C</i> — KRAMERI	Costa Rica	31s. 6d. and 42s.
<i>C</i> — LÆVE	Guatemala	21s. to 42s.
<i>C</i> — LINDLEYANUM	New Grenada	7s. 6d., 10s. 6d., & 15s.
<i>C</i> — LUTEO-PURPUREUM	New Grenada	21s., 31s. 6d., and 42s.

One of the most handsome of the family, producing fine spikes of attractive yellow flowers, which are barred and blotched with bronzy crimson.

<i>C</i> — SCHLIMII	New Grenada	63s.
---------------------------	-------------------	------

ORCHIDS—Continued.

*C	ODONTOGLOSSUM MACULATUM	Mexico	10s. 6d., 15s., and 21s.
*C	— SUPERBUM	Mexico	21s.
C	— MEMBRANACEUM	Mexico	21s.
C	— MYANTHUM	Peru	31s. 6d.
C	— NEBULOSUM	Mexico	21s. and 31s. 6d.
C	— NIVEUM	Ocaña	31s. 6d. and 42s.
C	— MAJUS	Ocaña	42s., 63s., and 84s.
C	— ODORATUM	New Grenada	42s., 63s., and 84s.
C	— PARDINUM	Peru	63s.
C	— PESCATOREI	New Grenada	31s. 6d., 42s., and 63s.
C	— IMMACULATUM	New Grenada	84s.
C	— SPLENDENS	New Grenada	63s. and 84s.
C	— SUPERBUM	New Grenada	63s. and 84s.
C	— PHALÆNOPSIS (Miltonia pulchella)	Ocaña	15s., 21s., and 31s. 6d.
*C	— PULCHELLUM	Mexico	10s. 6d. and 15s.
*C	— GRANDIFLORUM	Mexico	15s., 21s., and 31s. 6d.
C	— TENUE	Costa Rica	7s. 6d. and 10s. 6d.
C	— RADIATUM	New Grenada	31s. 6d. to 42s.
C	— RAMOSISSIMUM	New Grenada	84s.
Described by the collector as the finest of the genus; flowers white, dotted with carmine.			
C	— REICHENHEIMII	Mexico	42s.
C	— ROSEUM	Mexico	31s. 6d. and 42s.
*C	— ROSSII	Mexico	21s.
C	— WARNERI	Mexico	
C	— SCHLEIPERIANUM (pretiosum)	Costa Rica	15s. and 21s.
C	— STELLATUM	Guatemala	15s. and 21s.
C	— TRIUMPHANS	Ocaña	31s. 6d., 42s., and 63s.
C	— UROSKINNERI	Guatemala	7s. 6d., 10s. 6d., & 15s.
C	— ZEBRINUM	Caracas	63s.
I	CECLOCLADES MACULATA	Brazil	42s.
S	ONCIDIUM ALTISSIMUM	West Indies	7s. 6d. to 21s.
S	— AMPLIATUM	Panama	7s. 6d. and 10s. 6d.
S	— MAJUS	Panama	15s. and 21s.
C	— ANDIGENUM	Ecuador	21s.
I	— ANOMALUM	New Grenada	21s.
C	— AUROSUM (the Golden Oncidium)	Ecuador	15s., 21s., and 31s. 6d.
This most distinguished Oncidium bears a pyramidal branch spike of more than 100 to 150 richly coloured flowers.			
I	— BARBATUM	Brazil	7s. 6d., 15s., to 21s.
I	— GRANDIFLORUM	Brazil	21s.
I	— BARKERI	Mexico	
C	— BICALLOSUM	Guatemala	10s. 6d. and 15s.
C	— BIFOLIUM	Monte Video	15s. and 21s.
C	— MAJUS	Monte Video	
I	— CARINIFERUM	Chiriqui and Costa Rica	7s. 6d. and 10s. 6d.
C	— CALANTHUM	Ecuador	21s. and 31s. 6d.
C	— CAVENDISHIANUM	Guatemala	21s. and 31s. 6d.
S	— CEBOLLETA (juncifolium)	West Indies	7s. 6d., 10s. 6d., & 15s.
I	— CHEIRI	Ecuador	21s. and 31s. 6d.
C	— CRISPUM	Brazil	7s. 6d., 10s. 6d., & 15s.
C	— GRANDIFLORUM	Brazil	15s.
C	— SPLENDENS	Brazil	
I	— CRUENTUM	Mexico	21s. and 31s. 6d.
— CRYPTOCOPIS, vide page 6.			
C	— CUCULLATUM	Peru	21s. and 31s. 6d.
C	— FLAVIDUM	Peru	21s. and 31s. 6d.
C	— MACROCHILUM	Peru	31s. 6d.
C	— MACULATUM	Peru	31s. 6d.
C	— RACEMOSUM	Peru	31s. 6d.
C	— DIVARICATUM	Brazil	15s. and 21s.

ORCHIDS—Continued.

<i>C</i>	<i>ONCIDIUM FALCIPETALUM</i>	Merida	42s.
<i>S</i>	— <i>FILIPES</i>	Calcutta	10s. 6d. and 15s.
<i>C</i>	— <i>FLEXUOSUM</i>	Brazil	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>FUSCATUM</i> , <i>vide</i> <i>ONCIDIUM WELTONI</i> .		
<i>S</i>	— <i>HENCHMANNI</i>	Tropical America	15s. and 21s.
<i>I</i>	— <i>HÆMATOCHILUM</i>	New Grenada	21s. and 31s. 6d.
<i>C</i>	— <i>HASTATUM</i>	Mexico	10s. 6d.
<i>I</i>	— <i>HIANS</i>	Brazil	10s. 6d.
<i>I</i>	— <i>HOLOCHRYSUM</i>	Tropical America	42s.
<i>C</i>	— <i>INCURVUM</i>	Oaxaca	21s. to 31s. 6d.
<i>I</i>	— <i>INFERLOBUM</i>	New Grenada	42s., 63s., and 84s.
<i>*S</i>	— <i>KRAMERIANUM</i>	Now Grenada	15s., 21s., and 31s. 6d.

In consequence of a large importation, Mr. W. B. can offer this exceedingly lovely and hitherto rare Orchid at 15s., 21s., and 31s. 6d. each; special terms by the dozen.

<i>S</i>	— <i>LANCEANUM</i>	Surinam	10s. 6d., 15s., and 21s.
<i>S</i>	— — <i>SUPERBUM</i>	Surinam	31s. 6d.
<i>I</i>	— <i>LEOPARDINUM</i> (<i>hyphæmaticum</i> , tigrinum)	Mechoacan	21s. to 42s.
<i>*C</i>	— <i>LEUCOCHILUM</i>	Mexico	10s. 6d., 15s., and 21s.
<i>*C</i>	— — <i>SPLENDENS</i>	Mexico	42s.
<i>C</i>	— <i>LIMMINGHEI</i>	Brazil	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>LINGUIFORME</i>	Caraccas	31s. 6d.
<i>S</i>	— <i>LONGIPES</i>	Brazil	15s. and 21s.
<i>S</i>	— <i>LURIDUM</i>	Tropical America	10s. 6d. and 15s.
<i>S</i>	— — <i>GUTTATUM</i>	Tropical America	10s. 6d. and 15s.
<i>C</i>	— <i>MACRANTHUM</i>	Ecuador	63s. and 84s.
<i>I</i>	— <i>HASTIFERUM</i>	Ecuador	84s. and 147s.

A magnificent variety, producing from thirty to forty flowers, each 3 to 4 inches across, on a spike 6 to 9 feet long. The sepals are palo olivo yellow, the petals bright yellow, with a dagger-shaped crimson lip.

<i>I</i>	— <i>MICROPOGON</i>	Brazil	15s.
<i>S</i>	— <i>NANUM</i>	Brazil	21s. to 31s. 6d.
<i>*S</i>	— <i>NEBULOSUM</i>	Costa Rica	21s.
<i>C</i>	— <i>NUBIGENUM</i>	Ecuador	21s. and 31s. 6d.
<i>C</i>	— — <i>BATEMANIANUM</i>	Ecuador	31s. 6d.
<i>C</i>	— — <i>LINDLEYANUM</i>	Ecuador	31s. 6d.
<i>C</i>	— — <i>REICHENBACHIANUM</i>	Ecuador	31s. 6d.
<i>C</i>	— <i>OBRYZATUM</i>	New Grenada	15s. and 21s.
<i>C</i>	— <i>ORNITHOCEPHALUM</i> (<i>abortivum</i>)	Guatemala	15s., 21s., and 31s. 6d.
<i>*C</i>	— <i>ORNITHORHYNCHUM</i>	Guatemala	15s. to 31s. 6d.
<i>C</i>	— <i>PANCHRYSUM</i>	New Grenada	21s. and 31s. 6d.

New, very distinct in appearance; dense spikes of numerous large pure yellow flowers.

<i>S</i>	— <i>PAPILIO</i>	Panama	5s. and 7s. 6d.
<i>S</i>	— — <i>MAJUS</i>	Panama	7s. 6d., 10s. 6d., & 15s.
<i>I</i>	— <i>PHILIPSIANUM</i>	South America	15s. and 21s.
<i>S</i>	— <i>PHYMATOCHILUM</i>	Brazil	21s. and 31s. 6d.
<i>I</i>	— <i>PLANILABRE</i>	Para	31s. 6d.
<i>I</i>	— <i>PUBES</i>	Rio, Brazil	7s. 6d. and 10s. 6d.
<i>S</i>	— <i>PULCHELLUM</i>	Jamaica	
<i>I</i>	— <i>PULVINATUM</i>	Brazil	10s. 6d. and 15s.
<i>I</i>	— <i>PUMILUM</i>	Brazil	7s. 6d. and 10s. 6d.
	— <i>RANIFERUM</i>	Brazil	10s. 6d. and 15s.
<i>I</i>	— <i>REFLEXUM</i>	Mexico	21s.
<i>C</i>	— <i>ROEZLIANUM</i>		21s. and 31s. 6d.

A new species; dense flower spikes, with golden yellow and dark brown flowers.

<i>I</i>	— <i>SARCODES</i> (<i>Rigbyanum</i>)	Brazil	63s. and 84s.
<i>I</i>	— <i>SEMELE</i>	Ecuador	21s.
<i>I</i>	— <i>SERRATUM</i>	Peru	31s. 6d., 42s., and 63s.
<i>I</i>	— <i>SESSILE</i>	Santa Martha	21s. and 31s. 6d.
<i>I</i>	— <i>SPHACELATUM</i>	Mexico	7s. 6d., 10s. 6d., & 15s.

ORCHIDS—Continued.

<i>I</i> ONCIDIUM SPHEGIFERUM.....	Brazil.....	15s. to 31s. 6d.
<i>S</i> — SPRUCEI	Brazil.....	10s. 6d. to 21s.
<i>C</i> — SUPERBIENS (æmulum).....	New Grenada	42s., 63s., and 84s.
A grand species, apparently of section of <i>Oncidium macranthum</i> , found on trees at a great elevation, temperature 40 to 45 degrees, and occasionally considerably under 40; flowers large, and produced in the greatest abundance on branched spikes, often 15 feet in length; nearly 500 flowers were counted by the collector on three spikes.		
<i>S</i> — SUPERBUM	Honduras	
<i>I</i> — TIGRINUM (hyphæmaticum, leopardinum).....	Mochoaca	21s. to 42s.
<i>I</i> — ——— SPLENDIDUM		
<i>I</i> — TRULLIFERUM	Brazil.....	15s. and 21s.
<i>I</i> — UNCIA	Mexico	7s. 6d. and 10s. 6d.
<i>I</i> — UNIFLORUM	Brazil.....	15s. and 21s.
<i>C</i> — WELTONI	New Grenada	15s., 21s., and 31s. 6d.

This new and very beautiful Orchid throws out numerous flower stalks at all seasons, each spike with from twelve to twenty and even thirty flowers, the whole plant seldom exceeding 12 inches high. In consequence of a large importation, Mr. W. B. can offer this hitherto rare species at 15s., 1 and 1½ guinea each. Special terms by the dozen.

<i>I</i> — WENTWORTHIANUM.....	Guatemala.....	21s. and 31s. 6d.
<i>I</i> — XANTHODON	Ecuador.....	
<i>S</i> ORNITHOCEPHALUS DOLABRATUS..	Rio Negro	31s. 6d.
<i>S</i> PAPHINIA (Maxillaria) CRISTATA	Srinam	21s. and 31s. 6d.
<i>I</i> — TIGRINA, <i>vide</i> HOULLETIA TIGRINA.		
<i>S</i> PERISTERIA ELATA (The Dove Flower)	Panama	7s. 6d., 10s. 6d., & 15s.

The *Espiritu Santo* (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name. Fine specimens can be made by grouping three or four together.

<i>S</i> PESCATOREA CERINA	Costa Rica.....	31s. 6d. and 42s.
<i>I</i> — FIMBRIATA (Wallisii)	Ecuador.....	84s.
<i>S</i> PHAUS ALBUS.....	Burmah	10s. 6d. and 15s.
<i>S</i> — BENSONIÆ, <i>vide</i> THUNIA BENSONIÆ.		
<i>I</i> — GRANDIFOLIUS (Bletia Tankervilleæ)	Hong Kong	7s. 6d. and 10s. 6d.
<i>I</i> — ——— FOL. VARIEGATIS.....		

This is a pretty variety of a well-known terrestrial Orchid, differing from the typical form of the plant only in its foliage, which is elegantly and unequally striped with bands of golden yellow. It thus forms a very ornamental addition to a collection of Orchids, even when not in blossom.

<i>I</i> — MACULATUS	Nopal.....	15s. and 21s.
<i>I</i> — WALLICHII.....	Sylhet	21s. and 31s. 6d.
<i>S</i> PHALÆNOPSIS AMABILIS.....	Sunda Isles	84s. and 126s.

Exceedingly beautiful large butterfly-like flowers, white, with rose striped centre.

<i>I</i> — CORNU-CERVI	Moulmein	42s. and 63s.
<i>S</i> — EQUESTRIS (rosea).....	Manilla	42s. and 63s.
<i>S</i> — GRANDIFLORA (Borneo variety) ...	Borneo	63s. and 84s.

Style of *amabilis*, but with yellow centre and larger flowers.

<i>S</i> — — AUREA	Tambelan Islands	63s. and 84s.
--------------------------	------------------------	---------------

Mr. W. B. has imported large quantities of this magnificent Orchid from the Tambolan Islands, and can now offer it at 4 and 5 guineas each.

<i>S</i> — LOBBII (intermedia).....	Manilla	
<i>S</i> — LOWII.....	Moulmein	63s. and 84s.
<i>S</i> — LUDEMANNIANA	Philippino Islands	63s. and 84s.
<i>S</i> — ROSEA (equestris)	Manilla	42s. and 63s.
* <i>S</i> — SCHILLERIANA	Manilla	84s. and 126s.

One of the finest of Orchids, producing very freely, on branched spikes, the most lovely mauve and white flowers, and having very ornamental variegated foliage.

These most lovely Orchids bloom so profusely that, if all the flowers they produce were allowed to remain, they would bloom themselves to death. They are very beautiful, and exceedingly useful for bouquets, and are well adapted for suspended baskets; they should be protected from drip and require plenty of water whilst growing.

ORCHIDS—Continued.

*S PHALÆNOPSIS	SCHILLERIANA	{	Manilla	210s.
VIOLACEA		}		
A fine variety, with very large flowers of a rich violet mauve colour.				
I PILUMNA FRAGRANS			Merida	15s. and 21s.
I — ORTGIESIANA			New Grenada	15s.
*C PLEIONE HOOKERIANA			East Indies	31s. 6d. and 42s.
*C — HUMILIS			East Indies	42s.
*C — LAGENARIA			Khasya	15s., 21s., and 31s. 6d.
*C — MACULATA			Assam, Khasya	21s. and 31s. 6d.
*C — REICHENBACHIANA			East Indies	31s. 6d. and 42s.
*C — SCHILLERIANA			East Indies	21s.
*C — WALLICHIANA			Arracan Mountains	15s., 21s., and 31s. 6d.
I POLYCYCNIS BARBATUM,	vide	CYCNOCHES BARBATUM.		
C — LEPIDA			South America	42s.
I — MUSCIFERUM,	vide	CYCNOCHES MUSCIFERUM.		
RENANTHERA COCCINEA			Cochin China	15s. and 21s.
— MATUTINA			Java	
C RESTREPIA ANTENNIFERA			New Grenada	63s.
S RODRIGUEZIA CARNEA			Columbia	42s.
S — PLANIFOLIA			New Grenada	31s. 6d.
S — RECURVA			Brazil	7s. 6d.
S — SECUNDA			Tropical South America	10s. 6d., 15s., and 21s.
S SACCOLABIUM AMPULLACEUM			Rangoon	42s. and 63s.
S — BLUMEI			Burmah	31s. 6d. to 84s.
S — MAJUS			Burmah	15s., 21s., 42s., to 84s.
S — DAYI			Burmah	42s., 63s., and 84s.
S — CURVIFOLIUM			Nepal, Ceylon	21s. and 31s. 6d.
S — FURCATUM			Java	105s. and 147s.
*S — GIGANTEUM		{	Prome, Thayetmyo, and Tonghoo	42s., 63s., and 84s.
The flowers, which are unusually large, are deliciously scented, and have cream coloured sepals and petals, with dark purple lip, the former having a row of beautiful amethyst coloured dots. Being a winter-blooming variety, and the flowers lasting a very long while after being cut, the plant is exceedingly valuable for all decorative purposes.				
S — GUTTATUM		{	Ceylon, Prome, Thayet- myo, and Tonghoo	63s., 84s., and 105s.
S — GIGANTEUM			Ceylon	
S — HOLFORDII			Ceylon	
S — SPLENDENS			Ceylon	105s. and 147s.
S — VIOLACEUM			Ceylon	
S — HARRISONI			Pulo Copang	15s., 21s., and 31s. 6d.
Deliciously fragrant pure white flowers; one plant in bloom will scent a whole house.				
S — MINIATUM			Java	
S — PANICULATUM (Wightii)			East Indies	
S — PRÆMORSUM			Java	42s., 63s., and 84s.
S — GIGANTEUM			Java	
S — REEDII			East Indies	63s. and 84s.
S — RETUSUM			Java	42s. and 63s.
S — RUBRUM			Sylhet	
S — VIOLACEUM			Manilla	31s. 6d., 42s., and 63s.
S SARCANTHUS GRACILIS				10s. 6d. and 15s.
S — OXYPHYLLUS			Caleutta	15s.
S — TRICOLOR			East Indies	21s. and 31s. 6d.
S SARCOCHILUS UNGUICULATUS			Manilla	21s. and 31s. 6d.
SARCOPODIUM,	vide	BOLBOPHYLLUM.		
C SATYRIUM CUCULLATUM			Cape of Good Hope	7s. 6d.
C — FLAVUM			Cape of Good Hope	7s. 6d.
C — ROSEUM			Cape of Good Hope	7s. 6d.
I SCHOMBURGKIA CRISPA			Guiana	10s. 6d. and 15s.
S — GLORIOSA			Rio Negro	42s. and 63s.

ORCHIDS—Continued.

<i>I</i> SCHOMBURGKIA ROSEA	Merida	31s. 6d.
<i>I</i> — TIBICINUS	Honduras	31s. 6d. and 42s.
<i>I</i> — UNDULATA	New Grenada	7s. 6d. to 21s.
<i>I</i> SCUTICARIA HADWENII	Brazil	31s. 6d.
<i>I</i> — STEELII	Demerara	21s. and 31s. 6d.
<i>I</i> SIGMATOSTALIX RADICANS	Brazil	31s. 6d.
<i>C</i> SOBRALIA DICHOTOMA	Poru	42s. and 63s.
<i>C</i> — MACRANTHA	Guatemala	21s. and 31s. 6d.
<i>C</i> — — GRANDIFLORA	Guatemala	31s. 6d. and 42s.
<i>C</i> — — SPLENDENS	Guatemala	31s. 6d. and 42s.
<i>C</i> — ROSEA	Ecuador	63s.
<i>C</i> — RUCKERI	Ocaña	
<i>C</i> — VIOLACEA	Merida	42s.
<i>C</i> SOPHRONITES CERNUA	Rio do Janeiro	7s. 6d. and 10s. 6d.
<i>C</i> — COCCINEA	Organ Mountains	31s. 6d.
<i>C</i> — GRANDIFLORA	Organ Mountains	10s. 6d. & 15s. to 31s. 6d.
<i>C</i> — PTEROCARPA	Guatemala	15s. and 31s. 6d.
<i>C</i> — VIOLACEA	Brazil	15s. and 21s.
<i>I</i> SPIRANTHES LINEATA	St. Catherine's	21s.
<i>I</i> — MARGARITIFERA	St. Catherine's	31s. 6d.
<i>I</i> STANHOPEA AUREA	Guatemala	10s. 6d. and 15s.
<i>I</i> — BUCEPHALUS	Quito	10s. 6d. and 15s.
<i>I</i> — CIRRHATA	Nicaragua	21s.
<i>C</i> — DEVONIENSIS	Mexico	10s. 6d. and 15s.
<i>I</i> — EBURNEA	Brazil	15s.
<i>I</i> — ECORNUTA	Guatemala	31s. 6d.
<i>C</i> — GRANDIFLORA	Brazil	7s. 6d. and 10s. 6d.
<i>I</i> — GRAVEOLENS	Guatemala	10s. 6d. and 15s.
<i>I</i> — GUTTATA	Brazil	15s.
<i>I</i> — INSIGNIS	Brazil	7s. 6d. and 10s. 6d.
<i>I</i> — MARTIANA	Moxioo	7s. 6d. and 10s. 6d.
<i>C</i> — OCULATA	Xalapa	7s. 6d. and 10s. 6d.
<i>I</i> — SACCATA	Guatemala	
<i>C</i> — TIGRINA	Xalapa	7s. 6d. and 10s. 6d.
<i>C</i> — — SUPERBA	Xalapa	15s.
<i>I</i> — WARDIANA	La Guayra	15s.
<i>I</i> STENIA PALLIDA	Caraccas	31s. 6d.
<i>I</i> — FIMBRIATA	New Grenada	10s. 6d.
STENORRHYNCHUS, vide NEOTTIA.		
<i>S</i> THUNIA BENSONIÆ	{ Arracan and Moulmein } Mountains	31s. 6d. and 42s.
<i>S</i> TRICHOCENTRUM ALBO-PURPUREUM	Rio Negro	31s. 6d.
<i>S</i> — CORNUCOPIÆ	Peru	31s. 6d.
<i>S</i> — MACULATUM	New Grenada	42s.
<i>C</i> TRICHOCEROS MURALIS	Peru	31s. 6d.
<i>C</i> — PLATYCEROS	Peru	31s. 6d.
<i>S</i> TRICHOPILIA ALBIDA	Venezuela	31s. 6d.
<i>C</i> — COCCINEA (marginata)	Costa Rica	10s. 6d. and 15s.
<i>C</i> — — SUPERBA	Costa Rica	
<i>I</i> — CRISPA (gloxiniæflora)	Costa Rica	63s. and 84s.
<i>I</i> — — MARGINATA	Costa Rica	63s. and 84s.
<i>I</i> — FRAGRANS, vide PILUMNA FRAGRANS.		
<i>I</i> — GALEOTTIANA (picta)	Costa Rica	15s. to 42s.
<i>S</i> — HYMENANTHA	Ocaña	31s. 6d.
<i>I</i> — LAXA	Columbia	7s. 6d. to 15s.
<i>C</i> — MACULATA	P. Chagres	31s. 6d.
<i>C</i> — SANGUINOLENTA, vide HELCIA SANGUINOLENTA.		
* <i>C</i> — SUAVIS	Costa Rica	7s. 6d., 10s. 6d., to 21s.
<i>C</i> — TORTILIS	Mexico	7s. 6d., 10s. 6d., & 15s.
<i>C</i> — TURIALVÆ	Costa Rica	31s. 6d. to 42s.

ORCHIDS—Continued.

S *TRICHOTOSIA FEROX*..... Java 84s.
I *UROPEDIUM LINDENI* New Grenada 42s., 63s., and 84s.
 Very curious, long tails, yellow striped with green; like *Gypripedium caudatum*, but having no pouch.

<i>S VANDA BATEMANNI</i>	Moluccas	84s. and 126s.
<i>S — BENSONI</i>	{ Promé, Thayetmyo, and Tonghoo	{ 42s.

The flowers, which are of a yellowish green on the inside, and marked with numerous reddish brown spots, with a violet and white lip, are produced on spikes nearly 18 inches long; sweet scented.

<i>S</i> — CATHCARTII	Sikkim	
<i>S</i> — CRISTATA	Nepal	42s.
<i>I</i> — CÆRULEA	Khasya	42s. and 63s.
<i>S</i> — CONCOLOR	China	42s.
<i>S</i> — DENISONIANA	India	126s.

A striking and magnificent variety, producing lovely white flowers, which are larger than those of *V. Bensoni*. It is an exceedingly beautiful Orchid.

**S* — DENSIFLORA, *vide* SACCOLABIUM GIGANTEUM.
S — GIGANTEA Moulmein and Rangoon .. 5s. and 7s. 6d.

Mr. W. B., having recently imported large quantities of this species, can offer it at 5s. and 7s. 6d. each.

<i>S</i>	—	HELVEOLA	Java	
<i>S</i>	—	HOOKERIANA	Borneo	
<i>S</i>	—	INSIGNIS	Java	
<i>S</i>	—	LAMELLATA	Manilla	
<i>S</i>	—	LIMBATA	Java	
<i>S</i>	—	LOWII	Borneo	
<i>S</i>	—	ROXBURGHII	Bengal	21s. and 31s. 6d.
<i>S</i>	—	CERULEA	Bengal	31s. 6d. and 42s.
<i>S</i>	—	SUAVIS	Java	63s. and 84s.
<i>S</i>	—	TERES	Sylhot.	15s. and 21s.
	—	TESSELATA	China	
<i>I</i>	—	TRICOLOR	Java	31s. 6d., 42s., and 63s.
<i>I</i>	—	AMABILIS	Java	84s. and 126s.
<i>I</i>	—	FORMOSA	Java	
<i>I</i>	—	INSIGNIS	Java	31s. 6d., 42s., and 63s.
<i>I</i>	—	NEBULOSA	Java	84s.
<i>I</i>	—	SPECTABILIS	Java	84s. and 126s.
<i>I</i>	—	SUPERBA	Java	63s. and 84s.

<i>S</i> — VIOLACEA, vide SACCOLABIUM VIOLACEUM.	
<i>S</i> VANILLA AMARYLLIDÆFLORA	S. America 21s.
<i>S</i> — AROMATICA.....	Brazil..... 15s.
<i>I</i> WARREA LINDENIANA.....	New Grenada 31s. 6d. to 42s.
<i>I</i> — TRICOLOR	Brazil..... 15s. and 21s.
<i>I</i> — AMPLA	Brazil..... 42s.
<i>I</i> WARSCIEWICZELLA AROMATICA	Costa Rica..... 21s. and 31s. 6d.
<i>I</i> — DISCOLOR	Costa Rica..... 21s. to 42s.
<i>I</i> — MARGINATA	Ocaña..... 31s. 6d. to 42s.
<i>I</i> — ALBIFLORA	Brazil..... 31s. 6d. to 42s.
<i>I</i> — — ROSEA.....	Brazil..... 31s. 6d. to 42s.
<i>I</i> — — VIOLACEA.....	Brazil..... 31s. 6d. to 42s.
<i>I</i> — VELATA	New Grenada 31s. 6d. to 42s.
<i>C</i> ZYGOPETALUM CRINITUM.....	Brazil..... 15s. and 31s. 6d.
<i>C</i> — CÆRULEUM	Brazil..... 21s. and 31s. 6d.
* <i>I</i> — MACKAYI	Brazil..... 10s. 6d. and 15s.
* <i>I</i> — MAJUS	Brazil..... 15s. and 21s.
<i>C</i> — MAXILLARE	Brazil..... 31s. 6d.
<i>S</i> — ROSTRATUM	Demerara 31s. 6d. to 42s.

CHOICE ORCHIDS.

EAST INDIAN
MEXICANWEST INDIAN
PERUVIANNEW GRENADIAN
BRAZILIAN.*Collections made at 5, 8, 10, 15, and 20 guineas per dozen.*

ORCHIDS FOR COOL HOUSES.

In the belief that the culture of Vinery and Greenhouse Orchids will become general when their beauty and easy culture are known, special selections can be made, and are now offered at

5, 8, 10, 15, and 20 guineas per dozen.

PLECTOPOMAS.

This collection forms not only a new group of hybrids, but a novel class of Gesneraceæ, remarkable for their style of growth, and the great profusion with which the attractive and beautiful flowers are given.

This distinct class will take a high rank in the family to which it belongs, because the flowers are extremely handsome, and the growth and habit of the plant distinct; for instead of the blossoms being in pyramidal spikes above the foliage, as in Gesneras, they are produced on compact stems, from the axils of the leaves.

AUREO-LILACINUM, fine large flowers, the tube and upper lobes rosy lilac, the lower lobes white, very thickly sprinkled with lilac spots, the throat bright yellow, spotted with bright carmine. 2s. 6d.

BICOLOR, a magnificent variety with fine foliage, purple underneath, and immense flowers well open, the exterior of the tube a clear rosy red tint, and the interior pure citron colour, thickly dotted with saffron yellow. 2s. 6d.

CANDIDUM, very large pure snowy white flowers, with a large blotch of citron yellow in the throat, very floriferous and of compact habit. 2s. 6d.

COLIBRI, a very pretty variety, producing charming rosy crimson flowers; the lobes slightly mottled, and the throat white, with a large yellow blotch, and dotted with crimson. 3s. 6d.

CORALLINUM, a variety of a splendid compact branching habit, the stems red, and the leaves very dark velvety green; the flowers of a beautiful coral colour, with light yellow throat, spotted with red. 2s. 6d.

GREAT EASTERN, a variety with immense flowers, larger than those of *P. Viola*, of a bright rose colour, ornamented with a white spot marked with carmine. 5s.

LABYRINTHICUM, a fine flower, with lilac lobes and white throat; the whole of the flower is covered with fantastic markings and spots of amaranth. 5s.

SCINTILLANS, very large rosy carmine flowers, of beautiful form, with citron yellow throat, spotted and freckled with scarlet; exceedingly showy. 2s. 6d.

SUAVE-ROSEUM, the lobes of this variety are of the most beautiful soft rose colour, the throat rich golden yellow; the foliage is of a dark velvety green colour; very attractive. 2s. 6d.

SUAVISSIMUM, fine large well-formed flowers, of a delicate rose colour, marked; the entire flower attractively spotted with bright crimson. A very beautiful variety. 3s. 6d.

TRIUMPHANS, large lilac lobes, white throat, richly spotted and freckled with amaranth, the mouth marked with citron yellow. 2s. 6d.

VIOLA, the flowers of this variety are about twice as large as those of *P. Colibri*, of perfect form and of the most exquisite bright rose colour, having on the upper part a large white spot entirely speckled with carmine, and lightly flaked with citron. 5s.

GESNERAS (NÆGELIAS).

The value of Gesneras, as decorative plants, can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage, they are very attractive, but during the winter they produce splendid pyramidal spikes of blossom, which are extremely handsome. Until recently, however, the principal colour was orange scarlet; now, resultant from fertilisation, there are various colours and shades; added to which, the spotting on the flowers of some of the varieties is extremely pretty.

ALBO-LUTESCENS GRANDIFLORA, very large flowers, delicate cream colour; very distinct. 2s. 6d.

ANNETTE, rose tube, flesh lobes, slightly and minutely freckled with rose on the margins, yellow throat. 3s. 6d.

BICOLOR, coral tube, dark yellow throat and mouth. 2s. 6d.

BOLIDE, very bright orange vermillion; clear yellow ground, with globular spots and flesh colour band; very fine. 3s. 6d.

CANARY, soft lemon, a distinct and desirable variety. 3s. 6d.

CAROLINE, bright rose tube, flesh coloured lobes, freckled all over with rose, rich orange throat, with central band of crimson spots running throughout. 3s. 6d.

CEDARO, rosy purple tube, yellow lobes prettily margined with deep rose. 3s. 6d.

CERISE D'OR, surface of the tube cerise, throat and lobes golden yellow, netted and dotted with cerise; a beautiful colour and good habit. 2s. 6d.

CHAIR ET CAPUCINE, delicate flesh colour, bordered and spotted with red; magnificent zoned foliage. 3s. 6d.

CHARLES RAES, very bright carmine, golden yellow throat, sprinkled with small carmine spots, fine compact pyramids of flowers. 2s. 6d.

CHARM, clear lemon yellow, with orange throat, the tube slightly tinted with red; a very pretty flower. 3s. 6d.

CHROMATELLA, large and well-expanded flower, clear yellow, fine foliage. 1s.

CITRINA CORONATA, coral tube, throat and lobes pure citron, each lobe being spotted with vermillion; an admirable variety. 2s. 6d.

CLIFTONI, very large lobes, half vermillion, half golden yellow, the whole flower covered with small crimson spots. 2s. 6d.

CYMOSA, clear rose pink, very handsome foliage. 2s. 6d.

DAUW, a magnificent flower, the lobes white, sprinkled with rose, the throat golden yellow, netted with vermillion, the divisions of each lobe snowy white, marked with very bright rose. 2s. 6d.

DIANA, a fine flower, tube soft rose colour; lobes white, slightly marbled with light rose; deep citron yellow throat. 3s. 6d.

DISPLAY, an attractive variety; the upper part of the tube cinnamon red, the throat and lobes yellow, the latter being marbled with red. 3s. 6d.

DONDERSTRAAL, dark carmine lobes, golden yellow throat, largely spotted with cochineal, the divisions of the lobes white, rayed and dotted rose; fine spikes of flowers. 2s. 6d.

DROOM, large flesh coloured flowers, beautifully marked with chrome yellow, on a cream ground, and produced in fine pyramids. 2s. 6d.

EMMA LE FEBVRE, rosy flesh tube, the whole of the interior of the flower pure white, except a light tint of carnation; a very pretty variety. 3s. 6d.

EXONIENSIS, flowers of an intense orange scarlet colour, with yellow throat; the foliage is of a dark velvety texture, studded all over with minute red hairs, almost like plush. 1s. 6d.

FESTOON, bright pink tube, blush white lobes, and orange throat. 3s. 6d.

FULGENS, fine foliage and good habit, producing freely fine flowers of quite a novel colour—vermillion, with each lobe distinctly netted and barred with scarlet and white, which gives a very distinct and attractive character. 2s. 6d.

FULGIDA BICOLOR, a splendid and exceedingly attractive flower, the lower half being white, marbled with vermillion, and the upper part of a bright shining vermillion colour; very striking. 2s. 6d.

FULGIDA CONCOLOR, a magnificent variety, producing flowers of a most exceedingly brilliant vermillion colour. 3s. 6d.

GAY-LUSSAC, clear vermillion, spotted with vermillion on the inside. 3s. 6d.

GESNERAS (NÆGELIAS)—Continued.

- GUILLAUME TELL**, magnificent foliage, very thickly set with flowers of the most beautiful dark vermillion orange. 3s. 6d.
- INCENDIÈ**, fiery red, finely sprinkled on the white ground of the interior. 3s. 6d.
- INTERESTING**, surface of the tube deep salmon, interior of the lobes and throat yellow, minutely freckled with cinnamon. 3s. 6d.
- JEWEL**, the lobes of the flowers pure lemon colour, with rich orange throat; a very free-blooming variety. 2s. 6d.
- JOVIAL**, orange; tube snow white, dotted and broadly bordered with the most beautiful vermillion. 3s. 6d.
- JULIETTE**, handsome foliage; fine large flesh coloured flowers, tinted with orange; mouth straw colour, marbled with very bright ochre. 3s. 6d.
- LEICHTLINII**, pure yellow, margined with deep rose; fine foliage. 2s. 6d.
- LEOPARD VERMILLON**, magnificent corymbs of large flowers of the most brilliant vermilion, encircling a cream coloured ground, which is sparingly dotted with vermillion. 3s. 6d.
- LINDLEYANA**, surface of the tube coral, throat and lobes golden yellow, regularly sprinkled with crimson. 2s. 6d.
- LUTEA PUNCTATISSIMA**, very bright yellow, the throat spotted with vermilion. 2s. 6d.
- MABEL**, a very pretty flower; the lobes white, veined with rose; throat deep yellow, spotted with crimson; tube soft rose. 3s. 6d.
- MADAME A. LACOMBLÉ**, pure white, with rose netting; a charming variety. 2s. 6d.
- MADAME PAUL BOUTEZ**, very beautiful rosy white, densely spotted with amaranth, yellow throat, spotted with dark scarlet. 2s. 6d.
- MADAME VAN HOUTTE**, fine branching pyramids of flowers, very bright rose tube, white lobes, striped and spotted with carmine. 2s. 6d.
- MASTOUCHE**, flesh colour, bordered with Nasturtium red, the interior white spotted with flesh colour. 3s. 6d.
- MAZEPPA**, magnificent striped foliage, thickly set with flowers of orange vermillion, nicely spotted on the white interior ground. 3s. 6d.
- MORGENLICHT**, superb foliage, fine pyramids of well-formed flowers, of a beautiful pure golden yellow colour. 2s. 6d.
- NACHTEGAAL**, large carnation coloured lobes, white throat, netted and spotted with flesh colour; a pretty flower. 2s. 6d.
- NIKITA**, white interior, broadly bordered and spotted with dark vermilion; exterior brilliant orange colour. 3s. 6d.
- NIVALIS**, this pretty variety produces fine pyramidal spikes of pure white flowers, with rich yellow throats. 2s. 6d.
- OCTAVIE**, a fine flower, of a very pure and clear yellow. 3s. 6d.
- QUERCIFOLIA**, dazzling vermillion flowers, fine distinct velvety foliage. 2s. 6d.
- REFULGENS**, rich crimson foliage, flowers rich violet, throat white, with large chamois spots. 1s. 6d.
- REINE MARIE HENRIETTE**, orange, with beautiful dottings of the same colour upon a cream colour ground; flowers produced in fine pyramidal spikes. 3s. 6d.
- ROSEA PUNCTATISSIMA**, very deep rich rose, canary yellow throat. 2s. 6d.
- ROSE D'AMOUR**, rose, marbled and maculated with pure snow white, throat white, rayed and spotted with clear citron. 2s. 6d.
- RUBAN COCHENILLE**, outside red, with cochineal margin; golden encircled white interior. 3s. 6d.
- SAPHO**, white corolla, lightly tinted with rose, throat canary yellow; splendid bronzy foliage. 2s. 6d.
- SCEPTRE CERISE**, very bright corise vermilion, spotted with golden yellow, flowers produced in fine pyramidal branched spikes; magnificent bronzy foliage, covered with velvety crimson. 2s. 6d.
- SCEPTRE CORAIL**, fine pyramids of brilliant coral flowers, the mouth striped with canary yellow, rich velvety amaranth foliage. 2s. 6d.
- SCEPTRE ROYAL**, fine hoazy amaranth foliage, largely spotted with bright green, large coral flowers, citron throat, with spots of rich scarlet. 2s. 6d.
- SOCIAL**, rosy salmon tube, buff lobes, which with the throat are covered with minute spots of bright carmine. 3s. 6d.
- SUAVITAS**, delicate flesh colour; interior white ground, speckled with flesh colour. 3s. 6d.
- SYLVIA**, salmon coloured tube, with buff lobes. 3s. 6d.
- TOTA ALBA**, this is the only pure white Gesnera. 3s. 6d.

GESNERAS (NÆGELIAS)—Continued.

TRICOLORE ORANGE, clear orange red, with border of the same colour, and finely speckled; interior gold and white. 3s. 6d.

UNIVERSAL, flowers pure white, rich yellow throat; an exceedingly pretty variety, producing its blossoms in fine pyramidal spikes. 2s. 6d.

ZONNENDAAL, a magnificent flower of a delicate rose colour, with beautiful cinnamon dottings. 2s. 6d.

ZUCHT, fine coral coloured lobes, the throat distinctly veined and netted with chamois colour. 2s. 6d.

BIGLANDULARIAS.

This is a new genus of Gesneraceæ, with the habit of *Scheeria* and *Locheria*, nevertheless not belonging to the *Achimenes* tribe, but to the *Ligeriæ*. It is closely allied to *Sinningia* (*Vees*) and *Ligeria* (*Dene*), having a tuberose rhizome, and a similarly-shaped corolla, but both these genera have five Peigynous glands, whilst *Biglandularia* has only two, in which respect it differs also from every other known genus of the order.

CITRINO-AMARANTINA, rich woolly and glossy foliage; the flowers, which are large and of good form, are freely produced in the axils of the leaves; their peduncles are long and quite erect; the flowers are yellow outside and lemon colour inside, striped and speckled with amaranth. 10s. 6d.

CONSPICUA, this species has been introduced from the tropical part of Brazil. The plant grows about a foot high, is hirsute, the leaves opposite, ovate-oblong, and with a short acumens, dentated at the edge, and slightly cordate at the base. The flowers, which appear on long axillary peduncles—making it a free-flowering species—are yellow, paler on the outside than the inside, and the lower part of the tube inside is marked with elegant purple lines and dots. 2s. 6d. and 3s. 6d.

ROSEO-LUTEA, a very fine variety, with beautiful large and fine flowers, which are half yellow and half rose colour. It has charming foliage, nearly orbicular. 10s. 6d.

STRAMINEA STRIATELLA, fine large yellow flowers, striped with amaranth; all the tube flesh colour; a splendid variety, with very beautiful foliage. 10s. 6d.

EUCODONIAS.

NÆGELIOIDES. An exceedingly pretty hybrid Gesneraceous plant; leaves lanate, cordate ovate; flowers prettily produced on small plants, nearly the size and form of a drooping *Gloxinia*, but having the soft colouring and elegant markings of some of the rosy-flowered *Tydæas*, with the throat of a citron yellow. This is a charming little plant, that can be strongly recommended. 1s. and 1s. 6d.

NÆGELIOIDES DIAMANTINA. This very beautiful and attractive hybrid Gesneraceous plant is similar to the preceding in growth and habit, but differing in the colour of its flowers, which are a brilliant violet purple, with citron yellow throat. It is an abundant bloomer, flowering very freely on small plants. 1s. 6d. and 2s. 6d.

NÆGELIOIDES LILACINELLA. The flowers of this variety are of a beautiful fresh lilac colour, marbled, and the throat is pure white, spotted and dotted with citron, yellow, and lilac. It is a very attractive plant, and an abundant bloomer. 2s. 6d. and 3s. 6d.

NÆGELIOIDES NANA MULTIFLORA, this charming plant remains upwards of three months in all its beauty. It is the dwarfest in habit of the genus, attaining but 6 to 8 inches in height, peduncles, pedicels, and flowers included. The foliage is exceedingly rich; and the flowers, which are produced most profusely, are amaranth and golden yellow, dotted with vermilion. 3s. 6d.

KOHLERIA LANATA.

A novel and interesting Gesneraceous plant; the stem and under part of the leaves covered with long brilliant orange red hairs; flowers orange, shaded with bright red, spotted and edged with bright crimson. 2s. 6d.

TYDÆAS.

ADONIS, white, marbled with vermilion; scarlet tube. 1s. 6d.

AGAR, white ground, suffused with carmine and distinctly dotted with very bright chamois. 2s. 6d.

ALBA KERMESINA, white ground, shaded with bright rose, and beautifully marked with crimson. 2s. 6d.

ALBA NIGRA, fiery red ground, white throat, striped with black. 2s. 6d.

ALBA ROSEO-MACULATA, white ground, suffused with fiery red, throat white, with rose spots, mouth festooned with black dots. 2s. 6d.

ALBA VENOSA, fine large foliage, flowers deep rose, beautifully tipped with crimson. 2s. 6d.

TYDÆAS—Continued.

- AMARANTE ET CANNELLE**, amaranth ocrise, fiery throat, admirably marked with deep cinnamon. 2s. 6d.
- ANNEAU CANNELLE**, an extra fine variety, producing magnificent pyramids of large flowers; tube coral, throat white, blotched with chamois, lobes cerise, shading to orange and striped with black; the mouth ornamented with a ring of fiery cinnamon. 2s. 6d.
- AURANTIACA ZEBRINA**, vermilion orange, the entire flower striped; very beautiful and distinct. 2s. 6d.
- AUREA MINIATA**, cinnabar, the throat golden yellow, spotted with vermilion; tube marked with crimson. 2s. 6d.
- AVONDSTER**, clear cerise, with white throat, regularly marked with large black blotches. 2s. 6d.
- CAPUCINE MORDORÉE**, an excessive bloomer of compact habit, with handsome foliage and large showy flowers; ground colour vermilion, entirely covered with a maroon net-work which shades the whole flower; lobes broad and smooth, of a sombre crimson maroon colour, with small but distinct vermilion flakes; tube large, velvety, and of the finest vermilion. 2s. 6d.
- CARNEA GRANDIFLORA**, flesh colour, entirely covered with broad fiery crimson bands; immense flower. 2s. 6d.
- CLIO**, straw colour, with large scarlet throat. 1s. 6d.
- COMPACTA FLORIBUNDA**, beautiful velvety flowers, rosy cerise, marked with bright amaranth; very compact. 2s. 6d.
- DISPLAY**, *vide* page 7.
- ETNA**, very dark scarlet, striped with black. 1s. 6d.
- EUTERPE**, lower lobes white, marbled and spotted with vermilion; tube vermilion, shaded with carmine; upper lobes amaranth, densely speckled. 1s. 6d.
- FOURNAIS DE PLUTON**, intense vermilion, darkly striped. 2s. 6d.
- HOOP**, a fresh violet colour, cream coloured throat, maculated with cinnamon, and marked with amaranth; a very bright flower. 2s. 6d.
- IGNEA AURANTIACA**, very bright scarlet, striped with dark crimson. 2s. 6d.
- LIEFKEN**, orange vermilion, with white throat, speckled with carmine, and rayed with cinnamon crimson. 2s. 6d.
- MAGNIFICA AMARANTINA**, brilliant amaranth, regularly striped with crimson, quite a novel colour. 2s. 6d.
- MELPOMENE**, large bright carmine. 1s. 6d.
- MIERKEN**, white, thickly blotched with cochineal, and marbled with white; throat white, maculated with orange scarlet. 2s. 6d.
- NERO**, fine large crimson flowers, spotted and veined with dark maroon, the centre of the flower being quite black; a showy variety of dwarf habit. 2s. 6d.
- OPHIR**, orange vermilion, upper petals spotted with black, lower petals spotted with yellow. 1s. 6d.
- POLYMNIE**, carmine tube, upper petals bright carmine, lower petals pure white, the whole of the petals spotted with rich dark carmine. 1s. 6d.
- RACHEL**, vermilion scarlet, veined and spotted with dark purple. 1s.
- RETICULATA**, white, netted or reticulated with cochineal. 2s. 6d.
- ROBERT LE DIABLE**, fine large flowers of a rich reddish crimson colour, very heavily blotched and marked with black on all the lobes; tube and throat very dark crimson. 3s. 6d.
- THALIE**, citron, spotted and flaked with vermilion, tube vermilion. 1s. 6d.
- THERÈSE**, beautiful amaranth, finely reticulated with crimson, very bright orange tube. 2s. 6d.
- TRICOLOR**, white, beautifully spotted with amaranth, coral coloured tube. 1s. 6d.
- URANIE**, large lilac, striped with scarlet, deep yellow throat, striped with brown. 1s. 6d.
- VENOSA**, coral coloured tube and rosy violet lobes, marbled with carmine. 1s. 6d.
- VESUVIUS**, brilliant crimson, veined and spotted with maroon. 1s. 6d.
- VIOLET ET MARRON**, rich violet ground, throat white, spotted with chamois, lobes bright purple, the whole streaked with maroon. 2s. 6d.
- WILHELMINE LEFEBVRE**, upper petals amaranth, lower petals white, all the flower reticulated with amaranth on a pink ground. 1s. 6d.
- WONDER**, one of the most magnificent varieties ever sent out; the flowers, which are of a dazzling bright orange vermilion colour, veined with black, are produced in majestic spikes. 2s. 6d.
- ZÈBRE VERMILLON**, very bright vermilion, striped and spotted with black. 2s. 6d.
- ZIERKEN**, rich fiery vermilion, rayed with black, white throat, rayed with flesh colour. 2s. 6d.
- These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth.
- With a little management a succession of blooming plants can be had nearly throughout the year.

NEW AND CHOICE ACHIMENES.

For new varieties, offered for the first time, vide page 7.

- ADMIRATION**, vide page 7.
- ADVANCE**, flowers deep roddish purple, with a light spotted eye, shaded towards the margin; quite distinct. 1s.
- ARGUS**, colour rich plum, large deep orange eye, spotted with carmine, upper lobes of the flowers beautifully rayed towards the margin. 1s. 6d.
- AURORA**, flowers of a rich heavy scarlet, with light yellow eye; very effective. 1s.
- CELESTIAL**, a very fine and distinct variety, of good habit and a profuse bloomer, producing exceedingly beautiful flowers of a very light blue colour, with attractive centre, the upper part of the eye being rich purple, and the lower part cream colour darkly rayed. 2s. 6d.
- CHERUB**, a splendid variety, producing abundantly very large and thick finely-formed white flowers, which are beautifully tinted with blue on the margin of the lobes, upper part of the eye bright blue, and the lower part primrose, rayed with crimson. It is exceedingly attractive. 2s. 6d.
- ECLIPSE**, bright orange red eye, beautifully spotted with carmine, good habit and free bloomer; a desirable variety. 1s. 6d.
- ELEGANS FLORE-PLENO**, flowers large and fine, of a bluish violet colour, having five or six petals in the centre in the form of a rosette. 2s. 6d.
- EXCELSIOR**, plum colour, large and fine, good habit, very distinct. 2s. 6d.
- GIBSONI**, a variety of robust habit and a profuse bloomer; flowers of a lovely mauve, fringed on the margins of the petals, the tube white outside, tinted with light lavender blue towards the base, inside white, beautifully speckled with light blue and yellow. 1s. 6d.
- GRANDIS**, flowers deep violet colour, with a rich orange eye, finely spotted and shaded with carmine. 2s. 6d.
- LEOPARD**, bright magenta rose, with a well-spotted throat; good size and form. 9d.
- MAGNET**, orange, spotted with crimson, deep carmine circle and spotted eye. 1s. 6d.
- MASTERPIECE**, vide page 7.
- MAUVE PERFECTION**, a fine large flower, of a beautiful light mauve colour. 1s.
- MAUVE QUEEN**, large mauve-coloured flowers, with a conspicuous light chocolate eye; splendid form, and fine waxy substance. 1s.
- OBERON**, bright blue, upper portion of the eye purple, white centre. 2s. 6d.
- PINK PERFECTION**, flowers very large, colour magenta rose, the upper part of the eye rich carmine, the under lobes beautifully rayed with violet. 1s.
- PURPUREA ELEGANS**, deep mulberry or claret-colour, throat light orange, with dark spots, quite distinct. 9d.
- RAPHAEL**, fiao rose colour, very free bloomer. 2s. 6d.
- RIVAL**, deep puce, excellent habit and profuse bloomer. 2s. 6d.
- ROLLISSONI**, a hybrid between *A. gloxiniaefolia* and *A. Scheerii*, flowers very large, blue, with light throat, prettily spotted. 1s. 6d.
- ROSE QUEEN**, large stout flowers, of a rich rosy lake colour, shading to deep purple, with orange throat; of compact habit and a profuse bloomer. 3s. 6d.
- SCARLET PERFECTION**, rich carmine scarlet, orange eye, surrounded with a light ray, red centre; a desirable variety. 9d.
- SPARKLER**, rich deep scarlet, dwarf compact habit, extra fine. 2s. 6d.
- STELLA**, flowers 2½ inches across, clear magenta, orange eye, spotted with carmine, nicely serrated, distinct and beautiful. 2s. 6d.
- VIVICANS**, carmine, with crimson eye, shaded round with a blue ray; very distinct. 9d.
- WILLIAMSII**, a free-blooming variety of good compact and branching habit, producing large flowers of good substance, of a vivid scarlet, with orange yellow throat. 3s. 6d.
- AMBROISE VERSCHAFFELT**, 9d.
- CARDINEAUX**, 9d.
- CARL WOLFARTH**, 9d.
- DAZZLE**, 9d.
- FRAU BRUNOW**, 9d.
- GEORGIANA**, 9d.
- GRANDIFLORA FLORE-PLENO**, 9d.
- MAUVE PERFECTION**, 9d.
- SEMI-LASSO**, 9d.
- SIR TREHERNE THOMAS**, 9d.
- VESTALIN**, 9d.

Selections of other well-known good sorts can be made from Mr. W. B.'s general collection, at 9s. and 12s. per dozen.

CYRTODEIRA (ACHIMENES) METALLICA.

Introduced from South America. It has bright scarlet flowers, and large, thick, hirsute, ovate leaves, of an olive hue, with red central band feathering out from the mid-rib, giving the leaves a metallic appearance; it is of trailing habit, and well adapted for suspending baskets. 2s. 6d.

CYRTODEIRA (ACHIMENES) CHONTALENSIS.

The following is an extract from Dr. Berthold Seemann's description of this charming plant, given in the *Gardeners' Chronicle*.

"*Cyrtodeira chontalensis* is one of the most beautiful Gesneraceous plants I have seen. The leaves are purple on the under side, and on the upper light green, with very dark green blotches. The flowers appear in November and December, and are lilac, and as large as a crown piece, with a yellow centre, and a whitish tube. The roots are fibrous (not catkin-like rhizomes, as in the *Achimenes* tribe), and in habit the plant resembles *C. metallica*, which has smaller and scarlet flowers, and a hairy ovary.

"I may add that the climate of the Chontales gold region appears favourable to the development of plants with variegated leaves. There are some fine species of *Costus* (including, besides the well-known *C. zebrinus* and *Malortianus*, several new ones); two beautiful species of *Vitis* (*vide* page 31), with bright scarlet flowers (also introduced by me); and several *Marantaceæ* and *Aroideæ*." 2s. 6d. and 3s. 6d.

NEW AND CHOICE GLOXINIAS.

Those marked thus () have erect flowers.*

***ACTON GREEN**, lobes a pinkish blue, shaded with white and veined with violet, white throat, spotted at the top. 3s. 6d.

***ADVANCER**, dark blue lobes, edged with lavender, creamy white throat, the lobes intersected with pale lavender. 3s. 6d.

ALBA STRIATA, pure white, purple throat, dark lilac border, veined with white; a very beautiful variety. 3s. 6d.

ANTONIO, throat cream colour, spotted with red at the base; lobes broadly margined with bright carmine; an exceedingly handsome and attractive flower. 3s. 6d.

***BARON D'ITAJUBA**, large flower, beautifully spotted with violet, and each petal blotched with violet, the throat white, thickly spotted with lilac violet. 3s. 6d.

***BARONNE D'ITAJUBA**, large white flower, the lobes spotted with blue, rose throat, rayed and spotted with rosy carmine. 3s. 6d.

***BELLE DE MEULAN**, white tube and throat, purple violet lobes. 3s. 6d.

BERESFORD, bright rose, mouth surrounded with dark crimson, and encircled with plum. 2s. 6d.

BERGERONNETTE, upper part of the flower fine rose, the three lower lobes pure white. 2s. 6d.

***BEWITCHING**, pale lavender blue lobes; white throat, densely freckled and spotted with amaranth. 3s. 6d.

***CEDARO**, bright blue lobes; white throat, densely spotted and freckled with purplish crimson. 3s. 6d.

***CEINTURE D'HÉBÉ**, lobes white, ribboned with lilac, and edged with white, throat cream-colour. 3s. 6d.

CERISE VIOLET, blue, shaded with violet. 2s. 6d.

COMTE DE GOMER, white throat, rayed with rosy lilac, lobes lilac. 3s. 6d.

***COMTESSE DE BARRAL**, lobes white, maculated with violet blue, and tipped with rose, throat white, rayed and spotted with lilac rose. 2s. 6d.

***COMTESSE DE NADAILLAC**, pure white, of perfect form and good habit. 3s. 6d.

CONCORD, light tube, and white throat, lobes bright blue, each of them marked with white in the centre. 3s. 6d.

***CORDON CÉLÈSTE**, white, with light blue band. 2s. 6d.

CORDON LAVANDE, beautiful creamy white, very delicate, with a ribbon of lavender. 3s. 6d.

***CORSAIR**, lobes violet blue, the throat encircled with rich purple, base of the throat white, minutely and darkly spotted; a richly coloured and handsome flower. 2s. 6d.

DECISIVE, violet blue lobes, the mouth encircled with purple; throat white, spotted with crimson. 3s. 6d.

***EMERAUDE**, flesh colour, spreading in well-defined pink zones to the lobes, which are of a clear lilac, veined with red, throat beautifully spotted. 3s. 6d.

***EMPEREUR DU BRÉSIL**, tube and throat white, very lightly rayed and spotted with rosy carmine, lobes white, spotted with blue. A very free-flowering and beautiful variety. 2s. 6d.

NEW AND CHOICE GLOXINIAS—Continued.

- *EVELINA, bluish, mottled with white, pencilled white throat. 1s. 6d.
- *FLAMME ROSE, light pink, marbled and margined with bright rose. 3s. 6d.
- FLEUR DE FLANDRE, white throat, purple mouth, lobes marbled and netted with indigo blue, white edge. 2s. 6d.
- *GEORGIANA, large flower, freckled, new colour. 1s. 6d.
- *HENRI HUSSON, throat white, lobes bordered with bright rose. 3s. 6d.
- *HERALD, magenta lobes, the throat rosy violet, the base of the tube white, darkly freckled. 3s. 6d.
- *HIÉROGLYPHE, violet, reflected with carmine, throat dotted with myriads of little carmine spots on a white ground. 3s. 6d.
- IMPÉRIALE BLANCHE, flowers large, blue, margined with white, white throat. 2s. 6d.
- *INDIANELLA, pure white mouth and throat, all the lobes beautifully rayed with celestial blue, white border. 3s. 6d.
- INDIENNE, lobes deeply margined with clear blue, white throat, rayed, marbled, and spotted with blue. 3s. 6d.
- INSPECTOR, bright blue lobes, pure white mouth and throat. 2s. 6d.
- INVERNESS, bright pink lobes, shaded with rosy violet, pure white throat. 2s. 6d.
- *JULIETTE VALLERAND, violet lobes, maculated and spotted with violet purple, white throat, slightly spotted. 3s. 6d.
- *LAQUE EXTRA, tube and throat white, the latter darkly spotted at the base. 2s. 6d.
- LÉON VANDERWEE, bright carmine, the lobes maculated with black, and bordered with white. 3s. 6d.
- LIBERTY, lobes blue, edged with lavender; throat creamy white, shaded with crimson at the base. 3s. 6d.
- *LOUISE VALLERAND, rose lobes, spotted with purple, white throat, spotted with violet carmine. 3s. 6d.
- *MADAME BLOT, white tube, throat slightly spotted, lobes carmine purple. 3s. 6d.
- *MADAME CHAVERONDIER, rosy lilac throat, rayed and spotted with dark lilac, lobes white, blotched with blue. 2s. 6d.
- *MADAME COCHIN, a large and well-formed flower; white lobes, marked with lilac at the division of each petal, yellow throat. 2s. 6d.
- *MADAME GUSTAVE ROY, white tube, dotted with lilac, carmine lobes, spotted with light rose. 2s. 6d.
- *MADLLE. JEANNE PRÉVOST, throat white, rayed and spotted with violet, rosy violet lobes. Figured in the *Florist*, December, 1870. 3s. 6d.
- *MARIETTA, white tube, the limb rich deep violet. 3s. 6d.
- *MARIE VALLERAND, very large bright rose lobes, margined with white, white tube. 3s. 6d.
- MEDINA, rose lobes, shaded with bright crimson, bright pink tube, violet mouth. 2s. 6d.
- *MGR. FARIA, clear lilac tube, lobes dark violet, bordered with clear violet; a well-formed flower. 2s. 6d.
- MINA, very bright corusc, with snow white mouth; very attractive. 3s. 6d.
- MIRANDA, bluish, with white throat. 2s. 6d.
- MOGUL, tube dotted with red, purple crimson limb, very clear at the border; a large and strong flower, lasting a long time in bloom. 3s. 6d.
- *MONSIEUR ALPHAND, tube white, throat spotted with violet, deep violet purple limb, with a clear stain on each lobe. 3s. 6d.
- *MONSIEUR BARILLET, tube and throat pure white, limb purple violet, spotted with white towards the base of each lobe. 3s. 6d.
- *MONSIEUR BRONGNIART, tube white, throat sulphur yellow, striped and spotted with lilac, limb white, spotted with very dark violet. 3s. 6d.
- MONSIEUR DECAISNE, tube white, throat streaked, veined, and dotted with lilac, white zone, dotted with violet lilac at the mouth; azure blue limb, spotted with violet blue. 3s. 6d.
- *MONSIEUR DE VASCONCELLES, tube and throat white, the latter lightly rayed and spotted with lilac; azure blue limb, with white blotches, dotted with violet. 3s. 6d.
- MONSIEUR DEVINCK, rose tube and throat, the latter striped and spotted with violet; limb white, with small dots of rosy violet. 3s. 6d.
- *MONSIEUR GAUSSIN, white tube and throat, lightly spotted with violet, lobes rosy lilac, with white centro, striped with rose. 2s. 6d.
- *MONSIEUR LUCY-SÉDILLOT, tube and throat pure white, lobes rosy lilac, striped with white; very floriferous. 2s. 6d.

NEW AND CHOICE GLOXINIAS—Continued.

- MONTFORT**, pink, the under lobes shaded with intense vermilion, rich violet throat, spotted with dark crimson. 2s. 6d.
- ***MYRIOSTIGMA**, white, with rich violet lips. 2s. 6d.
- NORMA**, pink lobes, mouth marked with crimson and violet, white throat, beautifully spotted with dark rose. 3s. 6d.
- OLINDA**, pure white tube, pink lobes, dark violet mouth, base of the throat spotted with crimson. 2s. 6d.
- ***ORIENTAL**, rosy purple lobes; white throat, densely speckled and spotted with crimson. 3s. 6d.
- ***PANTHÈRE**, blue, with lobes pink at the base, white throat, blotched with pink. 3s. 6d.
- ***PEERESS**, rich purple, the lobes margined with blue, base of the throat white, spotted with brown. 1s. 6d.
- ***PÉGASE**, each lobe tricolored, dark vermilion horseshoe, the centre of which is lilac, widely bordered with pure white, throat marbled and spotted with white and carmine. 3s. 6d.
- PENTAGONA AUREOLATA**, white and lilac. 2s. 6d.
- PERIM**, pure white tube and throat, bright pink lobes, mouth encircled with lavender. 2s. 6d.
- PORTIA**, violet lobes, white throat, freckled with amaranth; novel and attractive. 3s. 6d.
- PRIMA DONNA**, white tube and lobes, marbled with rosy crimson, pure white throat; the interior of the tube banded midway with violet. 2s. 6d.
- ***RACHEL**, white tube, lightly spotted, violet lilac limb, with a white zone in the centre, the lobes also bordered with white. 3s. 6d.
- RÊVE D'OR**, pure white, neatly shaded with sky blue. 2s. 6d.
- ROSE D'AMOUR**, cream-coloured throat, lobes bright rosy carmine, shaded towards the base with rose cerise. 3s. 6d.
- ***ROSE ET HERMINE**, pure white throat and mouth, lobes bright rose, spotted with pure white. 3s. 6d.
- ***SARAH**, tube and throat pure white, limb white in the centre and bordered with rose. 3s. 6d.
- SECADOR**, white tube and throat, lobes bright blue, marbled with white. 2s. 6d.
- ***SERAPH**, tube and throat pure white, lobes rosy pink, marbled with white at the orifice of the throat. 3s. 6d.
- SIBYL**, lobes pink, tube white, the throat distinctly encircled with rose, and the interior of the tube attractively spotted with violet crimson. 3s. 6d.
- SIMONDA**, white tube, bright pink lobes, rich violet mouth, throat spotted with crimson. 2s. 6d.
- ***SOUVENIR DE BOUGIVAL**, white tube and throat, bluish violet lobes, maculated with white. 3s. 6d.
- ***SOUVENIR DE THUN**, lobes bordered with bright rose, tube and throat white. 3s. 6d.
- ***STAR**, white throat, very large violet lobes, maculated with white. 3s. 6d.
- ***TISONA**, well formed, spotted white with dark centre, mottled with mauve. 1s. 6d.
- TITIAN**, rich violet lobes, the throat pure white, encircled with purple, and conspicuously spotted at the base with crimson; a strikingly handsome and well-formed flower. 3s. 6d.
- TOPAZE**, tube and lobes pure white; violet mauve mouth, light throat. 2s. 6d.
- ***TRIOMPHE DE LA JONCHÈRE**, white tube and throat, the latter streaked and dotted with rosy lilac, the limb spotted with rosy carmine, and striped with pure white. 3s. 6d.
- ***TROJAN**, purplish blue lobes; violet mouth and pure white throat, the exterior of the tube mottled blue and white; a distinct and showy flower. 3s. 6d.
- VALLERANDI**, tube white, the throat also white, with lilac spots and stripes; the limb white, with large deep bluish-purple spots. 3s. 6d.
- VICOMTE DE FORCEVILLE**, tube and throat white, the limb white, lightly spotted with rose, the mouth marked with rosy violet spots; the lobes slightly bordered with lilac. 3s. 6d.
- VICTOR**. This is a most beautifully spotted variety; the throat and base of the lobes are intensely and minutely freckled and spotted with violet amaranth on a white ground, the lobes margined with lavender blue; an exceedingly pretty flower. 3s. 6d.
- VIOLETTE MARBREE**, violet, the lower lobes marbled with white, and the entire flower margined with white. 3s. 6d.
- VIOLETTE NEIGEUSE**, very large rich violet flower, marbled all over with white, golden yellow throat. 3s. 6d.
- VLAANDEREN**, white throat, ornamented with myriads of carmine spots, tube carmine, shaded with plum, lobes rich velvety purple. 2s. 6d.
- ***VOIE LACTÉE**, pure white ground, covered with myriads of small azure blue spots. 3s. 6d.

Selections of other good kinds can be made from Mr. W. B.'s general collection, at 12s. and 18s. per dozen.

SHRUBBY GLOXINIA "INSIGNIS."

This distinct variety produces its flowers during the autumn and winter; colour bluish lilac, marked with a large crimson blotch at the base of the tube. 1s. 6d.

GLOXINIA MACULATA ROSEA CHIRITIFORMIS.

This novel hybrid will prove quite an acquisition, for it blooms during the whole of the winter. Its foliage is very beautiful, of a bronzy amaranth, and its flowers, which are produced abundantly, are of a beautiful bright rose, with a bluish tint. 2s. 6d. and 3s. 6d.

GLOXINIA MACULATA SCEPTUM.

A magnificent hybrid, with extra large erect foliage. It produces rigid terminal clusters of flowers, exceeding 20 inches in height, which bear majestically its large clear lilac well-formed blooms. The leaves are cordate and pinked. 2s. 6d.

NEW COLEUS.

Mr. W. B. has raised, by careful fertilisation, a large number of handsome and distinct varieties, which are of the most diversified character. In some the leaves are so strikingly cut or serrated as to give them a fringed appearance, while, in contrast to this, others are almost smooth. The colours are of the richest description, embracing in the different varieties many shades of glowing red and rich dark crimson; some shot with purple on a rosy leaf, others blotched with crimson on a green ground, while others, again, have green leaves margined with crimson, and, *vice versa*, crimson margined with green, and some are blotched with crimson on an olive ground. The leaves of some of the varieties are quite flat, while others are of the old *Verschaffeltii* shape. They present, moreover, a great variety in the colour of the stems, being respectively green, crimson, and purple.

The utility of the Coleus for ornamental purposes, whether for bedding or for decorations where coloured-leaved plants are desired, is so well known, and they are grown so easily, and make such fine specimens in so short a time, that the merit of the varieties now offered can scarcely be over-estimated.

For New Varieties offered for the first time, see page 7.

- ACHILLES**, one of the fringed varieties, and a very handsome one. The colour is a rich reddish brown, margined with green, and more or less mottled with green towards the base. 1s.
- ACIS**, a beautiful bright-coloured sort, with flat ovate-crenate leaves, of a bright bronzy magenta, with a gold loaded edge. It combines the purplish rose tint seen in *Princess of Wales* with the bright golden border of *Queen Victoria*. One of the best, and of remarkably neat habit. 1s.
- AJAX**, a variety with fringe-toothed leaves, which are of a bronzy crimson, traversed by a few purple veins, and everywhere elegantly edged with yellow. This is remarkably handsome, and the finest variety of Coleus which has yet been raised. 1s. 6d.
- AMBASSADOR**, this variety has very deeply toothed and fringed leaves, of a rich bronzy crimson margined with yellow. 1s. 6d.
- ATROPURPUREUS**, this is a bronzy variety of *Blumei*, with pale green stems, and small flat lozenge-shaped leaves, which are entirely of a bronzy red, except that just the very tips of the marginal teeth are of a yellow green, not always at first apparent. 1s.
- BARON**, a variety with elongated frilled leaves of a deep maroon, shaded with dark brown purple, the tips of the teeth and the base of the leaf being bronzy green; the stems purplish. 1s.
- BEAUTY**, rich velvety purple, margined with pale green; stem green, mottled with purple; very distinct and attractive. 1s.
- BRILLIANT**, rich reddish crimson, veined with purple and broadly margined with bright golden yellow; the margins blotched with rich crimson. 1s. 6d.
- CHANCELLOR**, distinct, with ovate coarsely crenato-serrate leaves, having the centre covered by a broad bronzy patch breaking outwards at the margin, and picked out by purple ribs and veins; it has a broad green irregular border, and the extreme margins of the teeth are brown. The whole surface is furnished with scattered purple freckles. 1s.
- CHARM**, a fine showy variety, with rich chocolate brown leaves, margined with green; stem reddish purple. 1s.

NEW COLEUS—Continued.

- COMMANDER**, stems green ; rich purple broadly-ovate leaves, margined with green. 1s. 6d.
- COMPACTUS**, medium-sized flat leaves, which are sometimes almost entirely of a rich crimson maroon, veined with red, and at others irregularly blotched with green ; a distinct variety, of a dwarf close style of growth. 1s.
- COMUS**, a showy variety, with flat ovate-crenate leaves of a deep vinous purple crimson, with a narrow margin of bronzy green. 1s.
- CORONET**, leaves of a yellowish green ground, marked and spotted with dark purple, and also distinctly edged with dark purple. 1s. 6d.
- CRIMSON VELVET**, magnificent rich velvety crimson, very slightly margined with dark bronzy green ; stems dark red. 1s.
- CUPID**, a remarkably attractive variety, with flat ovate-crenate leaves, which have a patch of dark bronze in the centre, the outer portion being golden yellow, spotted with cinnamon. 1s.
- DICTATOR**, leaves of a rich glowing red colour, with violet shade, and distinctly margined with bright golden yellow. 1s. 6d.
- DISPLAY**, a very distinct variety, with flat ovate-acute crenately-toothed leaves, of a dark brown purple, showing a dash of bronzy red at the margin, this being bordered by a narrow yellow edge, while the marginal teeth are again blotched with bronze, so as to give them a sharply serrate appearance. 1s.
- ELECTOR**, pale stemmed, with short ovate-crenate leaves of a true bronze colour, with a velvety lustre, the tips of the crenatures being of a pale green, forming a narrow beaded edging. 1s.
- ELEGANT**, leaves beautifully frilled, of a deep purplish crimson colour, very deeply toothed and mottled on the margin with metallic green. 1s.
- EMPRESS**, grotesquely marked, having a green stem, sometimes blotched with purple at the nodes, and frill-toothed leaves, which have a rich bronzy purple central blotch running out into a few large strongly-marked reticulations near the edge, the base of the leaf being green. 1s.
- ENDYMION**, rich rosy cinnamon, attractively veined with purple and broadly margined with golden yellow ; the margin somewhat broken with crimson markings. 1s. 6d.
- EXCELLENT**, bright green leaves, nicely fringed, thickly blotched with very dark purple, and slightly margined with purple ; a distinct and richly coloured variety. 1s.
- GAIETY**, rich dark crimson, very broadly margined with light green, stems green ; a distinct and very effective variety. 1s.
- GARLAND**, green leaves, prettily toothed and fringed, and irregularly blotched, spotted and reticulated with purple ; the stem green, marbled with crimson. 1s.
- GEM**, a superb variety, the central portion of the leaves rich velvety violet purple, broadly margined with bright green, stems green. 1s.
- GLOWWORM**, very rich reddish crimson, with a small well-defined margin of bright green ; a beautiful variety. 1s.
- GOLDEN BEAUTY**, a variety with beautifully fringed leaves of a rich reddish brown colour, margined with yellow, the margin spotted with reddish brown. 1s. 6d.
- GOLDEN GEM**, leaves of a very rich bright crimson colour, shot with violet, and having beautifully fringed golden margins, which are here and there marked with rich crimson. 1s. 6d.
- GRANDEUR**, dark bronzy green, largely blotched and spotted with dark crimson, and distinctly margined with crimson ; a splendid variety of vigorous growth. 1s.
- HECTOR**, a very distinct fringed-leaved sort, with a remarkably elongated and pointed leaf, of a deep vinous red purple, and having more or less green towards the base of the leaf. 1s.
- HERO**, a very richly-coloured variety, the leaves being throughout of a dark velvety purple, deeply toothed at the margins, and very peculiarly serrated. 1s.
- JEWEL**, a fringe-leaved variety, of a bronzy purple hue, with a narrow green edging, and a patch of green at the base. 1s.
- LUMINOUS**, leaves very smooth and flat, of a rich chocolate crimson colour, with narrow and distinctly marked yellow margin. 1s. 6d.
- LUSTRE**, a variety with flat ovate-crenate leaves, of a dark bronzy crimson hue, with slight green tips to the crenatures. It is of close-branched stiff habit, suitable for summer beds. 1s.
- MARVEL**, stem dark purple ; leaves beautifully fringed and deeply toothed, light green, with dark purple margin, and the entire leaf reticulated with purple ; a striking variety. 1s.
- MASTERPIECE**, flat-leaved and of bold habit ; the stem and leaf stalks green, and the leaf blade orenated, of a velvety purple hue in the centre, passing off to a bronzy purple towards the edge, where it is marked along the line of the orenatures with a narrow green belt. Its recommendation is the rich purple glow of its colouring, the peculiar brilliancy of which renders this striking and effective variety quite an acquisition. 1s.

NEW COLEUS—Continued.

- MEMORIAL**, a frill-toothed variety, with a large bronzy purple central blotch running out into a few large reticulations near the edges of the leaf, the base of the leaf and margins being green. 1s. 6d.
- MODEL**, rich-looking, the stems green, bearing broad ovate flat leaves, having the centre of a full vinous purple, which runs out in small reticulations into the green margin. 1s.
- MONARCH**, rich reddish crimson, margined with golden yellow; a very bright and attractive variety. 1s. 6d.
- NONSUCH**, deep velvety purple, with distinct green margin, speckled with purple; stems green, mottled with purple. 1s.
- OSCAR**, a remarkably bright-looking variety, from the strong contrast presented by the colours of the leaves; those are fringed, with central blotches of bronzy red, shaded with dark brown purple, and lighted up by a broad yellow green edging, which is mottled and speckled with the darker hue. 1s.
- PERFECTION**, bronzy green, irregularly blotched and spotted with rich reddish crimson, and also margined with reddish crimson; stems dark crimson. 1s.
- PROVOST**, large ovate coarsely-crenate leaves, marked by a broadly lanceolate central blotch of a deep brown colour, having a velvety purple shading, and passing out along the principal veins, so as to form a slightly feathered edge; outside this is a broad bright green edge. 1s.
- REFULGENS**, distinct, bold-habited, finely-coloured, and extremely effective, producing flat ovate crenated leaves, the surface throughout being of a rich deep velvety purple, just edged along the tips of the crenatures with bright green; the stem and leaf stalks green. The rich glow of the velvety purple leaves is very effective. 1s.
- REXNOWN**, light green, the centre of the leaf rich bronzy purple, the margin mottled and reticulated with purple, and the edge fringed and serrated. 1s.
- SALUTE**, bright green leaves, reticulated and irregularly mottled with very dark maroon; stem dark purple. 1s.
- SPANGLE**, leaves beautifully fringed, with rich crimson centre, and light green margin, spotted with crimson; very attractive. 1s.
- SUNBEAM**, this variety has short roundish undulated leaves, of a rich crimson colour, with cinnamon shade, margined with golden yellow and veined with purple. 1s. 6d.
- SURPRISE**, very dark purple, with slight but distinct pale green margin; stem green, mottled with dark purple. 1s.
- UMPIRE**, dark coloured, with purple stem, and toothed green leaves, traversed by reticulating veins, which on the sides are strongly marked with deep purple, this darker colour accumulating in irregular blotches near the mid-rib. 1s.

Mr. WILLIAM BULL will be happy to make selections from the preceding list
at 9s. per dozen, and 50s. per 100.

COLEUS ALBERT VICTOR.	9d.	COLEUS PRINCE OF WALES	9d.
„ BARONESS ROTHSCHILD	9d.	„ PRINCESS BEATRICE	9d.
„ BATEMANII	9d.	„ „ LOUISE	9d.
„ BAUSEI	9d.	„ „ OF WALES	9d.
„ BERKELEYI	9d.	„ „ ROYAL	9d.
„ DUKE OF EDINBURGH	9d.	„ QUEEN VICTORIA	9d.
„ HER MAJESTY	9d.	„ RUCKERII	9d.
„ MARSHALLII	9d.	„ SAUNDERSII	9d.
„ MURRAYI	9d.	„ SCOTTII	9d.
„ PRINCE ARTHUR	9d.	„ TELFORDII (AUREA).	9d.
„ „ LEOPOLD	9d.		

For New Varieties offered for the first time, see page 7.

COLEUS AROMATICUS.

An interesting stove plant, with hairy green stems and leaves, the latter being flat, ovate in outline, crenated, and of a fleshy texture, and moreover remarkable for having a strong aromatic Thymo-like odour of a most agreeable character. It is a native of India, and bears pale blue flowers. The delightful fragrance of the leaves of this plant alone makes it worthy of cultivation, and possibly by fertilisation its fragrance may be imparted to the variegated series of this now popular family. 3s. 6d.

NEW AND CHOICE SPOTTED PELARGONIUMS.

For new varieties offered for the first time, see page 14.

These have been obtained by carefully hybridising the attractive French kinds with the best varieties of the most eminent English raisers; so that, while possessing the rich and varied colours of the French sorts, combined with their wonderfully free-flowering character, they partake of the shape of the English varieties; they have also the advantage of having the spots more clearly and purely defined than is usually the case with the foreign sorts.

AGATHA, deep pink, the petals heavily blotched with maroon, distinct and pretty. 1s. 6d.

AMBASSADOR, *vide* page 14.

ANTAGONIST, upper petals blotched with dark maroon, surrounded with violet crimson, and margined with white, under petals soft pink, spotted with violet crimson, white centre. 5s.

BALTIC, crimson upper petals, broadly margined with fiery scarlet, under petals vivid scarlet, spotted with crimson, centre shaded with violet. 2s. 6d.

CASTANET, light pink, upper petals blotched with maroon, under petals cleanly spotted with bright crimson, light centre. 2s. 6d.

CHARM, rich crimson, upper petals heavily blotched with maroon, under petals dark crimson, violet centre. 1s. 6d.

CHARMER, bright crimson, upper petals blotched with dark crimson, under petals slightly spotted, white centre surrounded with violet. 3s. 6d.

CLARENCE, maroon, upper petals margined with fiery crimson and edged with rose, under petals very bright rose, spotted crimson. 1s. 6d.

COMMANDER, *vide* page 14.

COMPETITOR, upper petals black, edged with bright rose, under petals bright pink, blotched with maroon; fine shape. 1s. 6d.

CONCORD, violet mauve, intersected with white and rose, white centre; a novel and pleasing colour. 7s. 6d.

CONDUCTOR, bright carmine, the upper petals blotched with maroon, the under petals shaded with crimson, light centre. 7s. 6d.

CONSISTENCY, violet, margined with lavender, upper petals blotched with crimson, the under ones spotted with same colour. 5s.

CORONET, upper petals crimson rose, edged with rose, under petals rose, edged with violet and spotted with crimson. 1s. 6d.

DEBATE, violet mauve, upper petals blotched with maroon, light centre. 5s.

DRAGON, dark crimson, upper petals margined with bright red, under petals fiery carmine, lightly spotted with crimson, pure white centre. 7s. 6d.

ENSIGN, all the petals blotched with maroon, surrounded with crimson and margined with rose. 7s. 6d.

ERNEST, intense scarlet crimson, blotched with dark maroon; an attractive variety. 7s. 6d.

ENTHUSIAST, salmon colour, upper petals lightly spotted with crimson, white centre, the central part of the under petals shaded with violet. 7s. 6d.

EUROPA, dark violet, all the petals blotched with maroon; novel colour. 2s. 6d.

FIERY CROSS, upper petals very bright crimson, with dark blotch, under petals fiery carmine, slightly spotted, white centre, shaded with violet. 7s. 6d.

FIREFLY, fiery crimson, the upper petals blotched with maroon, the under petals slightly spotted with crimson, light centre, shaded with violet. 7s. 6d.

FREEDOM, maroon, upper petals margined with bright crimson, under petals fiery carmine, spotted with crimson. 3s. 6d.

GENIUS, quite novel in colour, under petals violet mauve, upper petals shaded and margined with violet, pure white centre. 2s. 6d.

GRACE, maroon upper petals, edged with bright rose, under petals bright red, spotted with crimson. 3s. 6d.

HARMONY, *vide* page 14.

HECTOR, bright carmine, all the petals spotted with dark crimson, light centre, shaded with violet. 2s. 6d.

HOLBEIN, dark maroon upper petals, margined with purple, purple under petals, blotched with crimson, violet centre. 1s. 6d.

HUNTSMAN, fiery crimson, upper petals blotched with maroon, dark spots on the under petals, violet centre. 5s.

INVINCIBLE, upper petals crimson, margined with white, under petals white, cleanly spotted with crimson; fine flower. 1s. 6d.

LATONA, pure white, upper petals blotched with violet maroon, under petals spotted with violet; very distinct. 3s. 6d.

LUCIBELLE, bright red, shaded with scarlet, upper petals spotted with crimson, light throat, shaded with violet. 1s. 6d.

NEW AND CHOICE SPOTTED PELARGONIUMS—Continued.

- MAGNATE**, a magnificent flower of a beautiful soft violet colour, the upper petals blotched with maroon, and the under petals lightly spotted with crimson, clean white centre. This variety is of novel colour, and exceedingly distinct and attractive. 10s. 6d.
- MALVINA**, scarlet, maroon upper petals, margined with scarlet. 1s. 6d.
- MARINER**, upper petals rich crimson, blotched with maroon, and margined with violet rose, under petals bright carmine; light centre, attractively shaded with violet. 5s.
- MODERN**, bright rose, shaded with violet, upper petals blotched with maroon, under petals spotted with crimson. 3s. 6d.
- MONARCH**, maroon, upper petals shaded with crimson, margined with rose, under petals rose, richly spotted with dark crimson. 3s. 6d.
- NIAGARA**, French white, upper petals blotched with dark crimson, white under petals, lightly blotched with crimson. 1s. 6d.
- NOVELTY**, all the petals dark maroon, margined with violet, and edged with white; novel. 2s. 6d.
- OSCAR**, upper petals crimson, margined with rose, and blotched with maroon, under petals rose, spotted crimson, light centre. 7s. 6d.
- PATRICIAN**, *vide* page 14.
- PIONEER**, fiery crimson, upper petals blotched with maroon, under petals slightly spotted with crimson, light centre. 7s. 6d.
- PRECISION**, beautiful light centre, shaded with violet, upper petals rich dark crimson, margined with rose, under petals carmine, spotted with crimson. 3s. 6d.
- PRINCE OF NOVELTIES**, this beautiful variety resembles the well-known *Dr. Andre* in its elegantly fringed margin and equally large flower, but greatly exceeds it in effect, being of a brilliant vermilion scarlet ground colour, finely relieved by a blush white centre with violet veins, and flushed with rich crimson in the upper petals. It is a very free-blooming variety, of dwarf yet vigorous habit, and the trusses and flowers are large and well formed. 5s.
- PRINCEPS**, fiery crimson, upper petals blotched with maroon, under petals spotted with crimson, white centre, shaded with violet. 2s. 6d.
- PURSUIT**, bright rose, shaded with violet, upper petals blotched with maroon, under petals spotted with crimson. 7s. 6d.
- REFLECTION**, the petals margined with French white, and blotched with crimson, the blotches surrounded with carmine. 2s. 6d.
- SALUTE**, under petals soft rose, spotted with dark crimson, upper petals maroon, surrounded with crimson, with rose margins. 3s. 6d.
- SCEPTRE**, rose, the upper petals blotched with maroon and shaded with crimson, the under petals spotted with dark crimson. 5s.
- SECRETARY**, clear white centre, ground colour a beautiful bright rose, shaded with violet, blotched with maroon on the upper, spotted with red on the lower petals. 3s. 6d.
- SENTINEL**, salmon, all the petals spotted with crimson, bright centre; attractive. 2s. 6d.
- SIGNET**, bright rose, upper petals blotched with maroon, under petals clearly spotted with dark crimson. 2s. 6d.
- SOUVENIR**, bright rose, upper petals blotched with maroon, under petals heavily spotted with maroon. 7s. 6d.
- SPLENDOR**, scarlet, upper petals blotched with maroon, and edged with rose, under petals spotted with crimson, light throat, shaded with violet. 2s. 6d.
- SPORTSMAN**, fiery crimson, upper petals blotched with dark maroon, under petals spotted with maroon. 7s. 6d.
- STANDARD BEARER**, upper petals deep crimson, margined with rosy violet, under petals bright rose, blotched with dark crimson, violet centre. 7s. 6d.
- TEMPLAR**, *vide* page 14.
- TREASURE**, glowing scarlet, upper petals spotted with crimson violet, very fine. 5s.
- TROJAN**, crimson, upper petals surrounded with bright rose and margined with pink, under petals blush, cleanly spotted with crimson. 7s. 6d.
- TRUMPETER**, dark crimson upper petals, margined with rose, bright rose under petals, blotched and shaded with crimson. 7s. 6d.
- VANGUARD**, rich violet mauve, upper petals blotched with crimson, light centre. 7s. 6d.
- VELLEDA**, rich deep velvety crimson, the upper petals blotched with maroon, and the under petals spotted with very dark crimson; a fine flower, bright and attractive. 2s. 6d.
- VERONA**, rich crimson, upper petals blotched with maroon, under petals fiery crimson, white centre, shaded with violet. 2s. 6d.
- VETERAN**, bright violet, upper petals blotched with maroon, under petals lightly spotted with crimson, white centre. 7s. 6d.
- VICTORIOUS**, orange scarlet, upper petals blotched with maroon, white centre, shaded with violet, under petals spotted with crimson; very fine variety. 3s. 6d.
- WATCHFUL**, lilac, shaded with violet, upper petals spotted with crimson, light centre; very attractive. 5s.
- WINDFALL**, French white, all the petals blotched with dark crimson; an attractive variety. 2s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 12s., 18s., and 24s. per dozen.

NEW AND CHOICE SHOW PELARGONIUMS.

- ALFRED**, white centre, lilac rose lower petals, tinted with deep lake, rich maroon top, with narrow margin of carmine and rose. 1s. 6d.
- ANGELINA**, rich maroon, upper petals margined with crimson, under petals bright rose, shaded with crimson, pure white centre. 2s. 6d.
- ARCHBISHOP**, a grand large flower, soft rosy pink, medium spot on top petals, large white eye; a noble flower. 1s. 6d.
- ATTRACTION**, soft rosy lilac, small maroon spot, clear large white eye, very novel and pleasing. 2s. 6d.
- BEAUTY OF WINDSOR**, orange rose, maroon spot on top petals, shaded off to the margins with orange and rose, clear white eye. 1s. 6d.
- BETROTHED**, a large rose, medium maroon spot on top petals, rose edge; fine. 1s. 6d.
- BONNIE CHARLIE**, lower petals rosy crimson, top black, with narrow wire edge of bright crimson, large clear white eye. 5s.
- BRILLIANT**, white centre, bright rose lower petals, rich orange red top, free bloomer. 1s. 6d.
- CHARLES TURNER**, fine orange scarlet, lower petals of perfect shape, upper petals scarlet orange, with shaded maroon spot, pure white centre, excellent habit. 1s. 6d.
- CHARTER**, rich maroon, upper petals margined with violet rose, under petals violet rose shaded with crimson, large white centre. 7s. 6d.
- CHEERFUL**, pure white, with bright cherry spot in the upper petals. 3s. 6d.
- CLARIBEL**, pure white, with small spot of bright carmine on top petals; a lovely flower, and quite distinct. 5s.
- CONDUCTOR**, dark crimson, upper petals margined with bright rose, under petals delicate rose, pure white centre. 7s. 6d.
- CONGRESS**, quite unique in colour, white centre, shaded with deep maroon, dark shaded top; fine form and free bloomer. 1s. 6d.
- CONSUL CAMERON**, white centre, full warm rose lower petals, top shaded with maroon and carmine, rose margin, good form. 2s. 6d.
- CORSAIR**, bright purple, with pure white centre, top petals black, richly shaded to the margin, dwarf habit; a charming flower. 5s.
- COUNSELLOR**, dark crimson, upper petals broadly margined with pink, under petals salmon pink, white centre, good form. 3s. 6d.
- CYCLE**, lower petals rosy purple, black maroon top, rose edges, white centre, very smooth and fine form. 5s.
- ECLIPSE**, deep rose, maroon top petals, even rose edges, white eye; a fine flower. 1s. 6d.
- ELVIRA**, white centre, lively rose lower petals, medium black spot on top petals, shaded with carmine, rose margin; a large and bold flower. 2s. 6d.
- EMBLEM**, bright rose, shaded with violet, upper petals blotched with dark crimson, light centre. 7s. 6d.
- EMILY**, clear white centre, all the petals delicate rose, medium black spot, with a shading of carmine; large flower. 2s. 6d.
- ENVOY**, white centre, warm rose lower petals, maroon top, shaded with carmine and rose, smooth and free. 2s. 6d.
- EXCHEQUER**, maroon upper petals, surrounded with bright crimson, and margined with rose, under petals rose, clean white centre. 7s. 6d.
- FAVOURITE**, white centre, full warm rose lower petals heavily painted with dark red, maroon top, narrow margin of bright rose. 1s. 6d.
- GARNET**, maroon upper petals, surrounded with crimson, and margined with violet rose, bright rose under petals, light centre. 7s. 6d.
- GOLD BUTTON**, white centre, bright rich orange lower petals, tinted with red, dark glossy top petals, bright orange margin. 1s. 6d.
- GRATULATION**, lower petals rose, maroon top, with black spot, shaded with crimson to a pale rose edge, white eye. 5s.
- HAROLD**, deep crimson maroon, lower petals richly painted, black top, narrow wire edge of scarlet, clear white eye; a rich dark variety. 5s.
- HER MAJESTY**, lower petals pale pink, small black spot on top, large clear white eye, good shape and fine. 3s. 6d.
- HEROINE**, a large well-formed flower, lower petals soft rosy pink, medium maroon spot on top, shaded orange rose to the edge, large white centre; free and dwarf habit. 5s.
- JEROME**, crimson painted bottom petals, solid black top, with narrow wire edge of crimson; a rich dark flower, white eye. 5s.
- JOAN OF ARC**, a novel orange pink flower, maroon spots on upper petals, with rays of bright orange, white centre. 2s. 6d.
- LADY OF THE LAKE**, lower petals orange rose, painted with crimson, very dark maroon top petals, with a narrow even crimson edge, white centre, fine substance; a late sort. 2s. 6d.

NEW AND CHOICE SHOW PELARGONIUMS—Continued.

- LLEWELLYN**, rich deep crimson, with black maroon spot, a fine glossy flower. 3s. 6d.
- LORD LYON**, large bold flower, white centre, warm rose lower petals, the upper tinted with orange red and black, rose margin. 1s. 6d.
- LORD NAPIER**, a beautifully formed flower, lower petals rich deep orange rose, dark maroon blotch on top petals, shaded with crimson, narrow rose edge, white centre. 3s. 6d.
- MAID OF ATHENS**, pure white, blotched and feathered with violet crimson. 5s.
- MAID OF HONOR**, light rosy pink, small dark maroon blotch on top petals, shaded off with orange, large white centre; a grand flower of great size. 7s. 6d.
- MAID OF HONOUR**, dark crimson, upper petals edged with salmon, salmon under petals, light centre. 2s. 6d.
- MARION WILKIE**, pale rosy pink, maroon spot on top, with white eye; a fine flower, and will be a standard. 5s.
- MENILEK**, lower petals purplish crimson, dark maroon top, narrow carmine margin, fine form, smooth and constant. 2s. 6d.
- MILTON**, lower petals purplish, with large painted blotch, black top petals, narrow wire edge of rosy purple, large white eye. 1s. 6d.
- MISSIVE**, lower petals white, rich dark carmine spot on the top petals, with margin of white, fine shape. 3s. 6d.
- MONGHINI**, white centre, bright rose lower petals, painted with rich red, dark maroon top, with carmine margin. 1s. 6d.
- MR. RASSAM**, white centre, lower petals deep rosy scarlet, rich maroon top, with shaded carmine margin, very bright and smooth; free bloomer. 2s. 6d.
- MURILLO**, maroon upper petals, surrounded with crimson, and margined with rose, under petals bright rose, pure white centre. 7s. 6d.
- NATHALIE**, clear white centre, rose tinted with carmine lower petals, maroon top, shaded rose margin. 2s. 6d.
- NONPAREIL**, large white centre, rose lower petals, tinted carmine, maroon top, with shaded carmine margin, smooth and constant. 2s. 6d.
- ONWARD**, dark crimson, with stiff shell-like petals, the under ones bluish, and the upper edged with soft pink, white centre. 3s. 6d.
- PERI**, large white centre, mottled rose lower petals, maroon top, narrow edge of pale pink on all the petals; fine. 2s. 6d.
- PLANTAGENET**, light rosy pink, lower petals rich maroon, medium spot, shaded with orange pink to the margin, white centre; a very large flower. 5s.
- PRIME MINISTER**, maroon upper petals, surrounded with crimson, and margined with rose, under petals rose, shaded with crimson, pure white centre. 2s. 6d.
- PRINCE HUMBERT**, white centre, warm rose lower petals, tinted with orange; fine and effective. 2s. 6d.
- PRINCE IMPERIAL**, lower petals bright rose, maroon spots on top petals, rosy margin, white centre. 2s. 6d.
- QUEEN OF BEAUTIES**, rose maroon top petals, rose margin, large white eye. 1s.
- QUEEN OF SCOTS**, lively bright pink, suffused with rich orange, small maroon spots on top petals, shaded with orange, white centre. 2s. 6d.
- REDCAP**, fiery carmine, upper petals blotched with dark crimson, under petals very bright carmine, attractive violet centre. 7s. 6d.
- REGENT**, crimson maroon top petals, narrow carmine edge, very fine quality and shape. 3s. 6d.
- SHYLOCK**, bright rose, upper petals blotched with dark maroon and shaded with vermilion, white centre; a fine flower. 7s. 6d.
- SPLENDENT**, upper petals rich maroon, surrounded with scarlet, and edged with pink, under petals salmon rose, pure white centre; an exceedingly fine, large, and well-formed flower. 10s. 6d.
- TROUBADOUR**, bright rose upper petals, blotched with dark crimson, under petals soft rose, white centre. 3s. 6d.
- TURBAN**, white centre, full clear rose lower petals, dark rose and red top, with large black blotch, shaded towards the margin. 1s. 6d.
- VELUTINA**, purple, small spot on lower petals, top black, shading to a purple edge, white centre, new and smooth. 3s. 6d.
- WILLIAM HOYLE**, a very dark variety, white centre, lower petals maroon, black top petals, with bright narrow carmine edge. 1s. 6d.
- WINNER**, upper petals bright carmine, margined with blush and blotched with crimson, under petals French white. 3s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 12s., 18s., and 24s. per dozen.

NEW AND CHOICE FANCY PELARGONIUMS.

For new varieties, offered for the first time, see page 14.

- ADONIS**, upper petals dark maroon, edged with white, under petals crimson, shaded with violet, edged with white, pure white centre. 3s. 6d.
- AGRIPPA**, white, with large pale lilac spot on top petals, smaller on lower, very free and fine form; distinct and new. 2s. 6d.
- ANGELIC**, *vide* page 14.
- APPLAUSE**, dark crimson, upper petals shaded with violet, marginod with white, under petals white, banded in the centre with deep rosy violet. 5s.
- ASSEMBLY**, *vide* page 14.
- BELLE OF THE SEASON**, ground colour French white, with distinct rosy purple spots on each petal; very free bloomer, form and substance perfect, and good grower. 2s. 6d.
- BERTHA**, rich maroon upper petals, edged with white, lower petals rosy purple, marginod with white, pure white centre. 2s. 6d.
- BEWITCHING**, *vide* page 14.
- BRIGHTNESS**, deep rosy crimson, clear white centre and edges, free and attractive, fine habit. 2s. 6d.
- COMPACT**, *vide* page 14.
- CONFIDENT**, crimson, shaded with violet, pure white centre. 3s. 6d.
- CONTRIBUTOR**, crimson maroon, shaded with violet, pure white centre. 3s. 6d.
- DAYLIGHT**, upper petals deep rose, blotched with carmine, and edged with white, under petals white, spotted with violet rose. 5s.
- DELIGHT**, upper petals lake, edged with white, under petals white, tinted with violet rose; flower of good shape. 5s.
- DUCHESS**, maroon upper petals, edged with white, under petals violet crimson, marginod with white, large pure white centre. 3s. 6d.
- EAST LYNN**, white ground, lower petals heavily marked with crimson purple, top rich crimson, shaded with violet, white eye, and fine shape. 3s. 6d.
- ELIGIBLE**, rosy crimson, upper petals with light blotch, shaded with violet, under petals violet lake, clean white centre, the entire flower edged with white. 5s.
- ENTERPRISE**, dark maroon, all the petals marginod with white, pure white centre, encircled with violet. 3s. 6d.
- EXCELSIOR**, deep rose, with white eye and margin, very smooth and finely formed. 3s. 6d.
- FANNY GAIR**, rosy lake, suffused with purple, clear white centre and edges, fine form and substance. 2s. 6d.
- FASCINATION**, violet rose, edged with white, pure white centre. 2s. 6d.
- FORMOSA**, rosy lake, shaded with lilac, clear white centre and edges; fine form. 2s. 6d.
- HEIRESS**, carmine upper petals, shaded with violet, and marginod with French white, under petals white, with central band of violet crimson. 5s.
- HENRIETTA**, rich crimson maroon, shaded with violet, all the petals encircled with white, pure white centre. 3s. 6d.
- LADY CARRINGTON**, soft pale peach, top petals suffused with pale pink, white centre. 2s. 6d.
- LADY DOROTHY NEVILL**, deep rose upper petals, shaded violet, lower petals violet rose, pure white centre; fine shape. 2s. 6d.
- LEOTARD**, bright cherry rose, with clear white centre and edge; remarkable for its great substance and smoothness. 3s. 6d.
- LIBERTY**, crimson, light throat, dwarf habit; a most profuse bloomer. 2s. 6d.
- LORD OF THE ISLES**, deep rosy purple, white centre and edges, dwarf free habit. 2s. 6d.
- MARMION**, rich crimson top petals, shaded with purple, clear white eye, very narrow edge, and large. 3s. 6d.
- MRS. ALFRED WIGAN**, pink, with clear white centre and edges; very free. 2s. 6d.
- MRS. MENDEL**, white, with delicate spots of rosy lilac; a charming light variety. 2s. 6d.
- NEATNESS**, lower petals crimson purple, crimson top petals, suffused with purple; free and fine. 1s. 6d.
- PINK OF PERFECTION**, pink, of a pleasing new shade, light centre, very free, and of fine habit. 2s. 6d.
- PLEASANT**, *vide* page 14.
- PRINCESS TECK**, white, with carmine spots, very smooth; a profuse bloomer; very attractive. 3s. 6d.
- PURSUIT**, *vide* page 14.
- RESTITUTION**, rich dark maroon, marginod with violet, light centre, encircled with violet. 5s.
- SATIRE**, *vide* page 14.
- SONNET**, *vide* page 14.
- TRIBUNE**, violet peach, pure white centre, and all the petals edged with white. 5s.
- VALENTINE**, *vide* page 14.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 12s., 18s., and 24s. per dozen.

NEW HYBRID PERPETUAL PELARGONIUMS.

This new section is of Bavarian origin, and is recommended for its perpetual free-blooming character and the glowing colours of the flowers. The plants commence blooming in the spring and continue until the autumn.

APOTHEKER SCHRADER, fiery carmine red, veined with light violet and black; a beautiful flower. 2s. 6d.

FREUND EBBE, bright carmine, with dark veins and spots; very rich and attractive. 2s. 6d.

HOFGÄRTNER BRAUN, a beautiful flower of a fiery carmine colour, with intensely dark veins and spots. 2s. 6d.

HOFGÄRTNER HUBER, a fine round flower; the upper petals rosy purple, darkly spotted and veined, the under petals rosy carmine, with light veins. 2s. 6d.

HOFGÄRTNER KELLERMANN, a round close flower; the upper petals of a dark fiery

carmine red colour, with strongly marked dark spots and veins, the under petals light carmine, lightly veined. 2s. 6d.

HOFGÄRTNER OTT, a beautifully-formed flower; upper petals fiery crimson, with dark veins and spots, under petals very bright crimson, with intensely black veins. 2s. 6d.

MADAME GLEVITZKY, a magnificent flower, large and of perfect form; upper petals of a fiery vermilion colour, veined and spotted with purple, under petals light vermilion. 5s.

OBERBÜRGERMEISTER HEIM, rich velvety crimson, very darkly spotted; a splendid flower. 2s. 6d.

NEW AND CHOICE ZONAL PELARGONIUMS.

EXTRACT FROM THE *Gardeners' Weekly Magazine*:—

"Classifying all the good ones (Zonal Pelargoniums) according to their origin, I repeat what I have said three years ago, that Mr. WILLIAM BULL has sent out more good Zonal Pelargoniums than any other cultivator."

For new varieties, offered for the first time, see page 13.

ADELINA, an excellent flower of good shape, of a very light pink edged with bright rose; a novel and fresh colour. 2s. 6d.

ADVANCER, very rich deep self pink, fine large flower, and good truss; a decided improvement in its class. 1s. 6d.

AGRIPPINA, *vide* page 13.

AINEBLE, bright scarlet, fine large truss. 2s. 6d.

ALBION, bright rosy cerise, shaded with peach, and marked with pink in the upper petals; huge truss. 1s. 6d.

ANTAGONIST, a remarkably fine flower of good substance and form, and of the most intense crimson colour; very striking. 2s. 6d.

ANTICIPATION, salmon, edged with white, and light centre; a fine flower. 2s. 6d.

ARDENT, vermilion, thick shell-like petals; a fine-formed flower. 1s. 6d.

ARLEQUIN, a free-flowering variety, giving fine trusses of large well-formed flowers of a bright salmon-colour, striped and splashed with white and rosy lilac; the plant is of a dwarf free habit. 2s. 6d.

BASILISK, cherry colour, shaded with pink, fine flowers, of good shape; a very attractive variety, of quite a novel colour. 2s. 6d.

BELLA ROSA, light pink, with white marking in the upper petals; fine large flower and immense truss. 2s. 6d.

BEWITCHING, rich pink, very bright and showy; one of the best of its class. 1s. 6d.

BOMB, *vide* page 13.

BRIDE, white, slightly margined with pink, bright red centre. 1s. 6d.

BRITON, bright scarlet; flowers very round and extremely large. 1s. 6d.

CECILIA, a very rich bright scarlet flower, of good size and form. 2s. 6d.

CHARMING, a very beautifully marked flower, of perfect form; the outer half of the petals blush, the inner half bright scarlet salmon, with a large and attractive white centre. 2s. 6d.

CHERRY CHEEK, rosy peach; a pretty and distinct colour. 1s. 6d.

CHERUB, salmon, margined with blush, good shape, close compact truss. 1s.

CHICK, a very rich bright scarlet flower, of good size and form. 2s. 6d.

CLIMAX, this is one of the best varieties in its class; the flowers are of excellent substance and very fine form; colour a pure peach, with crimson shading in the upper petals. 2s. 6d.

NEW AND CHOICE ZONAL PELARGONIUMS—Continued.

- COLESHILL**, one of the finest bedding zonals yet offered, colour a beautiful scarlet; a very free bloomer, giving monstrous trusses; an improvement on *Lord Derby*. 1s. 6d.
- CONSTELLATION**, light orange scarlet, with white eye; very attractive. 1s. 6d.
- COQUETTE**, this variety is very distinct, and of a dwarf compact style of growth; the flowers are of a beautiful rose colour, striped with white. 2s. 6d.
- CORONET**, crimson, shaded with violet in the upper petals; fine large flower. 1s. 6d.
- COURTIER**, white, with blush pink centre; fine large trusses. 1s. 6d.
- CYNTHIA**, a splendid flower, of a beautiful soft rosy peach or pink colour; very fine. 2s. 6d.
- DAY DREAM**, *vide* page 13.
- DIRECTOR**, rosy carmine, with a beautiful peach shade. 1s. 6d.
- DON PASQUALE**, *vide* page 13.
- DUKE**, upper petals violet red, under petals rich scarlet, fine shape and huge truss. 1s. 6d.
- DUNBAR**, bright pink, with white marking in the upper petals. 1s. 6d.
- ECSTASY**, salmon, blotched, striped, and flaked with white; an exceedingly attractive and remarkable variety. 2s. 6d.
- ELYSIAN**, a beautiful soft self-coloured flower, rosy pink. 1s. 6d.
- EMBLEM**, very deep self pink, all the petals alike. 1s. 6d.
- ENGINEER**, deep orange scarlet, with white eye; a strikingly effective variety. 1s. 6d.
- ENVOY**, rosy scarlet, marked with violet in the upper petals; a fine flower, of good size and shape. 2s. 6d.
- ERASMUS**, deep salmon, half of the petals blush, light eye; very attractive. 1s. 6d.
- ESCAPE**, centre of the flower bright salmon, petals largely margined with blush white. 1s. 6d.
- EXPEDITION**, rich deep pink, with white marking in the upper petals; fine truss. 1s. 6d.
- FAME**, a beautiful clear salmon-coloured flower, with attractive light centre. 2s. 6d.
- FELICITY**, bright rosy pink, shaded with peach; a fine flower. 1s. 6d.
- FIREFLY**, bright vermilion, flowers of good form, with thick shell-like petals, and fine large trusses. 2s. 6d.
- FLORETTA**, a very effective variety; the outer half of the petals blush colour, and the inner half bright salmon, light eye; distinct and striking. 2s. 6d.
- FORESTER**, violet peach, with pink marking in the upper petal; a very pleasing colour. 2s. 6d.
- GARNET**, an exceedingly pretty flower, of a soft rosy peach colour, with pink marking in the upper petals. 2s. 6d.
- GENERAL**, bright orange scarlet, with white eye; a fine large showy flower. 2s. 6d.
- GONDOLIER**, rose, suffused with pink; a very large fine flower, and good truss. 1s. 6d.
- GRAND MONARCH**, *vide* page 13.
- GRAPHIC**, *vide* page 13.
- GRENADIER**, rich scarlet crimson; a fine flower, and very free bloomer. 2s. 6d.
- HARBINGER**, blush, with salmon centre, good shape. 1s. 6d.
- HARMONY**, a beautiful rich shade of carmine with peach tint; good-shaped flower and fine truss. 2s. 6d.
- HAROLD**, upper petals rose, shaded with violet; under petals rose, margined with vermilion; very fine. 2s. 6d.
- HELEN**, very rich bright pink, with white marking in the upper petals. 1s. 6d.
- HERALD**, a magnificent flower, large and well formed, of a beautiful salmon colour. 3s. 6d.
- HEROINE**, white, slightly tinted with blush in the centre. 2s. 6d.
- HOGARTH**, bright rosy salmon, with white eye, of good form and substance; an exceedingly rich and attractive colour. 2s. 6d.
- HOLDFAST**, bright carmine, with violet marking in the upper petals; a splendid flower. 1s. 6d.
- HOMER**, bright carmine, shaded with scarlet; smooth well-formed flower. 1s. 6d.
- HYPATICA**, light rose pink, with white marking in upper petals; a very fine large flower. 2s. 6d.
- ILLUMINATOR**, deep rich scarlet, attractive white centre; fine large flowers. 1s. 6d.
- ILLUSTRIOUS**, blush white, with bright pink centre. 1s. 6d.
- IMPROVEMENT**, bright peach, a clear and distinct colour; fine flower. 1s. 6d.
- INDEPENDENT**, carmine, shaded with orange; very large fine flower. 1s. 6d.
- INEVITABLE**, bright pink, with blush marking in the upper petals; very free bloomer. 1s. 6d.
- INSTANCE**, rich deep self pink; a very bright and effective flower. 2s. 6d.
- INTERCHANGE**, carmine, with pink marking in the upper petals; a very large fine flower. 1s. 6d.
- JEAN SISLEY**, flowers of fine form and substance, of the richest possible shade of deep scarlet; dwarf compact habit. 1s. 6d.
- JOSEPHINE**, pure white flowers, with very clear bright red centres; the truss is extremely close, large and attractive. 2s. 6d.

NEW AND CHOICE ZONAL PELARGONIUMS—Continued.

- J. RICAUD**, this variety produces immense trusses of dark cerise flowers; a very attractive kind. 2s. 6d.
- JULIETTE**, a compact-growing and free-blooming variety; flowers very pure white and of good form. 1s. 6d.
- KNIGHT TEMPLAR**, intense vermilion; fine large well-formed flower. 1s. 6d.
- LADY OF THE LAKE**, snow white, with pretty clean pink centre; fine truss. 1s. 6d.
- LANDSCAPE**, deep pink, with light marking in the upper petals; an immense trusser; very fine. 1s. 6d.
- LAVINIA**, a remarkably distinct flower, of a pure snowy white, with bright clean pink centre, and of perfect form. 2s. 6d.
- LA VIVANDIÈRE**, *vide* page 13.
- LEONARD**, bright vermilion, with light eye; a fine-shaped flower. 1s. 6d.
- LIBERTY**, clear bright rose, with pink marking in the upper petals; a very fine showy flower. 2s. 6d.
- LITTLE NELL**, blush white, with large and distinct bright pink centre. 2s. 6d.
- L'ESPERANZA**, bright rosy carmine; a fine large well-formed flower. 2s. 6d.
- LORD DERBY**, intense scarlet, of a very bright shade; large and fine form and substance; a magnificent variety. 9d.
- LORENZO**, dazzling vermilion, with white eye. 1s. 6d.
- LUCIUS**, bright rose, very large truss. 1s.
- LUMINOUS**, pure white, with a beautiful rose centre, very attractive. 1s. 6d.
- LURLINE**, white, with pink centre; a very pretty flower. 1s. 6d.
- LUSTRE**, fine rich deep scarlet, of excellent form and thick substance. 1s.
- MADAME JEAN SISLEY**, white, bordered with bright salmon colour; fine flowers, produced in immense trusses. 2s. 6d.
- MADAME MEZARD**, a distinct and attractive variety of good habit, freely producing finely-formed flowers of a beautiful violet colour. 2s. 6d.
- MARGARETTA**, bright salmon, half of the petals blush, with light eye; a pretty flower, 1s. 6d.
- MARINER**, scarlet; a fine large flower. 1s. 6d.
- MARMION**, intense deep crimson scarlet; a remarkably smooth and well-formed flower. 1s. 6d.
- MAY QUEEN**, a distinct variety; half of each petal red and half white. 1s.
- M. DRURY**, deep vermilion, with white centre; a very fine large flower. 1s.
- MELODIOUS**, bright cerise, shaded with salmon, upper petals suffused with scarlet, and marked with pink. 1s. 6d.
- MEMORIAL**, blush, all the petals margined with white, white centre. 1s. 6d.
- MILDRED**, rosy peach; a fresh and pleasing colour. 1s. 6d.
- MINNIE**, white, with pink centre; a fine truss, and free bloomer. 1s. 6d.
- MIRANA**, bright pink, with light marking in the upper petals; fine large truss. 2s. 6d.
- MODESTY**, a pretty blush flower, with distinct rose centre. 2s. 6d.
- MONICA**, light scarlet; good flower of fine shape. 2s. 6d.
- MRS. UPTON**, a fine bedding variety, of very dwarf habit; a most profuse bloomer, producing large trusses of fine bright pink flowers. This is an exceedingly effective variety. 2s. 6d.
- MUSKETEER**, rich deep scarlet; a fine large flower. 1s. 6d.
- NABOB**, bright rose, shaded with peach; an extremely pleasing colour. 2s. 6d.
- NATHALIE**, light pink, with conspicuous marking in the upper petals; a very large fine flower. 2s. 6d.
- NOBLESSE**, a remarkably free-blooming variety, and very distinct and attractive; the outer half of the petals is white, and all the centre of the flower is a most beautiful orange salmon colour. 2s. 6d.
- NORA**, pure white; a fine flower, and very free bloomer. 1s. 6d.
- NOVELTY**, deep bright salmon, fine large truss. 1s. 6d.
- NYMPH**, pure white; a free-flowering variety. 1s. 6d.
- OCTAVIE**, pure white, the base of each petal margined with pink; an extremely pretty flower, of good shape, and produced in large trusses. 2s. 6d.
- OSCAR**, bright vermilion, a dazzling colour; flowers of fine shape and very large, produced in immense trusses. 2s. 6d.
- PATRICIAN**, bright scarlet; a nice round flower. 1s. 6d.
- PEACH BLOSSOM**, bright rose, suffused with pink, fine large round flower, beautiful habit; very attractive. 1s.
- PEACOCK**, *vide* page 13.
- PEARL**, pure white, flowers of good substance. 1s. 6d.
- PEGASUS**, light scarlet, upper petals marked with pink. 1s. 6d.
- PERSEVERANCE**, bright carmine, tinted with scarlet and shaded with rose; exquisite shape. 1s. 6d.

NEW AND CHOICE ZONAL PELARGONIUMS—Continued.

- PHŒBUS**, light scarlet; a very bright-looking flower, with round thick shell-like petals, and of excellent shape. 2s. 6d.
- PIONEER**, rich carmine; a splendid flower. 1s. 6d.
- POETESS**, pure white, with pretty carmine centre; a pleasing variety. 1s. 6d.
- PRECISION**, bright pink, with white marking in the upper petals; an attractive flower; trusses large and fine. 2s. 6d.
- PREMIER**, an exceedingly pretty variety, with nice shaped flowers of a beautiful pink peach colour. 2s. 6d.
- PSYCHE**, salmon, all the petals broadly margined with rose, light centre; finely-formed flower. 1s.
- PURITY**, pure white, an improvement upon *Madame Vaucher*, horseshoe foliage. 1s.
- RECORD**, rose, suffused with pink, and shaded with scarlet. 1s. 6d.
- RED-GAUNTLET**, rich scarlet; a smooth and well-formed flower. 1s. 6d.
- RELIANCE**, blush, with deep salmon centre and white eye; finely-formed flower with thick petals, good truss. 1s.
- RENOWN**, deep rich salmon, with pink marking in the upper petals; a smooth and well-formed flower. 1s. 6d.
- RESPLENDENT**, scarlet, tinted with rose; good flower and fine truss. 1s. 6d.
- RIVAL**, vermilion, fine large flower of good shape, and large truss. 1s.
- ROCO**, bright pink, with white marking in the upper petals; a large flower. 2s. 6d.
- ROMOLA**, *vide* page 13.
- ROSY MORN**, rosy pink, with light marking in the upper petals, good shape. 1s. 6d.
- ROYALTY**, a variety with fine flowers, of excellent form and substance, of a most novel and pleasing shade of violet peach colour. 2s. 6d.
- SABINA**, a very fresh bright pink, with white marking in the upper petals. 2s. 6d.
- SATURN**, scarlet, marked with pink in the upper petals. 1s. 6d.
- SAUCISSON**, bright dazzling scarlet; a large flower and good truss. 2s. 6d.
- SECURITY**, upper petals rose, margined with vermilion, under petals vermilion; white centre. 2s. 6d.
- SERAPH**, a very clear and distinct flower, of a beautiful rosy pink shade. 2s. 6d.
- SERVICEABLE**, rich carmine, shaded with scarlet; a finely-formed flower. 1s. 6d.
- SOCIAL**, beautiful bright pink, with light marking in the upper petals. 1s. 6d.
- SOUVENIR D'ETIENNE**, a fine round flower; white, shaded with pale rose, trusses large; a very pretty variety. 2s. 6d.
- SPANGLE**, blush white, with beautiful clear pink centre. 1s. 6d.
- SPLENDOUR**, rosy carmine, a fine large flower. 2s. 6d.
- SPORTIVE**, pink, with white marking in the upper petals, good truss. 1s. 6d.
- STENTOR**, light orange scarlet, with white eye, fine truss. 1s. 6d.
- STIMULATOR**, rosy peach, with violet marking in the upper petals. 1s. 6d.
- STORM KING**, deep vermilion, an extremely rich colour. 1s. 6d.
- STREAMER**, *vide* page 13.
- STRIKING**, salmon, shaded scarlet, and margined with rose, light eye, good shape. 1s.
- SUCCESSFUL**, deep orange scarlet, with white eye; very showy and attractive. 1s. 6d.
- SUGGESTIVE**, bright rose, with violet in the upper petals. 1s. 6d.
- SULTANA**, bright salmon, with a well-defined broad margin of pure white; flowers of good substance and form. 2s. 6d.
- SUNNYSIDE**, salmon, the half of the petals blush, light eye; a free bloomer, and very distinct and effective. 2s. 6d.
- TALISMAN**, bright carmine, suffused with scarlet, and slightly tinted with violet; a pretty and attractive colour. 1s. 6d.
- THUNDERBOLT**, dazzling scarlet, fine large flower, with very thick wax-like petals. 2s. 6d.
- TOMAHAWK**, bright salmon, broadly margined with white. 1s. 6d.
- TOURBILLION**, *vide* page 13.
- TRANSCENDENT**, deep pink, very fine truss. 1s. 6d.
- TRIBUTE**, orange red, blotched and striped with white. 1s. 6d.
- UNDINE**, flowers fine and of good size, pure white, and produced in good trusses. 1s. 6d.
- UNION JACK**, fine scarlet, good truss. 1s. 6d.
- VALOROUS**, soft flesh colour, with white eye; well-formed flower. 1s. 6d.
- VILLETTE**, *vide* page 13.
- VIOLANTE**, rosy carmine, with pink shade; a very large flower. 2s. 6d.
- VIVACITY**, deep violet rose, of an exquisitely soft shade; flowers round and well formed. This is quite a novel colour. 2s. 6d.
- VIVIAN**, rosy peach, shaded with pink; a pretty colour; flowers large and fine, and borne in immense trusses. 2s. 6d.
- VULCAN**, deep rich scarlet; a showy flower of fine shape, with unusually thick wax-like petals. 2s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 9s. and

12s. per dozen.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion, and in immense trusses, and hence produce great effect.

For new varieties, offered for the first time, see pages 13 and 14.

- ACQUISITION**, deep orange scarlet, fine flower, and free bloomer. 1s. 6d.
AMBASSADOR, glowing vermilion, individual flowers very large and fine, trusses immense; a strikingly handsome variety. 2s. 6d.
AMPLE, rose, suffused with violet, a pleasing colour. 1s. 6d.
ANNA PFITZER, fine flowers and immense trusses, colour a dazzling scarlet; a most effective variety, and exceedingly free flowering. 2s. 6d.
ARTIST, brilliant carmine, large compact truss; a free bloomer. 2s. 6d.
ASCENDANT, rich vermilion; an extremely brilliant variety. 1s. 6d.
ASTEROID, *vide* page 13.
ATLAS, soft bright rose, dwarf habit, compact grower. 1s. 6d.
AUTOCRAT, magnificent trusses of fine large flowers, of an exceedingly rich dark violet crimson colour; a most effective variety. 2s. 6d.
BRIGAND, dark crimson, shaded with vermilion; fine truss. 1s. 6d.
CARDINAL, rose, shaded with carmine, and marked with pink in the upper petals, good truss; very free bloomer. 2s. 6d.
CAVALIER, orange vermilion, good flower and large truss; a dazzling and attractive colour. 2s. 6d.
CHARLEY CASBON, a variety of dwarf spreading growth, freely producing in immense trusses flowers with broad petals, of an exceedingly rich scarlet colour. 1s. 6d.
CHIEFTAIN, a fine large flower, of a dazzling orange vermilion colour, the upper petals tinted with violet; robust and compact habit; trusses immense. 2s. 6d.
CLAUDIUS, a magnificent variety, with immense trusses of well-made flowers of a lively cerise colour, the edges of the petals shaded with scarlet; of free compact habit. 2s. 6d.
CONCORD, rosy cerise, shaded with scarlet, huge truss. 1s. 6d.
CONFIDENCE, upper petals rich crimson, under petals rosy violet. 1s. 6d.
CONQUEROR, rose, shaded with violet. 1s. 6d.
COUNTESS OF ROSSLYN, bright violet pink, with a glowing carmine shade, flowers smooth and of great substance. 1s.
CRACKER, *vide* page 13.
DAUNTLESS, vermilion, fine compact truss. 1s. 6d.
DAYBREAK, bright carmine, suffused with violet. 1s. 6d.
DEVICE, *vide* page 13.
DICTATOR, a magnificent flower, large and fine; colour a deep violet magenta, shaded with crimson. 2s. 6d.
DR. MURET, fine large flowers of a bright orange colour; trusses immense. 1s.
ECLAT, large and finely-formed flowers, of a rich shade of magenta, suffused with purple; immense trusses and beautiful compact habit. 1s.
EFFULGENCE, salmon, marked with pink in the upper petals. 1s. 6d.
EMERALD, cerise, with pink marking in the upper petals; fine large flower. 1s. 6d.
EMMELINE, a delicate and beautiful shade of blush pink, pips stout and smooth, immense truss, excellent habit. 1s.
ENVOY, intense crimson, fine truss. 1s. 6d.
EUSTACE, a very light orange colour; a distinct and bright-looking flower. 2s. 6d.
FESTOON, rose, with a light blotch in the upper petals; very attractive. 2s. 6d.
FIGARO, truss fine and large; flowers of a dazzling orange scarlet colour; a showy and attractive variety. 2s. 6d.
GALLANT, orange carmine, shaded with scarlet, and marked with violet in the upper petals; a fine and effective variety. 2s. 6d.
GAZELLE, salmon rose, shaded with pink. 1s. 6d.
GERB, crimson, shaded with scarlet; a very fine large flower. 2s. 6d.
GIRANDOLE, *vide* page 13.
GODFREY, rosy scarlet, very large flower, immense trusses; extremely fine. 1s.
GORGEOUS, crimson, shaded with violet, very fine truss. 1s. 6d.
GRAND DUKE, deep orange scarlet, fine large stout trusses, good compact habit. 1s.

NEW AND CHOICE NOSEGAY PELARGONIUMS—Continued.

- GUARDSMAN**, this variety produces large and well-formed globular trusses, of fine bright and dazzling vermilion coloured flowers, and is very showy and effective. 2s. 6d.
- IMPERATOR**, bright orange scarlet; trusses immense, a splendid flower. 2s. 6d.
- IMPERIALIST**, cherry colour, shaded with peach, and marked with pink in the upper petals. 1s. 6d.
- INDICATOR**, orange scarlet, very bright; a showy variety. 1s. 6d.
- INQUISITOR**, crimson, shaded with violet; an extremely rich colour. 1s. 6d.
- INTERCESSOR**, dark vermilion, very rich and attractive. 1s. 6d.
- KNIGHT OF THE GARTER**, deep orange scarlet, with pink marking in the upper petals; fine large flower. 1s. 6d.
- LULU**, bright rosy pink; an immenso truss, very close and compact. 2s. 6d.
- MADAME DURENNE**, an exceedingly free-blooming variety, producing immenso trusses of fine rosy pink flowers; it is of the same style as *Mademoiselle Nilsson*, but more floriferous. 3s. 6d.
- MADAME ROEMPLER**, a free-blooming variety, of compact habit, giving immense trusses of flowers of a carmine rose colour, with light marking in the upper petals. 1s. 6d.
- MADMOISELLE NILSSON**, a very prolific bloomer, fine rosy pink, eighty to ninety flowers in a truss; fine bedder. 1s.
- MEMNON**, bright rosy carmine, shaded with violet in the upper petals; flowers large and of good substance; trusses enormous; a splendid variety. 2s. 6d.
- MENTOR**, very bright rosy pink; a distinct colour. 2s. 6d.
- MIRA**, light pinky peach, shaded with vermilion towards the centre; a good flower and very attractive. 2s. 6d.
- MONARCH**, rich crimson, shaded with violet; a remarkably attractive colour. 2s. 6d.
- MOONBEAM**, clear peach, quite a novel and distinct colour. 1s. 6d.
- MURILLO**, a large and well-formed flower of a beautiful rosy carmine colour; a useful free-blooming variety. 2s. 6d.
- NAVARINO**, deep magenta rose; a fine flower, of an exceedingly rich shade of colour. 2s. 6d.
- NEPTUNE**, rosy scarlet, shaded with peach, a fine large truss. 1s. 6d.
- NORAH**, *vide* page 14.
- ORACLE**, deep rose, tinted with violet; a soft and pleasing colour. 2s. 6d.
- PERA**, rich bright crimson, with violet marking in the upper petals. 2s. 6d.
- PERCY**, deep scarlet; flowers standing well above the foliage, remarkably close grower, good truss; a very fine variety. 1s. 6d.
- PLEASANT**, peach pink, a lovely colour; trusses large; a beautiful variety. 2s. 6d.
- PRESIDENT**, a fine large flower, of a rich and bright crimson colour; an effective variety. 2s. 6d.
- PRIMATE**, violet crimson, very distinct and showy; fine flowers and immense bold trusses. 2s. 6d.
- PRIVATEER**, deep violet pink, marked with orange scarlet in the upper petals. 1s. 6d.
- PROFUSION**, orange carmine, the orange colour predominating throughout, truss very fine and erect, large flowers, good habit; very showy and effective. 1s. 6d.
- REFULGENT**, this variety is of compact growth, and produces large trusses of fine flowers; colour a deep rich scarlet, very showy. 2s. 6d.
- RESOLUTION**, cerise, upper petals shaded with scarlet. 1s. 6d.
- ROSE STELLA**, rosy pink, shaded with violet, large truss; dwarf free-branching habit. 1s. 6d.
- SALVO**, *vide* page 14.
- SENATOR**, fine large trusses of bright scarlet flowers, finely formed, and of good substance. 2s. 6d.
- SOLEIL**, immense truss, brilliant orange scarlet; one of the largest and most beautiful nosegays yet offered; of fine habit and very free flowering. 2s. 6d.
- SONNET**, peach, shaded with rose; truss of large size and very compact. 1s. 6d.
- SUNRISE**, clear bright orange; good habit, very effective. 1s. 6d.
- TACTITIAN**, crimson scarlet; large flower; an effective variety. 1s. 6d.
- TORCHLIGHT**, carmine, upper petals suffused with scarlet, under petals bright violet rose. 1s. 6d.
- TRADITION**, rich crimson, the top petals deep scarlet. 1s.
- TRANSLATOR**, bright scarlet; large flower, fine and good. 1s. 6d.
- TRANSPARENT**, crimson, strikingly shaded with violet; immense truss. 1s. 6d.
- TROPHY**, clear violet pink, fine flower; very showy and attractive. 1s. 6d.
- WARRIOR**, orange cerise, with pink marking in the upper petals; fine huge truss. 1s. 6d.

*Selections of other good varieties can be made from Mr. W.B.'s general collection,
at 12s. and 18s. per dozen.*

NEW AND CHOICE IVY-LEAVED PELARGONIUMS.

"PELARGONIUM LATERIPES."

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that they have pretty flowers, and the different varieties present a contrast and charm attained by few other plants.

For new varieties, offered for the first time, vide pages 9 and 10.

ALBUM GRANDIFLORUM, this variety is of Continental origin, and is spoken of by the raiser as of very superior merit; flowers very large, white, veined with rose; good form. 1s.

ANGELO, a remarkably free and attractive variety, with fine flowers of a rich mauve colour. 2s. 6d.

ANNETTE, bluish, upper petals cleanly blotched with rose and barred with crimson. 2s. 6d.

BLUSHING BEAUTY, bluish, upper petals striped with dark crimson, and prettily blotched with violet crimson. 1s. 6d.

BUTTERFLY, bright rose, striped with crimson in the upper petals, and blotched with rosy violet. 2s. 6d.

CAPTIVE, rose, marked with pink in the upper petals, and feathered and blotched with carmine. 2s. 6d.

CASSIDY, vide page 9.

CONSTANCE, mauve, striped with crimson in the upper petals; a very distinct and pretty variety. 2s. 6d.

DIADEM, flesh, with four purple stripes in the upper petals. 1s. 6d.

DUCHESS, violet pink, feathered with bright red on the upper petals. 1s. 6d.

DUKE OF EDINBURGH. This Ivy-leaved variety partakes of the character and has a similar appearance to the old Mangles' variegated. For edging flower beds, or trailing on trellises, pillars, or rustic baskets, or for suspending in wire-work, it is very useful. 9d.

ELEGANS, a very elegant variety with mauve coloured flowers. 9d.

ELIGIBLE, mauve, upper petals feathered and spotted with bright red, and shaded with violet. 1s. 6d.

ENSIGN, pink, feathered with bright red. 2s. 6d.

FASCINATION, vide page 9.

FELICITY, bluish, barred and feathered in the upper lobes with crimson. 2s. 6d.

FLORENCE, vide page 10.

GRAND DUCHESS MARIA, light violet pink, the upper petals feathered and striped with dark crimson. 1s. 6d.

HEROINE, bluish white, upper petals striped with dark crimson, and very prettily and distinctly spotted with bright red. 1s. 6d.

INNOCENCE, pure white, with two stripes of dark maroon on each of the two upper petals. 1s. 6d.

LADY EDITH, crimson flowers, tinged with purple; fine leaf, a great novelty, and for edging incomparable. 2s. 6d.

LAVINIA, soft lavender, upper petals feathered with violet, the under petals lavender, the central portion white. 2s. 6d.

L'ÉLÉGANTE, a very effective and most desirable novelty; foliage brilliant green, with broad bands of creamy white, and producing a dense mass of pure white blossoms, making it very attractive and beautiful. 9d.

LIVELY, pink, feathered in the upper petals with bright red. 2s. 6d.

LURLINE, vide page 10.

MANUAL, soft rose, feathered with crimson in the upper petals. 2s. 6d.

MINSTREL, lavender, the centre portion of the under petals white, upper petals feathered with red, and spotted with violet. 1s. 6d.

NATIONAL, French white, upper petals feathered and lightly spotted with violet. 1s. 6d.

NEATNESS, white, the upper petals largely and attractively feathered with violet rose. 2s. 6d.

NOVELTY, mauve, shaded with pink, the upper petals striped with bright crimson. 2s. 6d.

PERCY, vide page 10.

PRIMATE, beautiful rosy pink, the flowers prettily striped with crimson in the upper petals. 2s. 6d.

PRINCESS ALEXANDRA, light pink, the upper petals feathered with violet crimson, good shape. 1s.

NEW AND CHOICE IVY-LEAVED PELARGONIUMS—Continued.

- PRINCESS THYRA**, flesh, shading to a white centre, with four radiating crimson stripes in the upper petals; very large flowers. 1s. 6d.
- PROFUSION**, soft pink, the upper petals striped with crimson, and attractively blotched with violet. 1s. 6d.
- ROMANCE**, a fine large flower, with broad petals of a beautiful mauve colour, with white centre. 2s. 6d.
- SILVER GEM**. This Ivy-leaved Pelargonium is a variety with extremely pretty variegated foliage, close compact habit, elegant alike for bedding or pot culture; the leaves are bright green, margined with pure white, and slightly zoned with pink, flowers lilac rose, blotched in the upper petals with purplish crimson. 1s.
- SOUVENIR**, light rose, upper petals feathered with crimson, and shaded with violet. 1s. 6d.
- TESTIMONIAL**, white, suffused with light violet rose, the upper petals feathered with violet maroon; good shape. 1s. 6d.
- TREASURE**, pure white, striped with maroon in the upper petals. 2s. 6d.
- TROPHY**, *vide* page 10.
- WILLSII**, a new hybrid of vigorous habit, and very compact growth, combining the fine thick leaves of the Ivy-leaved section with the flowers of the Zonal; the blossoms of this variety are of a good size and form, of a most beautiful deep violet rose, and freely produced in large trusses. 1s. 6d. and 2s. 6d.
- WILLSII ROSEA**. This variety is of similar growth and habit to the preceding, but the flowers, which are very large, are of a delicate rosy pink colour. 1s. 6d. and 2s. 6d.

NEW BEDDING PELARGONIUMS (UNIQUE).

- UNIQUE AURORA**, bright glowing crimson, the upper petals darkly spotted, also blotched with white and feathered with maroon. An improvement both in habit and flower on the parent variety; a decided acquisition among bedding plants. 1s. 6d.
- UNIQUE DIADEM**, rich violet crimson, the upper petals darkly blotched and feathered, and the latter intersected with violet rose; flowers very large and fine, exceedingly effective. 1s. 6d.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

For new varieties, offered for the first time, see page 10.

- ABUNDANCE**, bright orange scarlet; a remarkably dazzling colour; fine large flowers, produced freely in immense trusses; a splendid variety. 5s.
- AMAZON**, a fine full double flower of an exceedingly bright scarlet colour; very showy and attractive; trusses immense; habit free and compact. 5s.
- ANTAGONIST**, a splendid flower, very double and of good shape; colour rich crimson, very showy and effective; trusses immense. 5s.
- ASCENDANCY**, fine large flowers of a beautiful light rose colour, very full and double; trusses immense; a very good shrubby-growing variety, with horseshoe foliage. 2s. 6d.
- ASTEROID**, *vide* page 10.
- BASILISK**, very rich bright pink; a large, full, well-formed flower, borne in enormous trusses; of free good habit and compact growth. 5s.
- BEAUTÉ POITEVINE**, fine large flowers, very full and well formed, colour a dazzling orange vermillion; dwarf and compact habit, and extremely floriferous. 2s. 6d.
- BOUQUET**, *vide* page 10.
- BRILLIANT**, *vide* page 10.
- BUTTON**, *vide* page 10.
- CAMELLIÆFLORUM**, a vigorous and compact-growing variety, producing immense trusses of blossoms of the richest rose colour, which retain their brilliant deep tint throughout the season. 2s. 6d.
- CARDINAL**, a very large flower, of a pretty and attractive shade of soft rosy carmine colour; trusses very large; habit dwarf and compact. 5s.
- CAVALIER**, very deep bright pink; the plant is of good compact habit, and produces, in abundance, enormous trusses of fine well-formed flowers. 5s.
- CHANCELLOR**, a vigorous-habited variety, producing fine trusses of bright carmine flowers. 2s. 6d.
- COMET**, *vide* page 10.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—Continued.

- COMMANDER**, an extremely attractive variety, producing immense trusses of large, fine, full flowers of a bright rosy carmine colour; a novel and pleasing colour among the double-flowered varieties. 5s.
- CONQUEROR**, a magnificent variety, giving fine, large, and full rich vermilion flowers, with conspicuous white eye; a very handsome and attractive variety. 1s. 6d.
- CONSEILLER RAGON**, trusses enormous and of a globular form; flowers fine and large, of a rich orange red colour; a very effective variety. 3s. 6d.
- CONSUL**, flowers very full and double, of a bright carmine colour; the trusses are immense, and produced in the greatest profusion; it is a most effective variety. 2s. 6d.
- CROWN PRINCE**, a fine variety of great merit, the flowers having a greater depth of that beautiful hue of peach peculiar to *Marie Lemoine*; good bushy habit of growth, and free blooming. 3s. 6d.
- DAUNTLESS**, a variety of close neat growth, and very free; the trusses are large and of good form; the individual flowers very full and double, of an exceedingly clear and bright rosy carmine colour; very attractive. 5s.
- DELIGHT**, flowers bright rosy carmine; an exceedingly free-flowering variety. It is of dwarf growth, and very free flowering, throwing its huge trusses well above the foliage. 3s. 6d.
- DRAGON**, *vide* page 10.
- EMULATION**, a magnificent variety; the flowers are of an intense rich dark crimson, with a light centre; the habit is compact and shrubby, the trusses large and globular. 2s. 6d.
- ENDYMION**, very large flowers, full and of fine form; colour an exceedingly pretty bright pink; this is a most attractive variety, of good habit and very free flowering. 5s.
- FLORIBUNDUM**, an exceedingly free-flowering variety, of vigorous habit and compact growth; flowers large and fine, of a rich dark red colour, and freely produced in immense trusses. 5s.
- GLADIATOR**, a magnificent variety, with very rich deep scarlet crimson flowers, which are full and double; trusses enormous; growth neat and compact. 5s.
- GLOIRE DES DOUBLES**, a free-flowering variety, of compact and vigorous growth; the flowers are very double, and of a remarkably bright cerise colour, with distinct white centres. 2s. 6d.
- GRENADIER**, an exceedingly fine, full, and well-formed flower of a bright vermilion colour; trusses fine and large, and freely produced; it is a most showy and attractive variety. 5s.
- HEROINE**, *vide* page 10.
- IANTHE**, *vide* page 10.
- IMPERATOR**, *vide* page 10.
- JEANNE DE SAINT-MAUR**, bright dazzling vermilion, fine large flowers; a distinct and exceedingly attractive variety. 2s. 6d.
- KING OF DOUBLES**, colour bright cerise; flowers very large, and fine truss; an excellent variety, very free blooming and of good habit. 2s. 6d.
- L. THIBAUT**, a variety producing enormous trusses of very double rich and bright cerise flowers striped with white; a striking and effective variety. 3s. 6d.
- LE DUC DE SUEZ**, flowers of excellent shape, almost imbricated, very double, scarlet crimson, one of the darkest of the double varieties; trusses of large size. 2s. 6d.
- LE NAIN**, a pretty flower of a beautiful rose colour; habit dwarf and compact. 2s. 6d.
- LE VÉSUVÉ**, fine large extremely brilliant scarlet flowers, very full and double, habit dwarf and compact; well adapted either for beds or in pots for conservatory decoration. 1s.
- MADAME BONDET**, very large double flowers of perfect form, of a beautiful satiny rose colour; of dwarf habit, and very floriferous. 2s. 6d.
- MADAME BOULANGÉ**, a beautiful variety, giving enormous trusses of fine full flowers of a showy red colour, shaded with rose. 3s. 6d.
- MADAME DEBRAY**, individual flowers of immense size, and of a bright dazzling red colour, trusses enormous; habit vigorous and compact, and very free flowering. 3s. 6d.
- MADAME MICHEL BUCHNER**, flowers very double and of good shape, produced in immense trusses; the colour is a rich shade of bright rosy salmon. 2s. 6d.
- MADAME RACOUCHOT**, a free-flowering variety, producing enormous trusses of large flowers of a remarkably fresh light rose colour. 3s. 6d.
- MADAME RUDOLF ABEL**, of dwarf and compact habit, and very free flowering; the flowers are well formed, and of a very bright rose colour. 3s. 6d.
- MARIE CROUSSE**, a free-flowering variety, and of dwarf habit; the flowers, which are of a beautiful bright rose colour, spotted with white, are large and full. 2s. 6d.
- MARVEL**, fine large bright scarlet flowers, very showy and attractive. 1s. 6d.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—Continued.

- MARY ELIZABETH**, flowers double, of perfect form, and of a very pleasing soft rose colour, produced in enormous trusses. This variety is of a more delicate colour than *Madame Lemoine*, and has a light centre. 1s. 6d.
- MEMNON**, immense trusses of large and full beautifully formed rosette-like flowers, of a bright and attractive rosy scarlet colour; it is of good compact habit, and very free flowering. 3s. 6d.
- MERVEILLE DE LORRAINE**, a dwarf-growing variety, producing abundantly immense trusses of fine double flowers of a beautiful China Rose colour, shaded with carmine. 3s. 6d.
- M. C. GLIJM**, a very dwarf compact-growing kind, producing profusely immense trusses of well-formed flowers, of a bright orange scarlet colour; a most attractive and useful variety. 5s.
- M. DE ST. JEAN**, a magnificent variety, with foliage slightly zoned; trusses large, flowers full and double, of a beautiful rosy carmine colour, shaded with salmon. 3s. 6d.
- M. DE ST. PAUL**, flowers large and well formed, colour a bright vermilion carmine, with a pure white centre; a free-flowering and very attractive variety. 2s. 6d.
- M. HUGH LOW**, a dwarf-growing variety, of robust habit, and very free flowering. The flowers, which are produced in large globular trusses, are of good form, very full and double, and of a rich reddish amaranth, shaded with rosy violet towards the centre. 5s.
- MURILLO**, *vide* page 10.
- MUSKETEER**, bright carmine scarlet, a very rich and attractive flower, very double, and of fine form; the trusses are round and of immense size; a useful and effective variety. 5s.
- NATIONAL**. This variety produces large trusses of finely-formed double flowers, colour bright carmine. 1s. 6d.
- NAVARINO**, an exceedingly dwarf-growing and free-flowering variety, producing enormous trusses of beautiful rosy carmine flowers. 2s. 6d.
- OCTAVIE**, a peculiarly striking and attractive variety, the large double orange scarlet flowers being occasionally flaked with white; the trusses are fine and large. 1s. 6d.
- OSCAR**. This variety produces fine large globular trusses of large full rich deep pink flowers; it is of good habit and very free. 5s.
- PIONEER**, a robust-growing variety, giving fine bright scarlet flowers, very rich and attractive; trusses immense. 2s. 6d.
- PLACIDA**, *vide* page 10.
- RED CAP**, *vide* page 10.
- REFULGENT**, a magnificent variety, giving immense trusses of large well-formed flowers of a deep crimson colour; very rich and distinct. 5s.
- REVIEW**, fine scarlet flowers, with white eye; an attractive variety. 1s.
- ROSETTA**, beautiful soft rose, flowers extremely large, very full and double, trusses immense; a free-blooming variety. 1s.
- ROSEUM PLENUM**, flowers fine and double, of a lovely bright rose colour, some of the petals being blotched with white; habit dwarf and compact. 3s. 6d.
- ROVER**, this variety is of free habit, producing immense trusses of fine large flowers, which are of a novel and peculiar reddish pink colour; very distinct and attractive. 5s.
- SAPEUR POMPIER**, flowers of the largest size, very double, well shaped, colour orange scarlet, trusses of an enormous size; foliage with well-defined zone. 2s. 6d.
- SENATOR**, very bright pink; an exceedingly large, full, and good-shaped flower; the trusses are round and of immense size; it is a most useful and pretty variety. 5s.
- SIGNET**, flowers very large, and of great substance, rosy scarlet; a most desirable variety; one of the best of the double-flowered section. 1s. 6d.
- SONNET**, rosy pink; a very pleasing colour. 2s. 6d.
- SPARKHILL BEAUTY**, one of the most beautiful varieties ever sent out; the flowers are large and very double, of a deep rose colour, and the petals are very smooth and well arranged; the trusses of globular form and immense size. 2s. 6d.
- SPLENDOUR**. This variety is of good compact growth, with leaves conspicuously marked with a dark brown zone; the individual flowers are of immense size and very double, of a dazzling vermilion; very showy and attractive. 2s. 6d.
- SUNSHINE**, rosy carmine, flowers of good form, and very full and double; trusses of immense size, and very freely produced; habit compact and vigorous. 2s. 6d.
- TERRE PROMISE**, trusses immense, flowers exceedingly full and double, well formed, and of a bright satiny red colour; of dwarf compact bushy growth, and very free flowering. 3s. 6d.
- TITIAN**, fine full double flowers of a very rich bright pink colour; trusses immense; habit dwarf and compact; an elegant and attractive variety. 5s.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—Continued.

- TOM-POUCE CERISE**, a magnificent variety, producing enormous trusses of fine cerise flowers ; it is well adapted for bedding, being of a dwarf style of growth. 3s. 6d.
- TOM-POUCE ROSE**, a dwarf and compact-growing plant, good for bedding, and extremely attractive for conservatory decoration, being very free flowering ; the flowers are full and double, of a beautiful China Rose colour. 3s. 6d.
- TREATY**, fine flowers, very full and double, of a rich scarlet colour, with rose shade ; very free blooming ; a pleasing variety. 3s. 6d.
- TRIBUTE**, scarlet ; a useful and effective variety, and free flowering. 2s. 6d.
- TROJAN**, an exceedingly useful and effective variety, producing in abundance enormous globular trusses of fine large flowers, of a very rich deep carmine scarlet colour. 5s.
- TROUBADOUR**, light scarlet flowers, with very broad petals ; a free-flowering variety. 1s. 6d.
- VANGUARD**, fine full and double flowers, of a rich carmine colour, very showy and attractive ; the trusses are of good form, and very large ; the habit of the plant dwarf and compact. 5s.
- VICTOIRE DE LYON**, a very distinct variety, producing in great abundance moderate-sized trusses of very double and well-formed flowers of a very rich and bright crimson colour, with a pretty shade of violet. 2s. 6d.
- VICTOR**, a remarkably effective variety, the flowers being of a bright orange scarlet colour, striped and flaked with white. A showy and conspicuous variety. 1s. 6d.
- VICTOR** (Smith), bright orange scarlet flowers, large and very double, the foliage slightly zoned ; habit robust and compact. 1s.
- VICTOR LEMOINE**. This variety produces magnificent flowers of immense size and good full form, of an exceedingly bright scarlet colour, and borne on fine large round trusses ; the foliage is neat and compact, and the habit of growth dwarf and bushy. 3s. 6d.
- VISITOR**, rosy carmine, shaded with scarlet ; a free-flowering and attractive variety. 2s. 6d.
- VIVIAN**, good habit, and vigorous growth ; flowers full and fine, of a rich rosy scarlet colour. 1s.
- WILHELM PFITZER**, an extremely attractive and dazzling variety, producing immense trusses of large double flowers, of an exceedingly rich dark carmine crimson colour. 1s.
- ZELINDA**, trusses immense, flowers very large, full, and double, colour a bright dazzling scarlet. 1s. 6d.
- | | | | |
|------------------------------------|-----|-------------------------------------|-----|
| ALBINA | 9d. | ANDREW HENDERSON | 9d. |
| AUGUSTE FERRIERE | 9d. | CAPITAINE L'HERMITE | 9d. |
| COTTINGTON | 9d. | EMILE LEMOINE | 9d. |
| GLOIRE DE NANCY | 9d. | IMPÉRATRICE EUGÉNIE | 9d. |
| LATONA | 9d. | MADAME LEMOINE | 9d. |
| MADAME ROSE CHARMEUX | 9d. | MARIE LEMOINE | 9d. |
| MONS. E. G. HENDERSON | 9d. | RANUNCULIFLORA PLENISSIMA | 9d. |
| SURPASSE GLOIRE DE NANCY | 9d. | TRIOMPHE DE LORRAINE | 9d. |
| TRIOMPHE DE THUMESNIL | 9d. | TRIUMPH | 9d. |

NEW AND CHOICE VARIEGATED PELARGONIUMS.

For new varieties, offered for the first time, see page 11.

- ACHIEVEMENT**. This very bright and rich variety is most refined in its marking, smooth, and in every respect a superior kind, and is generally considered one of the most beautiful of the Golden Tricolors. 7s. 6d.
- ACME**, a great improvement on *Mrs. Pollock* ; the leaf margin bright lemon yellow, with a red zone, darkly banded, which strikingly contrasts with the green leaf discs. 7s. 6d.
- ANNIE PAGET**, a neat and elegant variety, of medium miniature growth, the rich dark zone finely belted with bright flamed red upon a rich golden outer leaf margin. 5s.
- ARABELLA**, a fine variety ; small leaf, centre light green, narrow band of light crimson brown, broad bright yellow margin. 5s.
- BEACON**, *vide* page 11.
- BEATRICE**, a very distinct and effectively marked variety, with flat smooth even leaves ; the centre of a bright green, surrounded with a fine richly coloured zone of dark bronze, interspersed with bright reddish crimson. It is of vigorous and branching habit, and the flowers are of a deep scarlet ; very showy and attractive. 10s. 6d.

NEW AND CHOICE VARIEGATED PELARGONIUMS—Continued.

- BEAUTIFUL STAR**, a distinct and effective variety ; leaves of even substance and outline ; well-defined zone, rich flamed red, and of great breadth, upon a bright lemon yellow leaf margin ; growth vigorous, with bright scarlet flower truss. 3s. 6d.
- BEAUTY OF GUESTWICK**, broad creamy white leaf belt, rose zone, free growth. 1s.
- BRIGHT EYES**, a fine picturesque variety of dwarf growth, with well-defined leaves, good substance and outline, and vandyked zone of rich flamed crimson, with pure golden yellow outer leaf margin. 3s. 6d.
- BUTTERFLY**, *vide* page 11.
- CHARMING BRIDE**, habit robust and free, leaves large, with rich hrouze zone, barred with bright rose carmine ; flowers brilliant scarlet, fine truss ; a splendid variety. 2s. 6d.
- CHERUB**, silvery margined leaf, with bright carmine zone, darkly banded ; an extremely pretty variety, flowers rosy scarlet. 2s. 6d.
- COL. SCOTT**, a very attractive tricolor variety ; the centre of the leaves is bright green, surrounded with a dark maroon band, which is interspersed with bright crimson ; the flowers are of a deep bright scarlet colour. 1s.
- COUNTESS OF ASHBURNHAM**, a very beautiful variety of vigorous-branched habit, with finely expanded leaf of great substance and even circular outline. Its brilliant carmine scarlet zone is outwardly margined with a pure golden border. 3s. 6d.
- COUNTESS OF CRAVEN**, this is a vigorous-growing variety, of compact habit ; the leaf is flat and circular, with deep green centre, surrounded with a rich crimson and bronzo zone, and an even and well-defined golden yellow margin. 1s. 6d.
- COURTMANTLE**, a pretty variety, with bright cinnamon red leaf zone, bordered outwardly with light gold coloured margin ; growth dwarf and compact, flowers scarlet. 5s.
- DAYBREAK**, a very fine variety of good compact habit, with bright green leaves, which are broadly and distinctly margined with creamy white ; the flowers, which are of a bright rosy carmine colour, are of good form, and produced abundantly ; it is exceedingly effective and useful for bedding. 1s. 6d. and 2s. 6d.
- DIADEM**, white margined leaves, flowers bright carmine. 1s. 6d.
- EASTERN PRINCE**, an effective variety, with well-defined rich carmine crimson zone, and golden yellow outer leaf margin. Leaves of good outline and substance ; habit vigorous and compact ; flowers scarlet. 7s. 6d.
- EDWINIA FITZPATRICK**, freely branched habit, large foliage, rich golden margin, zones of rich bronzed flamed red. 2s. 6d.
- ELECTRICITY**, leaf zone richly splashed with bright flame or crimson, and outwardly margined by a pure limstone yellow border ; growth dwarf and compact. 5s.
- ERNEST**, a beautiful variety with vandyke foliage ; the centre deep green, surrounded with a well-defined belt, almost black, and relieved with bars of rich crimson maroon ; it is of excellent habit, and is exceedingly attractive ; the flowers are freely produced, of a rosy scarlet colour. 10s. 6d.
- FAIR EMILY**, a dwarf and compact variety, with leaves of great substance ; rich golden margin ; zone brilliantly belted with flamed red. 3s. 6d.
- FAIRY SPELL**, a dwarf variety with well-expanded leaves of circular outline, bronze zone, finely barred and belted with carmine scarlet. 3s. 6d.
- FIREFLY**, a very showy and distinct bedder, with large leaves and bright zone. 3s. 6d.
- FLAMBEAU**, a fine variety, with very beautiful colouring, and of exceedingly free habit ; the leaves are round, flat, and of perfect form, and the zone is remarkably bright ; it is one of the most useful and effective of the tricolor section. 3s. 6d.
- FLORENCE**, broad distinct zone, fringed with dark crimson and maroon ; the leaf is large, and has a well-defined green centre, which is shown off to great advantage by the rich and deep glowing colour surrounding it. 3s. 6d.
- FLOSS**, a distinct variety, with small nosegay-like habit, and pointed lobed flame-belted zone, upon a light golden leaf margin ; growth free and compact. 3s. 6d.
- FLYING CLOUD**, rosy carmine zone, belted with a pure creamy white leaf margin ; growth dwarf and compact ; very effective. 3s. 6d.
- GERTRUDE**, light green, bordered with a broad margin of creamy white ; rosy carmine flowers ; a pretty variety. 3s. 6d.
- GLEN EYRE BEAUTY**, a beautiful variety, with distinct dark zone edged with rose, and clear white edge. 2s. 6d.
- GLEN ROSA**, a well-defined variety, with distinct rich flame coloured zone, outwardly belted by a broad gold coloured leaf margin. 5s.

NEW AND CHOICE VARIEGATED PELARGONIUMS—Continued.

- GLISTENING SEA**, a variety with a broad golden yellow leaf margin, and well-defined narrow bright carmine zone; leaf of good substance and outline; habit dwarf and compact. 7s. 6d.
- GLISTENING STAR**, bright orange zone; habit dwarf and compact. 3s. 6d.
- HAPPY THOUGHTS**, distinguished by its bright cinnamon red zone, richly shaded and barred with rosy carmine, leaf margin pure canary yellow; habit free, dwarf, and compact. 7s. 6d.
- HOWARTH ASHTON**, a rich and beautifully marked variety, leaves of circular outline and great substance, with a rich golden margin, the disc surrounded with a broad bronze zone, brilliantly suffused with flamed scarlet; an improvement in the style of *Lucy Grieve*. 7s. 6d.
- HUMMING BIRD**, broad metallic bronze zone, margined with rich crimson. 2s. 6d.
- IMPÉRATRICE EUGÉNIE**, creamy white edged foliage, with zone of lake pink and black, of clean compact habit, presenting a large amount of colour; very effective for small beds and vases. 2s. 6d.
- INTERNATIONAL**, an exceedingly pretty, neat, and compact-growing plant, the leaf margins very broad, pure white, the young leaves prettily zoned with pink; from its distinct character it is one of the most desirable of the silver margined section. 2s. 6d. and 3s. 6d.
- JESSIE**, a pretty variety; the leaves have deep green centres ornamented with dark maroon bands interspersed with flame red, and are edged with bright gold. 5s.
- LASS-O-GOWRIE**, leaf margin white, with inner broad zone of brilliant carmine rose; a very effective variety. 10s. 6d.
- LIZZIE**, centre deep green, surrounded by a broad zone of maroon, deeply barred with rich glowing crimson, and occasionally striped with yellow, the outer leaf margin is of a bright yellow shade; of fine substance. 3s. 6d.
- LUCY GRIEVE**, rich velvety golden margined leaves, exquisitely figured on the inner side by a broad and brilliant surface zone of bright crimson on a bronze ground. 2s. 6d. and 3s. 6d.
- MARY HADWIN**, rich green leaf centre, surrounded by a rich red crimson zone, and outwardly belted with a bright canary yellow leaf margin. 5s.
- MAY QUEEN**, a fine variety, of vigorous habit and compact growth, and very effective as a bedder, the deep green ground of the leaves contrasting well with the broad white edging; the flowers are of a soft rose colour, and of good form. 2s. 6d.
- MELODY**, an elegant variety, with a well-branched, compact, dwarf habit, the olive zone richly belted with deep rosy carmine, upon a clear pale golden yellow leaf margin. 7s. 6d.
- MISS WATSON**, a very effective variety, of good habit and vigorous growth; the leaves are broadly margined with golden yellow, with a distinct and well-defined bright red zone. 2s. 6d.
- MRS. DUNNETT**, a splendid tricolor, with very compact habit, and flat salver-shaped leaves, with intensely dark zone. 15s.
- MRS. GLADSTONE**, a very beautiful and distinct variety, of compact close habit, with well-defined circular even-surfaced leaves, and zone of rich carmine crimson, outwardly belted with a golden yellow border. 1 guinea.
- MRS. JOHN CLUTTON**, a dwarf and free-growing variety, very clearly and distinctly marked white edge, and broad bright crimson zone. 3s. 6d.
- PETER GRIEVE**, a variety with rich gold-margined leaves, of correct outline, brilliantly zoned with flamed scarlet, blinding the beauty of *Lucy Grieve* with the growth of *Mrs. Pollock*. 15s.
- PRIMATE**, flowers bright scarlet, good truss; foliage bright green, broad white margin. 1s. 6d.
- PRINCE OF WALES**, one of the finest tricolors ever offered, of most vigorous habit, and intensely brilliant colours.
- PRINCESS BEATRICE**, foliage deeply indented, margin pure white, scarlet zone. 5s.
- PRINCESS OF WALES**, leaf margin creamy white, zone of rich magenta and black, foliage ample, habit free and compact; a truly beautiful variety. 5s.
- QUEEN OF HEARTS**, a silver-edged bedding variety, with bright rose belted zone, of close compact growth. 7s. 6d.
- QUEEN OF TRICOLORS**, bright green disc, with rich crimson and bronze zone, and rich golden yellow margin, fine scarlet flowers, of good shape. 2s. 6d.
- QUEEN VICTORIA**, light creamy yellow leaf margin, zone bright magenta pink, of vigorous yet neat and branching habit; a very elegant acquisition. 7s. 6d.
- REINDEER**, an ornamental variety, with olive brown randyked zone, richly belted with carmine, the outer leaf margin bright canary yellow; growth compact; flowers flame scarlet. 7s. 6d.
- ROSALIND**. This variety has broad clear white edged leaves, which are very flat, giving the plant an attractive feature. The leaf-discs are very small and of a very bright green; the margin is exceedingly broad and distinct. It is a splendid bedding variety, producing freely flowers of a bright pink colour. 1s. 6d. and 2s. 6d.

NEW AND CHOICE VARIEGATED PELARGONIUMS—Continued.

- SIGNET**, leaves bright green, with rich dark zone, and broadly margined with yellow; very compact. 3s. 6d.
- SILVER CLOUD**, a compact and free-growing variety, with well-expanded mature foliage, and bronze zone, finely helted and barred with flamed rose colour; flowers rich scarlet. 2s. 6d.
- SILVER RAY**, *vide* page 11.
- SIR ROBERT NAPIER**, a dark-leaved tricolor, with intensely dark broad zone, indented with brilliant scarlet vandyke blotches and deep golden margin; flowers of a clear flesh colour, with rose centre. 3s. 6d.
- SOCRATES**, zone of flamed red upon a bronze helt; flowers scarlet with white eye. 2s. 6d.
- SOPHIA CUSACK**, an effective tricolor-leaved variety, with bright lemon yellow margin and golden disc, the latter encircled with a bright flamed scarlet zone, on a broken bronze border. 1s. 6d.
- STAR**, *vide* page 11.
- STAR OF THE WEST**, olive brown zone, belted with rich carmine, and outwardly margined with a rich lemon yellow leaf border; of vigorous and compact habit, with even circularly-lobed leaves, and velvety crimson flowers. 3s. 6d.
- SULTANA VALIDA**, a splendid tricolor, with intensely bright zone, and beautiful straw yellow margin. 7s. 6d.
- SUNNY SMILE**, a very beautiful silver margined variety, with a bright well-defined rosy carmine zone, leaves medium size; good substance and outline, forming an elegant front group or hed, and very effective for vases and pot culture. 3s. 6d.
- SYLPH**, a distinct free-growing attractive variety, of compact and neat growth; the leaves are of medium size, with small bright green discs and broad white margin; the flowers are of a rosy carmine colour, and very freely produced. It is a good hedder. 1s. 6d. and 2s. 6d.
- TREASURE**, a compact-growing variety, of vigorous habit and exceedingly handsome marking, the bright green leaves being brilliantly zoned with dark bronze, and flamed with bright crimson, and the margin being of a pure golden colour. The leaves are of good substance and outline, and the marking very conspicuous. The flowers are of a bright scarlet colour. 7s. 6d.
- UNIQUE**. This has the same rich glowing tints as seen in *Lady Cullum*, with a rich green centre, tho the outline of each leaf being very distinct and handsome. 5s.
- VALPARAISO**, olive brown zone, richly barred with flamed red, the outer leaf margin of pure light gold colour. 5s.
- VICTORIA REGINÆ**, a vigorous and free-growing variety, with broad golden leaf margin, and proportionately bright flame crimson zone; leaves of fine substance, size, and outline. Of good habit, and very effective. 3s. 6d.
- WATCH TOWER**, a dwarf variety, of vigorous compact growth; well-defined brilliant flamed crimson zone, and rich golden outer leaf margin; leaves of good substance and outline. 7s. 6d.
- WELCOME**, *vide* page 11.
- BRILLIANTISSIMUM**. 9d.
- GOLDEN HARKAWAY**. 9d.
- ITALIA UNITA**. 9d.
- LADY CULLUM**. 9d.
- LITTLE PET**. 9d.
- LOUISA SMITH**. 9d.
- MRS. BENYON**. 9d.
- QUADRICOLOR**. 9d.
- QUEEN OF QUEENS**. 9d.
- QUEEN VICTORIA** (Perkins). 9d.
- SILVER NOSEGAY**. 9d.
- SOPHIA DUMARESQUE**. 9d.
- STELLA VARIEGATUM**. 9d.
- SUNSET**. 9d.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

For new varieties, offered for the first time, see pages 11 and 12.

- ADVANCER**, a variety with vandyke foliage, and deep scarlet flowers; the ground colour of the leaves is a rich gold, the zone rich dark bronze. 3s. 6d.
- AGATHA**, *vide* page 11.
- ANNETTE**, fine large bold foliage, with pure golden ground and very broad light bronzy zone; an attractive variety. 3s. 6d.
- ANTAGONIST**, a splendid variety with fine bold foliage, ground colour rich yellow, with a broad dark chocolate zone; the flowers are of a rich crimson colour. 3s. 6d.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS—Continued.

ARCHETTE, *vide* page 11.

ARDENT, ground colour of the leaf pale yellow, with very distinct rich dark cinnamon zone, fine large flowers, of a bright carmine colour, shaded with scarlet. 1s. 6d.

ARTIST, a robust and vigorous-growing variety, producing pretty light scarlet flowers; leaves large and fine; ground colour rich yellow, with very dark belt. 3s. 6d.

AUSPICIOUS, a variety with small neat foliage of a yellow ground colour, with broad dark bronze zone; very attractive. 5s.

BÉSIQUE, *vide* page 11.

BETA, *vide* page 11.

BRIGADE, bright golden foliage, ornamented with broad and well-defined dark chocolate zone; the flowers very showy, of a bright rosy cerise. 3s. 6d.

BRIGHTNESS, the disc and leaf margin are of a beautiful light yellow colour, the zone, which is very broad, is a rich chestnut brown; the leaves are round and flat, and the habit of the plant is compact. It produces fine trusses of beautiful rosy cerise flowers. 2s. 6d.

BRILLIANT, a variety of compact and dwarf habit, with small neat golden foliage, and very free flowering, producing good trusses of blooms of a rich rosy crimson with dark and distinct violet shade. 5s.

BRUIN, *vide* page 11.

CHARTER, leaf of medium size and good outline, with a rich brown zone on a yellow and green ground; bright corise flowers, borne well above the beautiful and attractive foliage. 2s. 6d.

CHIEFTAIN, leaves round and flat, the centre yellow, surrounded by a broad dark bronzy zone, and distinctly margined with yellow; a compact-growing and effective variety. 3s. 6d.

COMELINESS, the disc deep yellow and outer leaf margin yellowish green, with a splendid vandyke zone of rich chestnut; flowers bright scarlet, produced in large trusses, and contrasting well with the rich bronzy foliage. 2s. 6d.

CONFIDENCE, the centre of the leaf is sulphur, the outer margin greenish yellow, the zone a beautiful reddish brown. This variety is of good habit and compact style of growth. 1s. 6d.

CORINTH, *vide* page 11.

CORONATION, yellow centre, surrounded by a dark chocolate zone, and margined with greenish yellow; a distinct and showy variety. 5s.

DAUNTLESS, large yellow leaves, very round and flat, with broad vandyked chestnut zone; the habit of the plant is dwarf and compact, and it produces freely fine orange scarlet flowers. 2s. 6d.

DAWN. This variety has a fine smooth leaf, very regular in shape, with a broad and bright reddish bronze zone on a golden ground. The habit of the plant is vigorous and compact, and the flowers, which are bright scarlet, are borne on stout footstalks well above the foliage. 3s. 6d.

DAYBREAK, very handsome foliage, the ground colour of the leaves a pale greenish yellow, with deep chocolate vandyke zone; flowers of a beautiful rosy carmine colour, and borne in fine trusses well above the foliage. 2s. 6d.

DECIMA, *vide* page 11.

DECISIVE, leaves of great substance and good even outline, ground colour deep yellow, with a very broad rich brown zone; flowers fine and large, of a bright scarlet colour. 2s. 6d.

DELIGHT, leaves of perfect form, large and flat, with very distinct and prominent vandyke zone of dark chocolate on a yellow and green ground, flowers bright scarlet; a beautiful variety. 3s. 6d.

DIRECTOR, disc and outer margin of the leaf greenish yellow, zone dark bronze; dwarf and compact style of growth, the leaves perfectly round and flat; flowers bright orange scarlet. 3s. 6d.

DISPLAY, medium-sized leaves, with bright golden disc, and well-defined rich crimson zone, the outer margin of the leaf bright yellow. The habit of the plant is dwarf and very compact, and the flowers large and fine, of a glowing scarlet colour; an exceedingly handsome variety. 3s. 6d.

DRAGON. This plant is of compact and vigorous growth; the leaves are round and flat, of perfect form, with broad and hold zone of rich chestnut brown, on a pure golden ground; the flowers are of a beautiful salmon blush, freely produced, and borne well above the foliage. 3s. 6d.

EMBLEM, ground colour of the leaves pale yellow, with a very distinct and cleanly marked vandyked zone of dark bronze; the habit of the plant is robust, and it produces freely in large trusses its bright scarlet flowers. 2s. 6d.

EMPRESS EUGÉNIE, disc and margin bright sulphur yellow, with broad dark chestnut vandyked zone; habit compact, and leaves of fine form and substance. 1s.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS—Continued.

- EMULATION**, rich carmine flowers, produced in fine trusses, and borne well above the attractive foliage; the ground colour of the leaves is a light greenish yellow, with a broad and well-defined dark bronze zone. 2s. 6d.
- ENCOUNTER**, bright golden disc, yellow leaf margin, zone of intense chestnut; the leaves are large, and of beautiful outline, and the bright rosy scarlet flowers are very attractive. 3s. 6d.
- ENVOY**, this variety has small round and flat leaves, with very heavily marked dark bronze zone; it is a free bloomer; colour of the flowers bright scarlet; very attractive. 3s. 6d.
- ERNEST**, a variety with finely marked and distinct foliage; yellow disc, broad dark chocolate zone, and greenish yellow margin. 5s.
- EXPANSE**, very deep scarlet flowers, contrasting admirably with the foliage, which is of a greenish yellow ground, with dark vandyked zone of bronzy crimson. 3s. 6d.
- FASCINATION**, disc and margin pure yellow, dark bronzy zone, leaf round and flat. 1s. 6d.
- FLORA**, very handsome foliage, with bright golden centre, bordered with a well-defined rich dark crimson zone, and evenly margined with yellow. 3s. 6d.
- GENERAL**, a magnificent variety with very rich markings, the deep golden ground of the leaves being relieved with a bold and broad zone of dark bronzy crimson. 3s. 6d.
- GERTRUDE**, yellowish green centre, broad bronzy crimson zone, margined with a narrow edge of yellow. This variety is of neat compact habit, and very effective. 5s.
- GLADIATOR**. This variety has a very dwarf and compact style of growth; the leaves are round and flat, well formed, with a broad and very dark crimson zone on a pure yellow ground. 2s. 6d.
- GOLDEN BEAUTY**, one of the best golden self varieties ever raised; the leaves are round, of perfect form and even outline; colour a pure golden yellow, very bright and attractive. For borders, riband rows, or any style of ornamental bedding, and in pots or baskets for conservatory decoration, this variety is unequalled, being of dwarf and vigorous habit, and of a neat compact style of growth. 1s. 6d.
- INFANTA**, *vide* page 11.
- JAMES RICHARDS**, a clear and very beautifully marked hybrid bronze zonal variety; the centre of the leaves is of a bright golden colour, surrounded with a dark maroon belt, and margined with yellow. The flowers are of a bright scarlet colour. 5s.
- JESSICA**, *vide* page 11.
- JULIETTE**, the zone of this variety is of a remarkably rich bronzy crimson colour, and contrasts admirably with the clear gold colour of the other portion of the leaf; it is strikingly handsome. 3s. 6d.
- LANDSCAPE**, fine rich foliage, with small bright yellow disc, and vandyked zone of reddish brown, the outer margin of the leaf pure sulphur yellow; bright scarlet flowers, with attractive white eye; a very desirable variety. 3s. 6d.
- LEONARD**, bright golden leaves, with very distinctly marked rich crimson zone; very fine. 3s. 6d.
- LINA**, *vide* page 11.
- LITTLE GOLDEN SPREAD EAGLE**, habit very dwarf and compact; foliage bright yellow, flowers bright orange, borne in great abundance well above the foliage. 1s.
- LOTHAIR**, *vide* page 11.
- LUMINATOR**, a remarkably attractive variety, the foliage distinct and striking, having a splendid chocolate brown vandyked zone, on a bright golden ground. It produces large trusses of finely formed cerise flowers, shaded with scarlet. 3s. 6d.
- LUMINOUS**, bright yellow foliage, with neat cinnamon coloured zone; a very distinct and effective variety, of dwarf and compact habit, giving a profusion of pretty rosy cerise flowers. 2s. 6d.
- MARINER**, leaves of a splendid gold and green ground, with fine vandyked zone of rich bronze. The plant is of excellent habit and robust growth; the flowers of a bright fiery scarlet. 2s. 6d.
- MARMION**, the ground colour of the leaves golden yellow, ornamented with a well-defined bold zone of bright bronzy crimson; very rich and effective. 3s. 6d.
- MARVEL**, pure yellow disc, leaf margined with bright yellow, zone very broad and prominent, dark bronze colour; the flowers fine and large, of a rich crimson colour, shaded with scarlet. 2s. 6d.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS—Continued.

- MASTER LEONARD**, a variety of a neat and moderately vigorous habit, with foliage of a painted or marbled character. The leaves are of a yellow green ground, flaked here and there with dark green, and having a broad and well-defined zone of reddish brown, shaded with darker brown; flowers deep red. 3s. 6d.
- MASTERPIECE**, disc pale yellow, outer leaf margin bright gold colour, zone broad and well defined, of a rich bronze colour; habit free and compact, leaves large and round, and of good shape; flowers rich scarlet. 2s. 6d.
- MEMNON**, the leaves of this variety have a very even narrow margin of golden yellow surrounding the zone, which is very distinct, of a dark chocolate colour; the disc is large, and of a pure yellow colour. It is a remarkably fine variety. 3s. 6d.
- MILDRED**, a variety producing large scarlet flowers, contrasting well with the light greenish yellow ground colour of the leaves, which are round and flat, and zoned very distinctly and effectively with dark chocolate. 3s. 6d.
- MONARCH**, fine large pure yellow leaves, heavily zoned with a broad belt of dark chocolate; the flowers are of a rich deep scarlet colour. 3s. 6d.
- NEATNESS**, this exceedingly attractive and compact-growing variety produces large trusses of bright orange scarlet flowers, on stout footstalks, and borne well above the foliage, which is of a pure golden yellow ground, with a very rich and broad zone of bright chestnut. 1s. 6d.
- NECTAR**, very large, round, and flat leaves of a pure gold colour, with rich bronzy crimson zone; a most showy and useful kind. 5s.
- NEPTUNE**, a very rich golden yellow leaf, with bold and distinct zone of very dark chocolate; habit vigorous and compact, a free bloomer; colour of the flowers bright scarlet. 2s. 6d.
- NIMROD**, a beautiful variety with very handsome foliage, light yellow disc, heavy bronze zone, with narrow even margin of golden yellow. 5s.
- NOBLESSE**, the foliage of this variety is remarkably large and fine, of a bright yellow ground colour, with a broad rich crimson belt; the colour of the flowers, which are freely produced in large trusses, is a bright orange scarlet; very showy and attractive. 3s. 6d.
- NORA**, an exceedingly rich dark coloured variety, the ground colour of the leaves being yellow, with an immensely broad zone of very dark bronze colour. 3s. 6d.
- PORTIA**, the foliage of this variety is strikingly handsome; the ground colour of the leaves is bright gold, with a fine bold dark crimson zone; the flowers, of a beautiful rosy pink colour, are shown off to great advantage on the rich and handsome foliage. 3s. 6d.
- PRESIDENT**, the zone of this variety is of a remarkably rich bronze tint, and shows well on the light yellow ground of the leaves, which are of perfect form. The flowers are of a bright rosy cerise colour, and the habit of the plant is dwarf and free. 2s. 6d.
- PRIMATE**, a variety with small and very darkly zoned foliage, and fine flowers of the most intensely deep scarlet colour. 3s. 6d.
- PURSUIT**, disc and outer leaf margin bright yellow, with a broad and bold chocolate zone, beautifully defined; flowers freely produced in large trusses, of a brilliant scarlet colour. 2s. 6d.
- PUZZLER**, *vide* page 12.
- QUEEN MAB**, *vide* page 11.
- REALITY**, a very fine and handsome variety, the deep crimson flowers shaded with orange, finely formed, and of good substance, contrasting well with the pale yellow leaves, which are distinctly zoned with rich reddish chocolate colour. 2s. 6d.
- RENOWN**, good compact habit and free growth; flowers bright rosy cerise, borne on stout footstalks well above the very attractive foliage; the leaves are of fine shape, of a beautiful golden colour, with very dark rich brown zone, very distinct and well defined. 1s. 6d.
- ROBINELLA**, *vide* page 12.
- ROMEO**, the disc and leaf margin of this pretty variety are of a pure golden yellow colour, while the zone is of a rich crimson colour, not very broad, but exceedingly distinct and effective. 3s. 6d.
- ROSETTA**, flowers bright orange scarlet, ground colour of the leaves yellowish green, with zone of bright chocolate; a handsome variety, of excellent habit, and robust style of growth. 2s. 6d.
- ROYALTY**, bright yellow centre, banded with a dark chestnut zone, and margined with pale yellow; leaves round and flat; flowers of a beautiful orange scarlet colour. 3s. 6d.
- SHYLOCK**, the leaves of this variety are of beautiful form, very round and flat; ground colour pale greenish yellow, ornamented with dark bronze zone. 5s.
- SPECTRE**, *vide* page 12.
- SUMMIT**, flowers bright scarlet, with white eye, leaves large and smooth, of a pale yellow ground, distinctly and effectively zoned with a broad band of rich chocolate. 3s. 6d.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS—Continued.

SUNLIGHT, a compact-growing variety, of free and vigorous habit, with bright yellow foliage; it is a capital bedder, and very effective for edging and riband planting. 1s. 6d.

TALISMAN. This variety is of neat and compact habit, and is a profuse bloomer; the flowers are rich carmine, borne in large trusses, and contrast well with the foliage, which is of a yellow ground, with rich vandyked zone of dark crimson. 3s. 6d.

TRANSPARENT. The disc of this splendid variety is a beautiful golden yellow, the zone very attractive, of a bright reddish crimson colour, exceedingly well defined, the outer leaf margin of bright yellow; the leaves are smooth, and of perfect form, the habit free and compact. 2s. 6d.

TREATY, bright golden ground colour, with reddish bronze zone; leaves very flat and smooth. 3s. 6d.

TROJAN, leaves round and of good substance, pure sulphur disc, with bright yellow leaf margin, and bold effective broad zone of bright chestnut brown. The flowers are bright carmine, and borne well above the foliage, which retains its splendid colours to the very last. 3s. 6d.

VERONA, *vide* page 11.

VIVACITY, ground colour sulphur yellow, with a bold and conspicuous vandyked zone of rich reddish brown; a distinct and extremely effective variety, producing an abundance of flowers of good form, of a charming rosy peach colour. 1s. 6d.

VIVIAN, fine bold foliage, having a small yellow disc, surrounded with an exceedingly broad dark bronzy crimson zone, and having a narrow outer leaf margin of pure gold colour; a remarkably striking and attractive variety. 3s. 6d.

WESTENA, a magnificent variety; the leaf disc of a deep golden yellow, surrounded with a fine broad zone of intense crimson, and margined with bright golden yellow. 2s. 6d.

ZELINDA, large, well-formed, round, and flat leaves, of a lemon yellow ground colour, ornamented with a very broad and prominent dark chocolate zone. 3s. 6d.

ADMIRATION, 9d.

BEAUTY, 9d.

COUNTESS OF KELLIE, 9d.

EGYPTIAN QUEEN, 9d.

GLOWWORM, 9d.

LITTLE GOLDEN CHRISTINE, 9d.

MODEL, 9d.

PERILLA, 9d.

REFULGENS, 9d.

THE SULTAN, 9d.

ARTHUR H. WILLS, 9d.

BEAUTY OF CALDERDALE, 9d.

COMPACTUM, 9d.

E. G. HENDERSON, 9d.

FIREBRAND, 9d.

HER MAJESTY, 9d.

PAINTED LADY, 9d.

PRINCESS ALICE, 9d.

ROSALIND, 9d.

VICEROY, 9d.

PELARGONIUMS WITH FINELY SHAPED FLOWERS.

BRONZE AND GOLD SECTION.

For new varieties, offered for the first time, see page 12.

The flowers in the Bronze and Gold Section of Pelargoniums have not as yet been remarkable for quality. The following varieties, however, are offered as much for the perfection of their flowers as for the beauty of their foliage. The petals are of thick wax-like substance, and the flowers of excellent symmetrical form, equal to some of the best in the Zonal class, and infinitely superior to anything before offered in the Bronze and Gold Section.

ACUSHLA, *vide* page 12.

AMBASSADOR, a free-blooming variety, producing fine flowers of a remarkably round and perfect shape, and of a rich vermilion colour; very attractive. The foliage gold, with bronzy crimson zone, very rich and showy. 5s.

ANTONIO, this variety produces large trusses of fine rosy carmine flowers; the leaves are small, round, and flat, with greenish yellow ground, and a distinct well-defined dark bronze zone. 3s. 6d.

BEACON, a magnificent variety with remarkably rich and attractive foliage, and producing immense trusses of very rich and bright carmine flowers. 3s. 6d.

BOOKWORM, *vide* page 12.

BRITON, intense crimson flowers, of perfect form and good substance; leaves rich yellow, with large dark bronzy zone. 5s.

CAPTIVE, dazzling orange scarlet flowers with distinct white eye; leaves of a pale yellow ground colour, with rich dark chocolate zone; a striking variety. 3s. 6d.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS—Continued.

CECY, *vide* page 12.

CLIMAX, the flowers of this variety are of an exceedingly attractive rosy peach colour, large and well formed; the foliage very rich dark bronzo and gold. 5s.

DICTATOR, a magnificent flower of extraordinary substance, and of a rich bright intense vermilion colour; very showy and attractive. The leaves rich yellow, with broad and prominent zone of dark bronzy crimson. 5s.

DUNBAR, bright crimson flowers of good shape and substance; foliage of a light yellow ground colour, with rich bronze zone. 5s.

ERASMUS, splendid foliage of a golden yellow ground, with exceedingly rich bronzy crimson zone; flowers deep crimson, with distinct white eye; very attractive. 5s.

ERNEST, very rich deep scarlet flowers of good form and substance; bright golden leaves, with broad dark zone of bronzy crimson. 3s. 6d.

GALLANT, bright golden foliage, heavily marked with a dark bronzo zone; fine large flowers of a rich scarlet colour. 3s. 6d.

IMPERATOR, rosy corise flowers, shaded with carmine, a very beautiful tint of colour; the foliage is of a rich yellow ground, with bright bronzy crimson zone; a magnificent variety. 3s. 6d.

JANUS, *vide* page 12.

LEONIE, *vide* page 12.

MAGWITCH, *vide* page 12.

META, *vide* page 12.

MONA, *vide* page 12.

OBAN, *vide* page 12.

PHŒBUS, fine large flowers of a dazzling scarlet colour, borne well above the foliage, which is of a pale yellow ground colour, with dark bronze zone. 5s.

POMPEY, *vide* page 12.

TROUBADOUR, a remarkably attractive variety, with flowers of a lovely rosy pink colour, shaded with peach, and of good form; the leaves round and flat, of a rich gold colour, with bold dark crimson zone. 5s.

PELARGONIUMS WITH BLOSSOMS OF NEW COLOURS

IN THE BRONZE AND GOLD SECTION.

For new varieties, offered for the first time, see pages 12 and 13.

Hitherto the flowers in the Bronze and Gold Section of Pelargoniums have merely been of the ordinary scarlet and carmine colours. The following varieties are offered as a group of pretty light flowers, embracing those beautiful shades of pink, blush, salmon, and rose colours so rare in this class, but which form such an admirable and telling contrast with the richly marked foliage of this highly popular and useful section of Pelargoniums.

ADELINA, light yellow ground colour, with dark bronze zone; the flowers of a beautiful salmon rose colour. 3s. 6d.

ALICIA, *vide* page 12.

ASCENDANT, richly marked bronze and gold foliage, with pretty blush flowers; a free-blooming variety. 3s. 6d.

AUTOCRAT, a fine-foliaged variety, producing beautiful blush flowers, shaded with salmon; the leaves marked with a rich bronzy crimson zone on a golden ground. 3s. 6d.

BEFFO, *vide* page 12.

CASILDA, *vide* page 12.

CONSTANCE, very neat bright golden foliage, with dark bronze zone; fine flowers of a light shade of salmon pink. 3s. 6d.

COURTIER, a free bloomer, producing medium-sized flowers of a very pale blush colour, with pink centres; fine rich dark bronze and gold foliage. 3s. 6d.

CYNTHIA, beautiful light yellow foliage, with small but well-defined dark chocolate zone; flowers of a lovely salmon pink colour. 3s. 6d.

DIANA, this variety produces bright rosy pink flowers, which contrast well with the dark and very richly marked bronzy foliage. 3s. 6d.

ECSTASY, fine foliage, with very rich broad bronze belt; flowers of a beautiful rosy peach colour. 3s. 6d.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS—Continued.

ELVIRA, pure salmon colour flowers, contrasting admirably with the richly coloured leaves, the ground colour of which is a pale yellow, having a fine well-defined dark crimson zone. 3s. 6d.

ETHEL, *vide* page 12.

FLORETTA, leaves rich yellow, with broad dark bronzy zone; the flowers salmon colour, with pink centres, and freely produced on large trusses. 3s. 6d.

HELEN, a compact-growing variety, with fine pink peach flowers and neat foliage; the ground colour of the leaves yellow, with a well-defined dark bronze zone. 3s. 6d.

HEROINE, light gold foliage, with bronze zone; flowers of a most delicate and beautiful shade of rose peach. 3s. 6d.

JOSEPHINE, pretty salmon pink flowers, freely produced well above the foliage, which is of a rich golden ground colour, darkly zoned. 3s. 6d.

JUANITA, *vide* page 12.

LAVINIA, leaves round and flat, yellow ground, with medium-sized bronzy crimson zone; flowers of a beautiful fresh pink colour, with light marking in the upper petals. 3s. 6d.

LILLIA, *vide* page 12.

MARCIA, *vide* page 13.

MYSTERY, *vide* page 13.

OPAL, *vide* page 13.

ORACLE, very narrow distinct dark crimson zone on a pale lemon yellow ground; the flowers of a beautiful salmon pink colour. 3s. 6d.

PHYLLIS, *vide* page 13.

PRISCILLA, *vide* page 13.

ROMANCE, fine trusses of salmon coloured flowers, borne well above the richly marked gold and bronze foliage; good compact habit. 3s. 6d.

ROSCHEN, *vide* page 13.

SENATOR, beautiful blush flowers, with salmon centres, freely produced in fine trusses well above the handsome gold and bronze richly marked foliage. 3s. 6d.

SERAPH, fine large leaves of a bright yellow ground, with crimson and maroon zone; the flowers are pure white, with bright pink centres; this is an exceedingly distinct variety. 3s. 6d.

TRIBUTE, fine gold foliage, with rich maroon zone; the flowers are large and well formed, of a beautiful salmon pink colour. 3s. 6d.

VESTA, fine foliage, very richly marked; flowers bright rosy pink, forming an admirable contrast with the splendid tints of the foliage. 3s. 6d.

VINDICATOR, deep salmon flowers, produced in fine trusses, and contrasting well with the rich foliage, the ground colour of which is a deep yellow, and the zone broad and fine, of a dark chocolate colour. 3s. 6d.

WAVERLEY, a neat-foliaged variety, with beautiful salmon pink flowers; the leaves are round and flat, of a light yellow ground colour, with fine dark crimson zone. 3s. 6d.

WONDER, this variety has remarkably novel and attractive flowers, of a beautiful pink peach colour; the foliage is light yellow, ornamented with a rich bronzy zone. 3s. 6d.

UNDINE, leaves large and flat, of a pure gold colour, with rich dark crimson zone; the flowers of a beautiful rich rosy pink colour, and freely produced in fine trusses. 3s. 6d.

VIOLETS, SWEET-SCENTED.

*These can be supplied, according to the sorts and size of the plants,
at 4s., 6s., 9s., and 12s. per dozen.*

ARBOREA, double blue

„ **ALBA**, double white

CRIMEAN, single blue

DEVONIENSIS, single blue

KING OF VIOLETS, double, dark indigo blue

NEAPOLITAN, lavender blue

PINK, double

QUEEN OF VIOLETS, double white, shaded with blush

RUSSIAN, double blue

„ single blue

SCOTCH, double blue

THE CZAR (Giant), single blue

WHITE, double

„ single.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from 1 foot to 10 feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens.

Nos.	NAMES.	Size of Pot or Tub.	Height of Stems.	Height of Head.	Height of Plant altogether.	Spread of Head.	Price.
1A	DICKSONIA antarctica	Tub, 1 ft.	1 ft. 5 in.	11 in.	3 ft. 4 in.	3 ft. 2 in.	1½ guinea.
1B	"	Tub, 1 ft.	1 ft. 4 in.	1 ft. 2 in.	3 ft. 6 in.	3 ft. 4 in.	1½ "
1	"	Tub, 1 ft. 7 in.	3 ft.	2 ft. 6 in.	7 ft. 1 in.	5 ft.	7 "
	(This and No. 8 form a magnificent pair.)						
2	"	Tub, 1 ft. 9 in.	3 ft. 6 in.	2 ft. 6 in.	7 ft. 9 in.	7 ft.	10 "
	(This and No. 18 form a very handsome pair.)						
3	"	Tub, 1 ft. 7 in.	2 ft. 8 in.	2 ft. 10 in.	7 ft. 1 in.	5 ft.	9 "
4	"	Tub, 1 ft. 9 in.	3 ft. 4 in.	3 ft.	8 ft. 11 in.	6 ft.	10 "
5	"	Tub, 1 ft. 8 in.	4 ft.	3 ft.	8 ft. 8 in.	6 ft.	12 "
6	"	Tub, 1 ft. 10 in.	4 ft. 4 in.	3 ft.	9 ft. 2 in.	7 ft.	13 "
7	"	Tub, 1 ft. 7 in.	5 ft. 4 in.	3 ft. 6 in.	10 ft. 5 in.	6 ft.	18 "
8	"	Tub, 1 ft. 7 in.	2 ft. 11 in.	2 ft.	6 ft. 6 in.	5 ft.	7 "
	(This and No. 1 form a magnificent pair.)						
9	"	Tub, 2 ft.	6 ft.	3 ft.	11 ft.	6 ft.	20 "
10	"	Tub, 2 ft.	5 ft. 9 in.	3 ft. 2 in.	10 ft. 11 in.	6 ft.	20 "
	(This and the preceding form a very handsome pair.)						
11	"	Tub, 2 ft.	8 ft. 1 in.	2 ft. 6 in.	12 ft. 6 in.	ft. 6 in.	25 "
12	"	Tub, 1 ft. 8 in.	3 ft. 3 in.	2 ft. 10 in.	7 ft. 9 in.	6 ft.	5 "
13	"	Tub, 2 ft.	3 ft. 10 in.	3 ft.	8 ft. 10 in.	7 ft.	13 "
14	"	Tub, 2 ft.	4 ft.	3 ft.	9 ft.	7 ft.	15 "
15	"	Tub, 2 ft. 1 in.	5 ft. 3 in.	2 ft.	9 ft. 4 in.	6 ft.	18 "
16	"	Tub, 2 ft. 1 in.	8 ft.	3 ft.	13 ft. 1 in.	6 ft.	25 "
17	"	Tub, 2 ft. 1 in.	8 ft.	3 ft.	13 ft. 1 in.	6 ft.	25 "
	(This and the preceding form a most magnificent pair.)						
18	"	Tub, 1 ft. 9 in.	3 ft. 6 in.	2 ft. 6 in.	7 ft. 9 in.	7 ft.	10 "
	(This and No. 2 form a very handsome pair.)						
19	"	Tub, 1 ft. 7 in.	3 ft. 9 in.	2 ft. 6 in.	7 ft. 10 in.	6 ft. 6 in.	10 "
20	"	Tub, 2 ft. 2 in.	3 ft. 8 in.	2 ft. 6 in.	8 ft. 4 in.	6 ft.	12 "
21	"	Tub, 1 ft. 11 in.	4 ft.	3 ft. 6 in.	9 ft. 5 in.	6 ft.	18 "
22	"	Tub, 1 ft. 7 in.	1 ft. 7 in.	2 ft. 4 in.	5 ft. 6 in.	5 ft.	4 "
23	"	Tub, 1 ft. 8 in.	3 ft. 4 in.	2 ft. 6 in.	7 ft. 6 in.	6 ft.	8 "
24	"	Tub, 1 ft. 7 in.	3 ft. 10 in.	2 ft. 6 in.	7 ft. 11 in.	5 ft.	8 "
25	"	Tub, 1 ft. 7 in.	4 ft. 6 in.	2 ft. 9 in.	8 ft. 10 in.	6 ft.	13 "
26	"	Tub, 1 ft. 7 in.	2 ft. 6 in.	3 ft.	7 ft. 10 in.	5 ft.	7 "
27	"	Tub, 1 ft. 11 in.	3 ft. 9 in.	3 ft.	8 ft. 8 in.	5 ft. 6 in.	10 "
28	"	Tub, 1 ft. 7 in.	3 ft. 2 in.	2 ft. 8 in.	7 ft. 5 in.	5 ft.	8 "
29	"	Tub, 1 ft. 7 in.	3 ft. 6 in.	2 ft. 6 in.	7 ft. 7 in.	6 ft.	10 "
30	"	Tub, 2 ft.	5 ft. 8 in.	4 ft.	11 ft. 8 in.	6 ft.	20 "

TREE FERNS—Continued.

Nos.	NAMES.	Size of Pot or Tub.	Height of Stems.	Height of Head.	Height of Plant altogether.	Spread of Head.	Price.
31	DICKSONIA antarctica	Tub, 1 ft. 9 in.	3 ft. 9 in.	2 ft.	7 ft. 6 in.	4 ft. 6 in.	10 guineas.
32	"	Tub, 1 ft. 9 in.	4 ft.	3 ft.	8 ft. 9 in.	5 ft. 6 in.	15 "
33	"	Tub, 1 ft. 7 in.	2 ft. 6 in.	1 ft. 10 in. (flat)	5 ft. 11 in.	5 ft.	7 "
34	"	Tub, 2 ft. 2 in.	9 ft. 3 in.	2 ft. 6 in. (flat)	13 ft. 11 in.	5 ft.	40 "
35	"	Tub, 1 ft. 7 in.	3 ft. 4 in.	2 ft. 6 in.	7 ft. 5 in.	5 ft.	8 "
36	fibrosa	Tub, 1 ft. 8 in.	2 ft. 2 in.	2 ft. 6 in.	6 ft. 4 in.	6 ft.	8 "
37	CYATHEA medullaris	Tub, 1 ft. 7 in.	2 ft. 6 in.	4 ft.	8 ft. 1 in.	8 ft.	7 "
38	"	Tub, 1 ft. 6 in.	2 ft.	4 ft.	7 ft. 6 in.	8 ft.	8 "
39	dealbata	Pot, 1 ft. 2 in.	2 ft.	1 ft.	4 ft. 2 in.	4 ft.	4 "
40	"	Pot, 1 ft. 2 in.	3 ft.	2 ft.	6 ft. 2 in.	5 ft.	8 "
41	"	Pot, 1 ft.	1 ft. 3 in.	3 ft.	5 ft. 3 in.	5 ft.	4 "
42	ALSOPHILA anstralis	Pot, 1 ft. 3 in.	3 ft.	3 ft. 3 in.	7 ft. 6 in.	6 ft.	7 "
43	"	Pot, 1 ft. 5 in.	3 ft. 4 in.	3 ft.	7 ft. 9 in.	6 ft.	7 "
44	excelsa	Pot, 1 ft. 3 in.	6 ft.	2 ft.	9 ft. 3 in.	3 ft.	5 "
45	"	Pot, 1 ft. 6 in.	6 ft.	2 ft.	9 ft. 6 in.	4 ft.	7 "

TREE FERNS RECENTLY IMPORTED.

Mr. W. B. can now offer fine trunks of the following extremely rare New Zealand Ferns, and begs to direct particular attention to the beautiful *Cyathea Cunninghamii*, which has never before been offered. The trunks of *Cyathea dealbata* (The Silver Fern of New Zealand) are exceptionally fine and good. These are admirably adapted for Greenhouse or Conservatory decoration. Nothing can exceed the effect of Tree Ferns for grouping with other plants.

Nos.	NAMES.	Height of Stem.	Price.	Nos.	NAMES.	Height of Stem.	Price.
1	CYATHEA Cunninghamii	2 ft. 8 in.	7 guineas.	14	CYATHEA dealbata	3 ft. 8 in.	10 guineas.
2	"	4 ft. 4 in.	10 "	15	"	5 ft. 4 in.	18 "
3	"	2 ft. 9 in.	8 "	16	"	5 ft. 10 in.	20 "
4	"	3 ft. 2 in.	8 "	17	"	5 ft. 10 in.	20 "
5	"	3 ft. 6 in.	10 "	18	"	3 ft. 10 in.	12 "
6	"	1 ft. 10 in.	4 "	19	"	5 ft.	18 "
7	"	4 ft. 8 in.	12 "	20	DICKSONIA squarrosa	2 ft.	2 "
8	"	4 ft. 5 in.	12 "	21	"	3 ft. 6 in.	8 "
9	dealbata	2 ft. 6 in.	5 "	22	"	2 ft. 6 in.	5 "
10	"	1 ft. 6 in.	2 "	23	"	2 ft. 6 in.	4 "
11	"	2 ft. 4 in.	7 "	24	"	3 ft. 6 in.	8 "
12	"	1 ft. 6 in.	3 "	25	"	3 ft. 6 in.	8 "
13	"	4 ft. 4 in.	12 "				

CHOICE STOVE FERNS.

Mr. WILLIAM BULL'S general collection of these elegant decorative plants is of immense extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 12s., 24s., 30s., and 42s. per dozen: when taken by the hundred, say in 25 sorts, £5, the selection would include many new and expensive kinds.

ADIANTUM CONCINNUM, 1s. to 1s. 6d.

| ADIANTUM CONCINNUM LATUM, 2s. 6d.

ADIANTUM EXCISUM MULTIFIDUM.

This is one of the most handsome and useful of its genus; the fronds are quadripinnate, the pinnæ deeply cut, giving it a very graceful appearance, rich dark green in colour, stipes and rachis black; the apex of the frond is frequently divided into several branches, thus forming a beautiful tassel. 5s. and 7s. 6d.

ADIANTUM FARLEYENSE.

The most magnificent variety of this handsome family; the fronds are of the size and form of *A. trapeziforme*, but pendent, and all the large pinnules deeply fringed and crisped. 15s., 1, 1½, and 2 guineas.

ADIANTUM COLPODES, 3s. 6d.

„ CARDIOCHLÆNA, 5s.

„ MACROPHYLLUM, 3s. 6d.

„ TINCTUM, 3s. 6d.

ADIANTUM GHIESBREGHTII (SCUTUM), 3s. 6d. and 5s.

„ TRAPEZIFORME, 3s. 6d. and 5s.

ADIANTUM LINDENI.

Adiantums rank as one of the handsomest sections among Ferns, and this takes a foremost place in its class. It has been introduced from the Amazon, and hence requires to be cultivated in a stove; it has tripinnate pentangular fronds, and large ohlong dimidiate deorsely-falcate pinnules, with reniform sori. 15s.

ADIANTUM PENTADACTYLON.

A very beautiful and elegant variety, of strong and vigorous growth, and easily cultivated. 3s. 6d. and 5s.

ADIANTUM RUBELLUM.

This pretty species, of the *Capillus-Veneris* section, is of dwarf and very compact habit, and the young fronds, which are produced in great profusion, are always more or less decorated with a roseate tint. It is of Peruvian origin. 7s. 6d.

ADIANTUM SEEMANNI.

A very fine stove Fern, with bold pinnate fronds, which in their early stages are suffused with a reddish purple tint, as if stained with red wine. In the seedling plants the fronds are ovate, acuminate, cordate at the base, and strongly serrated. In the more mature state the fronds are pinnate (sometimes the lower pinnæ are divided), with a few broad ovate, acuminate, unequal-sided pinnæ, bearing on the margins a series of elongated sori, and attached by black polished stalks an inch long. It is related to *A. Wilsoni* and *A. macrophyllum*; and has been lately introduced from Central America by Dr. Seemann, after whom it was named some years since by Sir W. Hooker. It is figured in *Hooker's Species Filicum*, and has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 5s. and 7s. 6d.

ADIANTUM VELUTINUM.

A noble species from Columbia, remarkable for the large size of its fronds, which are supradecomposed, the ultimate pinnules deorsely falcate and somewhat acuminate, and the sori ohlong-roniform, situated at the edge of the pinnules. A striking peculiarity of this plant is, that the rachis, especially on the upper surface, is clothed with a felt of whitish-brown cobwebby hairs, which gives it a pale velvety appearance. The same appearance is continued, though in a less degree, throughout the stipes. 15s.

ALSOPHILA GLAUCA (CONTAMINANS).

A large-growing remarkably handsome Fern from the Philippine Islands ; fine for exhibition purposes.

ANEMIDICTYON PHYLLITIDIS.

A very useful and effective flowering Fern. 1s. 6d. each ; 12s. per dozen.

ANEMIDICTYON PHYLLITIDIS LINEATA.

This novel form of the limited and interesting class of flowering stove Ferns resembles *A. Phyllitidis* in general character, but has a pale yellowish green band down the centre of the pinnæ, which gives it a variegated appearance. An elegant plant, growing 2½ feet high, with the sterile pinnæ obliquely oblong-acuminate, and the fertile spikes as in *A. Phyllitidis*. It is a native of South America. 3s. 6d.

ASPLENium BELANGERI, 2s. 6d.

„ **FERNANDEZIANUM**, 7s. 6d.

ASPLENium CICUTARIUM, 2s. 6d.

„ **SHEPHERDII**, 1s. 6d. & 2s. 6d.

CHEILANTHES (MYRIOPTERIS) ELEGANS.

An exceedingly pretty neat-growing species, and one of the most beautiful and elegant of the tropical American Ferns. 2s. 6d. and 3s. 6d.

CHEILANTHES FARINOSA, 3s. 6d.

„ **HIRTA ELLISII**, 2s. 6d.

CHEILANTHES PULVERACEA (ALEURITOPTERIS MEXICANA), 5s.

CYATHEA PRINCEPS.

One of the most handsome and noble Ferns that can be cultivated ; exceedingly fine for exhibition purposes. It has been generally known as *Cibotium princeps*. 5s. and 7s. 6d.

DAVALLIA MOOREANA.

This most beautiful Fern is a native of Borneo, and is remarkable in its family for its graceful habit, its large size, combined with its small sub-divisions, its pale green colour, its smooth surface, and its bullate sori. The rhizome, which is as stout as one's little finger, is of a less rapidly elongating habit than in many other Davallias, and is clothed with narrow lanceolate dark brown scales. The stipes are about the thickness of a stout straw, from a foot to a foot and a half long, quite smooth and pale coloured. The fronds are from 2 to 3 feet long, and from 1 to 2 feet wide at the base, triangular and pointed, of a graceful arching habit of growth, and most elegantly cut into a multitude of small blunt oblique soriferous segments ; their colour is a pale green, and they are very remarkable for the dotted appearance presented by the upper surface from the prominence of the sori. 15s.

DAVALLIA HEMIPTERA, 3s. 6d.

| **DAVALLIA PARVULA**, 7s. 6d.

DAVALLIA TENUIFOLIA STRICTA.

An extremely elegant free-growing Fern. 2s. 6d. and 3s. 6d.

DORYOPTERIS NOBILIS, 3s. 6d.

| **DORYOPTERIS PALMATA**, 1s. 6d.

GLEICHENIAS.

The *Gleichenia* has been called the Queen of the Fern family ; and not inappropriately so, for it certainly comprises the most graceful and elegant members of the Fern tribe, always, however, more or less rare, from the difficulty arising in propagating them.

		Height.	Width.	
GLEICHENIA SEMIVESTITA	.	6 in.	12 in.	2 guineas.
„	„	6 in.	12 in.	2 „
„	„	nice plants at	.	1 „
„	SPELUNCÆ	„	.	1 „
GYMNOGRAMMA CHRYSOPHYLLA				GYMNOGRAMMA DAVALLIÆFOLIA ,
1s. and 1s. 6d.				2s. 6d. and 3s. 6d.
„ CHRYSOPHYLLA				PARSONSII , 3s. 6d.
AUREA , 2s. 6d. & 3s. 6d.				TARTAREA , 2s. 6d.

GYMNOGRAMMA LAUCHEANA.

The best Gold Fern in cultivation, and highly esteemed for decorative purposes. 1s. 6d., 2s. 6d., and 3s. 6d.

GYMNOGRAMMA LAUCHEANA GIGANTEA.

An exceedingly handsome vigorous-growing variety of *Laucheana*, of compact habit ; the fronds are richly powdered with gold on the under surface. 5s.

GYMNOGRAMMA PERUVIANA ARGYROPHYLLA.

Beautifully silvered above and below the fronds, and of neat and compact habit. 1s. 6d., 2s. 6d., and 3s. 6d.

GYMNOGRAMMA WETENHALLIANA.

An exceedingly handsome species, richly powdered with sulphur, and having the ends of the fronds finely tasseled. 2s. 6d. and 3s. 6d.

HEMIONITIS PALMATA, 2s. 6d.

LEUCOSTEGIA CHÆROPHYLLA, 3s. 6d.

HYMENODIUM (ACROSTICHUM) CRINITUM, 5s., 7s. 6d., and 15s.

LITOBROCHIA TRIPARTITA.

This noble-looking Fern has been introduced from the Fijis. Its stout fronds are divided into three branches, each of which is bipinnatifidly divided into oblong obtuse segments. It is free-growing, and can be easily cultivated in any stove. 2s. 6d.

LITOBROCHIA UNDULATA.

A very handsome large-growing evergreen Fern, from the Fiji Islands, related to *Litobrochia comans*, but remarkably distinct and effective from the well-marked undulation of its fronds. It grows 3 feet or upwards in height, and has dark castaneous stipes and rachides, triangular or rather pentangular pinnate fronds, and lauccolate pinnae, divided into oblong-ensiform acuminate and strongly undulated segments, which are connected by a broad wing on each side the secondary rachis; the lower pinnae are dorsely branched, and the upper ones are decurrent, the uppermost pair being confluent with the tapering decurrent base of the terminal pinnae. 3s. 6d., 5s., and 7s. 6d.

LOMARIA GIBBA.

This is one of the most beautiful and useful Ferns in cultivation, and admirably adapted for exhibition or decorative purposes. 1s., 1s. 6d., and 2s. 6d.; fine plants, 7s. 6d. to 15s.

LOMARIA GIBBA BELLII.

A handsomely crested and tasseled variety of *Lomaria gibba*, exceedingly striking and attractive, either for exhibition or the decoration of the conservatory. 15s.

LOMARIA GIBBA CRISPA.

A beautiful Fern of a remarkably ornamental aspect, very distinct and novel, which character is imparted to it by the strongly marked undulation or curling of the margins of the segments of its densely leafy fronds. 3s. 6d., 5s., and 7s. 6d.

LYGODIUM SCANDENS.

Nice little plants of this pretty climbing Fern. 2s. 6d.

NOTHOCHLÆNA CANDIDA.

A charming little Silver Fern from Central America, of small neat growth, farinaceous on both the upper and under surface of the fronds. 5s.

PHEGopteris sancta.

A very neat-growing Fern, of dwarf habit, with bipinnate fronds of narrow outline; a most elegant easily cultivated little plant. 2s. 6d.

PLATYLOMA CALOMELANOS.

A very attractive Fern; the fronds glaucous underneath, and of a bluish grey on the upper surface. 3s. 6d. and 5s.

PHLEBODIUM GLAUCUM, 2s. 6d. & 3s. 6d.

POLYPODIUM EFFUSUM, 2s. 6d. and 3s. 6d.

PTERIS ARGYREA, 1s. and 1s. 6d.

PLATYCERIUM STEMMARIA, 7s. 6d., 10s. 6d., and 15s.

PTERIS TRICOLOR, 2s. 6d. and 3s. 6d.

PTERIS QUADRIAURITA FUSCIPES.

An elegant slender-habited Fern, a foot or more in height, having pedately bipinnate fronds, as in the well-known *P. quadriaurita*, but smaller, more slender, and more elegant in character than in the usual form of that species. The segments are oblong obtuse, the terminal one caudate. The rachis is furnished with spiny teeth on the upper surface, while the stipes, and the back of the rachis, are of a dark purplish brown colour, which gives quite a distinct aspect to the plant. It has been obtained from the Solomon Isles. 5s.

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection, at 12s., 18s., 30s., and 42s. per dozen.

ADIANTUM CAPILLUS-VENERIS MAGNIFICUM.

The fronds of this really useful and attractive Fern are much larger than those of *A. Capillus-Veneris*, being from 12 to 15 inches long, by 4 inches broad, and curve over the side of the pot. The pinnæ are of a beautiful soft green, and are almost as large as those of *A. farleyense*, and, like that variety, they gracefully overlap each other with finely incised and fringed edges. The chief value of this plant is its hardiness and adaptability to the temperature of a greenhouse, whereas *A. farleyense* can only be cultivated in a stove. 1 guinea.

ADIANTUM CHILENSE, 3s. 6d.

| ADIANTUM CUNEATUM, 1s.

ADIANTUM DECORUM.

This fine new Maidon-hair is of free growth and handsome habit. In its young state it bears a resemblance to *A. tenerum*, but when fully grown it presents the appearance of *A. cuneatum* much enlarged. The compound wedge-shaped fronds attain a growth of $1\frac{1}{2}$ to 2 feet, are borne upon polished ebony-like stipes, and present a most elegant appearance. It is exceedingly useful for table and other decorative purposes. 3s. 6d. and 5s.

ADIANTUM HISPIDULUM, 1s. 6d.

| ADIANTUM MORITZIANUM, 1s. 6d.

ALSOPHILA AUSTRALIS.

A large-growing noble-looking Fern, suitable for conservatory decoration. 1s., 1s. 6d., 2s. 6d., 3s. 6d., 5s., and 7s. 6d.; handsome specimens, 15s., 1 and 2 guineas.

ALSOPHILA EXCELSA, 7s. 6d. to 21s.

ASPLENIUM BULBIFERUM, 1s. 6d.

LEICHARDTIANA

EBENEUM, 2s. 6d.

ASPLENIUM AURICULARIUM, 2s. 6d. and 3s. 6d.

BRAINEA INSIGNIS, 3s. 6d.

ASPLENIUM ALTERNANS.

A very distinct dwarf-growing Fern from Thibet, with the outline of *Ceterach officinarum*, but it has smooth green pinnatifid fronds, destitute of scales, and is larger in all its parts. 2s. 6d.

CHEILANTHES CAPENSIS, 3s. 6d. and 5s. | CIBOTIUM BAROMETZ, 3s. 6d., 5s., & 7s. 6d.

CIBOTIUM REGALE.

An exceedingly beautiful Fern, very remarkable from the stems and young fronds having a thick silky covering of pale yellow hair-like scales. 1 and $1\frac{1}{2}$ guinea.

CYATHEA CUNNINGHAMI, *vide* page 114.

CYATHEA DEALBATA.

This is the Silver Fern of New Zealand. 7s. 6d., 10s. 6d., and 15s. For large plants, *vide* page 114.

CYATHEA MEDULLARIS, 15s., 1 and 2 guineas. For large plants, *vide* page 114

CYRTOMIUM CARYOTIDEUM, 2s. 6d.

DAVALLIA CANARIENSIS, 2s. 6d.

DICKSONIA SQUARROSA, *vide* page 114

CYATHEA SMITHII, 15s., 1 and 2 guineas

CYRTOMIUM FORTUNEI, 2s. 6d.

DAVALLIA NOVÆ ZEALANDIÆ, 2s. 6d. and 3s. 6d.

DICKSONIA ANTARCTICA, 2s. 6d. & 3s. 6d.

For large plants, *vide* pages 113 and 114.

DICKSONIA YOUNGIIÆ.

A most elegant and rare Fern; the fronds are bright green and finely arched, the points being quite pendent; in habit it is intermediate between *D. squarrosa* and *D. antarctica*, but more beautiful than either; the hairy stipes resemble those of *D. squarrosa*. $1\frac{1}{2}$ and 2 guineas.

LASTREA GLABELLA.

A dwarf and remarkably elegant evergreen Fern, with small finely-cut bipinnate fronds, admirably adapted for a Wardian case. 1s. 6d.

LASTREA STANDISHII, 2s. 6d. and 3s. 6d.

LOMARIA AURICULATA, 3s. 6d. and 5s.

„ GIBBA, *see* preceding page.

LITOBROCHIA VESPERTILIONIS, 1s. 6d. and 2s. 6d.

LOMARIA CAPENSIS, 7s. 6d.

LOMARIA CYCADÆFOLIA.

Fine strong imported plants with good trunks. 2 guineas.

LOMARIA CILIATA.

A very distinct and elegant dwarf-growing Tree Fern, the stems, in full-grown specimens, attaining a height of 1 foot. The fronds are pinnately parted, the pinnae being linear oblong, and frequently bifid or emarginate, the fertile fronds pinnate, sometimes pinnatifid, with lateral segments about $\frac{1}{4}$ inch long. 2s. 6d.

NEW NEPHRODIUMS.

In offering these remarkable novelties, it may be as well to quote the account of them given in the *Gardeners' Chronicle* :—

"We have lately had brought under our notice by Mr. W. BULL a very remarkable illustration of the VARIABILITY OF FERNS. A crop of plants had been raised from the spores of *Nephrodium molle cristatum*, a very indifferently crested form of a very common Fern. In this batch of young plants occurred a considerable number of most remarkable deviations from the parent plant. Many of them have the stipes and fronds repeatedly branched, and the parts everywhere densely crested. Others, with more of the plain character of the normal state of the species, had well-crested apices both to the pinnae and frond, and a forking of the stipes, though less developed than in the former; such a development as might be called RAMOSUM. A third set, with very little of the plain portion in some cases, and none at all in others, bore a great glomerate crested head of crispy segments, and this form we propose to distinguish by the name of GRANDICEPS, because it is fashioned after the manner of the varieties of our native Ferns to which this name has been given."

NEPHRODIUM MOLLE CRISPUM

" " CRISTATUM
" " DENSUM

3s. 6d. each, or the six for 15s.

ONYCHIUM JAPONICUM, 1s. 6d.

POLYSTICHUM CAPENSE, 3s. 6d. and 5s.

" PUNGENS, 3s. 6d. and 5s.

PTERIS ANGUSTA, 1s. 6d.

" CRETICA ALBO-LINEATA, 1s.

" SERRULATA CRISTATA, 1s. 6d.
and 2s. 6d.

NEPHRODIUM MOLLE GRANDICEPS

" " RAMOSISSIMUM
" " RAMOSUM

PLATYCERIUM ALCICORNE, 2s. 6d.

POLYPODIUM TRICHODES (LASTREA TENERICAULIS), 2s. 6d., 3s. 6d., and 5s.

POLYSTICHUM VESTITUM, 5s.

PTERIS SERRULATA POLYDACTYLA,
1s. 6d. and 2s. 6d.

" STRAMINEA, 2s. 6d. and 3s. 6d.

THAMNOPTERIS (NEOTTOPTERIS) AUSTRALASICA.

In general habit and character this is similar to the well-known *Asplenium* (*Thamnopteris*) *Nidus*, commonly called the *Bird's Nest Fern*. 7s. 6d., 10s. 6d., and 15s.

TODEA BARBARA (AFRICANA).

A large free-growing species, of easy culture. 3s. 6d., 5s., and 7s. 6d.

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2s. 6d.; fine specimens, 1½, 2, and 4 guineas.

TODEA (LEPTOPTERIS) SUPERBA.

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which is unquestionably one of the most handsome yet known. It should be soon to be justly appreciated.

The fronds, which are 15 to 18 inches in length, are of a pleasing green, of transparent texture, and of a lanceolate outline, spreading, beautifully arching, and feathered down to the very base; the pinnae are crowded, and cut into narrow segments, which, instead of lying flat, as in *Todea pellucida*, are turned upwards, giving the frond a frilled surface, and producing an effect distinct from that of any Fern in cultivation.

This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. Fine imported plants, 1, 1½, and 2 guineas.

TRICHOMANES RADICANS.

(THE IRISH BRISTLE FERN OR KILLARNEY FERN.)

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 7s. 6d.; handsome specimens, 1½, 2, and 3 guineas.

WOODWARDIA ORIENTALIS.

This was collected in China by Mr. Fortune, and is a free-growing desirable Fern, giving handsome fronds 2 to 3 feet long, becoming studded with prolific buds. 2s. 6d. and 3s. 6d.

CHOICE HARDY FERNS.

—:o:—

Selections of good kinds can be supplied from Mr. W. B.'s general collection, at 12s., 24s., 30s., and 42s. per dozen; when taken by the 100, say in 25 sorts, £5, the selection would include many new and expensive kinds.

ASPIDIUM FRAGRANS.

This is the extremely scarce Violet-scented hardy Fern. 7s. 6d.

ASPLENIUM TRICHOMANES IMBRI-
CATUM, 3s. 6d.

ASPLENIUM TRICHOMANES MOULEI,
3s. 6d.

ATHYRIUM FILIX-FÆMINA APPLEBYANUM.

A very elegant form of Lady Fern, obtained from *Frizellia*, which it resembles in having long, narrow, arching fronds, with small rounded pinnae. Its peculiar characteristic is, that the fronds become ramose at the apex, branching out into a flat spreading head of several divisions, sometimes as many as fifteen on one frond. 2s. 6d.

ATHYRIUM FILIX-FÆMINA CONTORTUM.

In this remarkable variety is combined to some extent the characters of *Victoria*, *sagittatum*, and *Applebyanum*, the pinnae on each frond being diversified in the most curious manner. 3s. 6d.

ATHYRIUM FILIX-FÆMINA CORONATUM.

Spreading short fronds, crispy, and forked at the ends; a very handsome variety, and a vigorous grower. 2s. 6d.

ATHYRIUM FILIX-FÆMINA DIFFISSO-MULTIFIDUM.

Spreading and irregularly toothed, like *diffissum*, each frond branching more or less from the top, thus forming a compact crest-like head; a pretty variety. 1s. 6d.

ATHYRIUM FILIX-FÆMINA GRANTIÆ.

A rare and extremely pretty variety, with dense leafy and crispy-looking fronds, on stout short stalks. 3s. 6d.

ATHYRIUM FILIX-FÆMINA SAGITTATUM.

A pretty variety of Lady Fern, raised from the variety called *Fieldia*, and, like it, having a portion or the greater part of the frond furnished with abnormal pinnae forking irregularly from their base. It has, however, hitherto proved a much dwarfer plant than *Fieldia*; and besides being prettily toothed, it has in its typical state the posterior branch of the pinnae more developed than the anterior one, which with its pointed apex gives it an arrow-headed appearance. 2s. 6d. and 3s. 6d.

ATHYRIUM FILIX-FÆMINA VICTORIÆ.

In this very curious and beautiful variety, which belongs to the *rheticum* type, the apices of the pinnae and fronds are tasseled; but the most remarkable peculiarity is that the pinnae, instead of being simple, all fork at the base, so that two are developed from the same point; and as they are divergent, and one directed forwards and the other backwards, they cross each other on the whole length of the frond, which thus acquires a very curious appearance. 1s. 6d. and 2s. 6d.

ATHYRIUM F.F. AMPLUM, 3s. 6d.

“ “ “ FISSIDENTE-EXCUR-
RENS LYELLII, 5s.
“ “ “ INTERMEDIUM, 3s. 6d.
“ “ “ MULTICEPS CRISTA-
TUM, 3s. 6d.
“ “ “ PINNATUM MULTI-
FIDUM, 2s. 6d.
“ “ “ RUBROCAULE, 1s. 6d.

ATHYRIUM F.F. FRIZELLIÆ, 1s.

“ “ “ IRREGULARE, 3s. 6d.
“ “ “ MULTIFIDUM, 2s. 6d.
“ “ “ PINNATUM, 2s. 6d.
“ “ “ PULCHERRIMUM,
5s.
“ “ “ RAMO - CRISTATUM,
5s.
“ “ “ THYSSANOTUM, 1s. 6d.

ATHYRIUM GORINGIANUM PICTUM.

This handsome variety, which attracted a good deal of attention at the International Horticultural Exhibition, is remarkable as forming another addition to the small number as yet known of variegated Ferns. It is of Chinese origin, and bears somewhat triangular fronds of drooping character, marked with a grey band along each side of the reddish mid-rib of the pinnae. 7s. 6d.

LASTREA ERYTHROSORA.

A very handsome hardy evergreen Japanese Fern, well adapted for greenhouse or open air cultivation, for it is quite hardy, and the bold shining fronds are persistent throughout the winter, growing 2 to 3 feet high, with dark stipes, the fertile ones decorated by lines of red dots, which are the involucre scales overlying the spore cases.

It has received several Certificates of Merit as a distinct and desirable hardy Fern. 1s. 6d.

LASTREA FILIX-MAS BARNESII.

A very handsome and distinct normal-habited hardy Fern, with narrow fronds, short pinnae, and broad rounded pinnules; a most decided and characteristic variety. 2s. 6d.

LASTREA FILIX-MAS CRISPA CRISTATA.

A very handsome British Fern, and a general favourite. 5s.

LASTREA FLORIDANA.

A robust-growing evergreen Fern, notable for the deep green colour of its fronds. When figured by Sir W. Hooker, in his *Filices Exotice* (t. 99), not being then introduced, he remarked that "it would be a great ornament to our hardy Fern gardens in England." It has a stout, scaly, erect caudex, bipinnate fronds, 1½ to 2 feet long, stontish in texture, and of a broad lanceolate outline, thus approaching in form to one of our finest native species *Lastrea Filix-mas*, but the pinnules are of a narrower oblong form and more distant, giving a different aspect to the plant. The fertile fronds are very abundantly soriferous. It is a native of East Florida. When exhibited before the Floral Committee of the Royal Horticultural Society, it obtained a First Class Certificate. 2s. 6d. and 3s. 6d.

LASTREA ATRATA, 1s. 6d.

| **LASTREA OPACA**, 1s. and 1s. 6d.

LASTREA VARIA.

This bipinnate evergreen hardy Fern has been introduced from Japan. In general appearance it somewhat resembles *Lastrea opaca*, but it has this great difference, that instead of having bright green glossy fronds, as in the last named, the fronds are dull on the surface, of a very dark green, and when young they are of a deep red or reddish brown colour. 2s. 6d.

OSMUNDA REGALIS, 1s.

„ „ **CRISTATA**, 1s. 6d.

| **POLYSTICHUM ANGULARE CRIS-**
TATUM, 1s. 6d.

POLYSTICHUM ANGULARE BAYLIÆ.

A very elegant variety of *Polystichum angulare*, in which the pinnules are remarkably acute, and the larger ones are cut deeply into minute lobes. The outline is normal. 3s. 6d.

POLYSTICHUM ANGULARE CONCINNUM.

An exceedingly pretty foliose variety, in which the bluntnish pinnules are prettily and neatly fringed with fine long marginal teeth. 3s. 6d.

POLYSTICHUM ANGULARE GRANDICEPS.

One of the more choice crested forms of *Polystichum angulare*, and remarkable for the great corymbose head of crispy tufts which forms the apex of the frond. 1s. 6d.

POLYSTICHUM ANGULARE LINEARE.

Spreading 4 to 6 inches wide; with very sparse, almost skeleton fronds, their ultimate divisions very narrow, and very unequal in size. 2s. 6d.

POLYSTICHUM ANGULARE PARVISSIMUM.

A very pretty, distinct, neat-growing, hardy Fern; fronds thick, of a deep green colour, growing from 8 to 10 inches long, with an acuminate apex, and numerous pinnae, which are crowded with curiously minute pinnules overlapping each other, these latter being so blunt as to have almost a quadrate figure, and so small that they do not measure more than a line in either direction. 3s. 6d.

POLYSTICHUM ANGULARE PROLIFERUM WOLLASTONI.

This really noble variety has all the characters of *proliferum*, but it has wider and longer fronds. One of the most handsome of the British Ferns. 2s. 6d.

SCOLOPENDRIUM VULGARE BIMARGINATO-CORDATUM.

An extremely curious and interesting variety, remarkable for its curiously wrinkled surface, and so distinct that it should be in every collection of hardy Ferns. 3s. 6d.

STRUTHIOPTERIS JAPONICA.

A fine hardy or half-hardy Fern introduced from Japan. The fronds are of a pale green colour, about 1½ feet high, and 1 foot broad, spreading, peculiarly short as compared with their breadth, so that they have a broadly ovate outline. The fertile fronds are very stout, erect, with thick leathery pinnae, green above, and entirely covered on the under side by the convex, glossy, dark chestnut-brown fructification. 7s. 6d.

PALMS, CYCLANTHS, AND CYCADS.

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of character to allow of selections being made from it for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical appearance than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, or for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given at Battersea Park, and in other places where Palms have been used.

Selections of Stove Palms, at 4, 8, and 10 guineas per dozen.

Selections for the Greenhouse at 4, 8, and 10 guineas per dozen.

Large specimens from 1½, 2, 3, 4, to 8 guineas each.

Those marked with an asterisk are kinds that will succeed in a greenhouse.

ACANTHOPHŒNIX CRINITA	15s., 1 and 2 guineas
ACANTHORHIZA ACULEATA.....	10s. 6d., 15s., & 1 guinea
„ WARSCEWICZII	1½ and 2 guineas
ACROCOMIA SCLEROCARPA	15s., 1 and 1½ guinea
ARECA ALBA	7s. 6d. to 1 guinea
„ AUREA, a very fine graceful Palm, with yellowish stems	10s. 6d., 15s., & 1 guinea
* „ BAUERI	10s. 6d., and 15s. to 4 guineas
„ CATECHU (<i>The Betel Nut Tree</i>)	15s. and 1 guinea
„ CONCINNA	15s. and 1 guinea
„ FURFURACEA	15s. and 1 guinea
„ HORRIDA, <i>vide</i> <i>Oncosperma fasciculatum</i> . ..	—
* „ LUTESCENS	15s., 1 and 1½ guinea
„ MADAGASCARIENSIS	1 and 1½ guinea
* „ MONOSTACHYA	15s., 1 and 1½ guinea
„ NOBILIS, <i>vide</i> <i>Oncosperma Van Houtteanum</i> . ..	—
„ OLERACEA	10s. 6d. and 15s.
„ RUBRA	7s. 6d. and 15s. to 1½ guinea
* „ SAPIDA	7s. 6d. and 15s.
„ SPECIOSA, <i>vide</i> <i>Hyophorbe amaricaulis</i> . ..	—
„ VERSCHAFFELTII, <i>vide</i> <i>Hyophorbe Verschaffeltii</i> . ..	—
ARENCA BONNETII	15s.
„ OBTUSIFOLIA	1 and 1½ guinea
„ SACCHARIFERA	10s. 6d. and 15s.
ASTROCARYUM MEXICANUM	15s. and 1½ guinea
„ ROSTRATUM	10s. 6d. and 15s.
ATTALEA COMPTA	15s. and 1 guinea
„ EXCELSA	15s. and 1 guinea
„ GRANDIS	15s. and 1 guinea
„ LIMBATA, a very distinct-looking Palm, introduced from Central America, and raised from seed sent to England by Dr. Seemann	1½ guinea
„ MIRABILIS	10s. 6d. and 15s.
„ SPECTABILIS	10s. 6d. and 15s.
BACTRIS CARAVELANA	1 and 1½ guinea
„ MARAJA	10s. 6d. and 15s.
„ TOMENTOSA	1½ guinea
BENTINCKIA CODDAPANNA	2 guineas

PALMS, CYCADS, ENCEPHALARTOS, AND MACROZAMIAS—Continued.

BORASSUS MADAGASCARIENSIS	1½ guinea
*BRAHEA CALCAREA	10s. 6d. and 15s.
" DULCIS	10s. 6d. and 15s.
" EGREGIA	10s. 6d. and 15s.
CALAMUS ADSPERSUS (asperimus)	15s., 1 and 1½ guinea
" AFRICANUS	1½ guinea
" CILIARIS	2 guineas
" DEALBATUS, a beautiful stove Plant from Madagascar, with pinnate arching leaves, having narrow leaflets silvery beneath; the stalks are brownish, clothed with long slender spines, which point backwards.....	1½, 2, and 4 guineas
" ELEGANS.....	15s., 1 and 1½ guinea
" IMPÉRATRICE MARIE	2 and 3 guineas
" GETAH	15s., 1 and 1½ guinea
" MACROCARPUS	15s., 1 and 1½ guinea
" MICRANTHUS	15s., 1 and 1½ guinea
" NICOLAI	1 and 1½ guinea
" NIGER	2 guineas
" NITIDUS	10s. 6d., 15s., & 1 guinea
" REFRACTUS	2 guineas
" ROXBURGHII	
" TENUIS	2 guineas
" SPECTABILIS, a slender-growing and elegant-habited Palm, raised from seeds obtained from Malacca. In the young state, which only is known, the leaf stalks are green, furnished with numerous short conical white spines tipped with brown, and much resembling those borne on the surface of cucumbers; while the leaves are pinnate, with a few pairs of smooth linear-lanceolate three-ribbed leaflets, measuring 6 to 8 inches long. It is a Palm of an exceedingly ornamental character ...	2 guineas
" VERSCHAFFELTII	1½ and 2 guineas
CALYPTROGYNE ELATA	1 and 1½ guinea
CARLUDOVICA PALMATA, a very grand and useful Cyclanth.....	10s. 6d., 15s., & 1 guinea
CARYOTA CUMINGII	15s., 1 and 1½ guinea
" ELEGANS	10s. 6d. and 15s.
" HUMILIS	10s. 6d. and 15s.
" SOBOLIFERA	15s. and 1 guinea
" URENS	7s. 6d. and 10s. 6d.
CERATZAMIA MIQUELIANA	
CEROXYLON ANDICOLA	15s., 1 and 1½ guinea
" NIVEUM	1½ guinea
CHAMÆDOREA ATROVIRENS	15s. and 1 guinea
" ERNESTI AUGUSTI	15s.
" EXCELSA	15s. and 1 guinea
* " GLAUCA	15s. and 1 guinea
" OPTABILIS, an elegant-growing South American species, of handsome decorative aspect	10s. 6d., 15s., & 1 guinea
" SPECTABILIS, a neat-growing plant, with bright green foliage, well adapted for table decoration	10s. 6d., 15s., & 1 guinea
" VERSCHAFFELTII	10s. 6d., 15s., & 1 guinea
*CHAMÆROPS EXCELSA	7s. 6d. and 10s. 6d.; fine plants, 15s., 1, 2, and 3 guineas
* " FORTUNEI, Mr. W. B. can supply this useful decorative Palm, in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d., and 15s. to	1½, 2, 3, and 4 guineas each
" GHIESBREGHTII	7s. 6d., 10s. 6d., & 15s.
* " HUMILIS. Mr. W. B. can supply this useful decorative Palm in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d., and 15s. to	1½, 2, and 3 guineas each

PALMS, CYCADS, ENCEPHALARTOS, AND MACROZAMIAS—Continued.

*CHAMÆEROPS HUMILIS TOMENTOSA	10s. 6d. and 15s.
* " PALMETTO, <i>vide</i> Sabal Palmetto.	
* " SINENSIS, <i>vide</i> C. Fortunei.	
* " STAUACANTHA, <i>vide</i> Acanthorhiza aculeata.	
*COCOS AUSTRALIS	10s. 6d. and 15s.
* " CHILENSIS, <i>vide</i> Jubæa spectabilis.	
* " CORONATA	7s. 6d. and 10s. 6d.
* " FLEXUOSA	7s. 6d. and 10s. 6d.
* " GHIESBREGHTII	7s. 6d. and 10s. 6d.
* " PERUVIANA	15s. and 1 guinea
* " PROCOPEANA	15s.
* " ROMANZOFFIANA	10s. 6d. and 15s.
* " SCHIZOPHYLLA	10s. 6d. and 15s.
* " WALLISII	1½ and 2 guineas
*COPERNICIA LITTORALIS	1 and 1½ guinea
*CORYPHA AUSTRALIS, <i>vide</i> Livistona australis.	
" GEBANG	1 and 1½ guinea
" SPINOSA	1 and 1½ guinea
" UMBRACULIFERA	7s. 6d. and 10s. 6d.
CYCAS ARMSTRONGII	4 guineas
" CIRCINALIS	15s. and 1½ guinea
" REVOLUTA	7s. 6d., 15s. & 1½ guinea
" RIUMINIANA	4 guineas
DÆMONOROPS CINNAMOMEUS	1½ guinea
" FISSUS	15s. and 1 guinea
" HYSTRIX	15s. and 1 guinea
" MELANOCHÆTES	15s. and 1½ guinea
" PLUMOSUS, this is one of the most elegant of the Palm family, and, being of small growth, is admirably adapted for vases and table decoration. Its leaves are of a rich dark green, and handsomely plumed, hence its name	15s. and 1½ guinea
" TRICHOUS	15s. and 1 guinea
DECKENIA NOBILIS	1½ and 2 guineas
DESMONCUS GRANDIFOLIUS	15s. and 1 guinea
" WALLISII	1½ guinea
DICTYOCARYON WALLISII	2 guineas
DIPLOTHEMIUM LITTORALE	1 and 1½ guinea
ELÆIS GUINEENSIS, this is the Oil Palm of Africa	10s. 6d. and 15s.
ENCEPHALARTOS GHELLINCKII (<i>gracilis</i>). This remarkably elegant greenhouse plant has been recently received from South Africa, and proves to be quite distinct from the species previously in cultivation. The fronds are erect, slender, 3 to 4 feet long, and 6 inches broad in the widest part, linear-lanceolate in out- line, pinnate, with the rachis rounded behind, and channelled on each side where the pinnæ are set on. The pinnæ are narrowly linear and mucronately pointed, set on at intervals of one-fourth of an inch, convex on the upper, concave on the lower surface, woolly as is the rachis, with white cobwebby hairs while young, the hairs becoming at length straightened and appressed. The lower pinnæ gradually diminish into short mucronate points. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society	1½ and 2 guineas
" DENTATUS	15s. and 1½ guinea
" GIGANTEUS	
" GRANDIS	
" MIRABILIS	

PALMS, CYCADS, ENCEPHALARTOS, AND MACROZAMIAS—Continued.

ENCEPHALARTOS M'KENII. In the young plants of this South African Cycad, which only are known in this country, the leaves are about a couple of feet in length, with a pinnatiparted lamina of elliptic outline, and a woolly stalk, the wooliness being continued though in a less degree throughout the rachis; the divisions of the leaf are smooth, narrowly lanceolate, somewhat distant, having a few distant spiny teeth in their upper half; the shorter lower divisions are more strongly toothed, while below these are two rows of branched spine-like teeth extending down to the base...		1 and 1½ guinea
„	NATALENSIS	
„	NOBILIS	
„	PLUMOSUS	4 guineas
„	RETUSUS	15s. and 1½ guinea
„	VILLOSUS. An extremely ornamental plant, introduced from Africa, having long Palm-like leaves, elegantly recurved, with narrow toothed leaflets, which are very prettily arched, about 7 inches long; the stalks are thickly covered with a soft white downy substance.....	2 and 4 guineas
EUTERPE	ANTIOQUIENSIS	10s. 6d. and 15s.
„	EDULIS	10s. 6d., 15s., & 1 guinea
„	OLERACEA	10s. 6d., 15s., & 1 guinea
GAUSSIA	PRINCEPS	1½ guinea
GEONOMA	FENESTRALIS	10s. 6d. and 15s.
„	IMPERIALIS	2 and 3 guineas
„	PANICULIGERA	1½ and 2 guineas
„	PUMILA	10s. 6d., 15s., & 1 guinea
„	SCHOTTIANA	15s. and 1½ guinea
„	VERSCHAFFELTII	15s., 1 and 1½ guinea
„	ZAMORENSIS	2 and 3 guineas
GUILIELMA	SPECIOSA	
HYOPHORBE	AMARICAULIS	15s. and 1½ guinea
„	VERSCHAFFELTII	15s., 1½ and 2 guineas
HYOSPATHE	CHIRIQUEENSIS	10s. 6d. and 15s.
HYPHÆNE	DEALBATA	1 and 1½ guinea
* JUBÆA	SPECTABILIS	3s. 6d., 5s., and 7s. 6d.
KORTHALSIA	DEBILIS	2 guineas
„	ROBUSTA	1½ guinea
* LATANIA	BORBONICA. Mr. W. B. can supply this useful decorative Palm in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d., and 15s. to 1½, 2, 3, and 4 guineas each	
„	COMMERSONI	15s., 1½ and 2 guineas
„	GLAUCOPHYLLA	15s., 1½ and 2 guineas
„	RUBRA	15s., 1½ and 2 guineas
„	VERSCHAFFELTII	2 and 3 guineas
LEOPOLDINIA	PULCHRA	
LEPIDOCARYON	GRACILE	1½ guinea
LICUALA	AMPLIFRONS	15s. and 1 guinea
„	HORRIDA	10s. 6d. and 15s.
„	PELTATA	15s. and 1 guinea
LIVISTONA	ALTISSIMA	15s. and 1 guinea
* „	AUSTRALIS. Mr. W. B. can supply this useful decorative Palm, in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d., and 15s., to 1½, 2, 3, and 4 guineas each	
* „	HUMILIS	3s. 6d., 5s., and 7s. 6d., to 1½ guinea
„	OLIVÆFORMIS	1 and 1½ guinea
„	ROTUNDIFOLIA (subglobosa).....	1 and 1½ guinea
* „	SINENSIS, vide <i>Latania borbonica.</i>	
MACROZAMIA	DENISONI	1½ and 2 guineas
„	ELEGANS	1 guinea
„	EXCELSA	

PALMS, CYCADS, ENCEPHALARTOS, AND MACROZAMIAS—Continued.

MACROZAMIA SPIRALIS	
MALORTIEA GRACILIS	10s. 6d. and 15s.
„ LACERATA, a neat-growing stove Palm, of distinct character, and apparently of a dwarf close habit of growth. The leaf stalks are broad and sheathing at the base, flattened and slender upwards, and angular on the dorsal side. The leaf blades are broad and bilobed, with an ocurrent thread in the sinus, the lobes (in the young plants) upwards of an inch across, and lacerately split at the apex, while the surface is ribbed so as to appear plicate. Its apparently dense close habit of growth recommends it as a useful and distinct decorative Palm. It is a native of Central America, whence seeds were brought home by Dr. Soemann.....	15s.
„ SIMPLEX	15s. and 1 guinea
MARTINEZIA CARYOTÆFOLIA	15s., 1 and 1½ guinea
„ LINDENIANA	1 and 1½ guinea
MAXIMILIANA ELEGANS	1 and 1½ guinea
„ REGIA	1 and 1½ guinea
*MOLINIA CHILENSIS, vide Jubæa spectabilis.....	
ONOCARPUS DEALBATUS	1 and 1½ guinea
ONCOSPERMA FASCICULATUM	10s. 6d., 15s., & 1 guinea
„ VAN HOUTTEANUM	15s., 1 and 1½ guinea
ORANIA MACROCLADUS	2 guineas
ORBIGNYA DUBIA	
OREODOXA GHIESBREGHTII (ventricosa)	15s. and 1 guinea
„ OLERACEA (The Cabbage Palm of the West Indies)	
„ REGIA	10s. 6d., 15s., & 1 guinea
„ SANCONA, vide Euterpe edulis.....	
PHŒNICOPHORUM SEHELLARUM, a rare and beautiful Palm, from the Island of Seychelles. Its bilobed leaves are dark olive green, prettily maculated with orange, and the stems and leaf stalks bristle with long needle-shaped spines	1½, 2, and 3 guineas
*PHŒNIX DACTYLIFERA (The Date Palm)	5s., 10s. 6d., and 15s.
* „ FARINIFERA, a Sago-producing Palm	10s. 6d., 15s., & 1 guinea
* „ HUMILIS	10s. 6d., 15s., & 1 guinea
* „ PUMILA	10s. 6d., 15s., & 1 guinea
* „ RECLINATA	5s., 7s. 6d., and 15s.
* „ RECURVATA	3s. 6d., 5s., and 7s. 6d.
* „ SYLVESTRIS, a Sugar-yielding Palm.....	10s. 6d. and 15s.
* „ TENUIS	1 guinea
PHYTELEPHAS MACROCARPA. This Palm yields the Vogotable Ivory of commerce	1½ guinea
„ MICROCARPA	1½ guinea
PINANGA LATISECTA	1 and 1½ guinea
„ MACULATA	4 guineas
PLECTOCOMIA HYSTRIX	2 guineas
PRITCHARDIA PACIFICA.....	2 and 3 guineas
PTYCHOSPERMA ALEXANDRÆ	1½ guinea
„ COSTATUM	1½ guinea
„ CUNNINGHAMII. This plant is usually cultivated under the erroneous name of <i>Scaforthia elegans</i> . It is a most useful conservatory or cool greenhouse plant, for it will stand a low temperature with impunity, and it is of the highest decorative character; scarcely anything can equal the effect of a large plant of this noble Palm	5s., 7s. 6d., 10s. 6d., 15s., 1 and 2 guineas
„ EXCELSUM	1 and 1½ guinea
„ GRACILE.....	1½ guinea
„ NOBILE	15s. and 1 guinea

PALMS, CYCADS, ENCEPHALARTOS, AND MACROZAMIAS—Continued.

PTYCHOSPERMA POLYSTACHIUM.....	
" RUPICOLA	
RAPHIA HOOKERI	1 and 1½ guinea
" TÆDIGERA	1 and 1½ guinea
REGELIA PRINCEPS, <i>vide</i> Verschaffeltia splendida.	
*RHAPIS FLABELLIFORMIS.....	10s. 6d. and 15s.
" " AUREO-VARIEGATA.....	
*SABAL ADANSONI	3s. 6d. and 5s.
" LONGIFOLIA	1 and 1½ guinea
" MAURITIÆFORMIS	7s. 6d. and 10s. 6d.
* " MOCCINII	7s. 6d. and 10s. 6d.
" PALMETTO	2s. 6d., 3s. 6d., & 5s.
" PRINCEPS.....	15s. and 1 guinea
" UMBRACULIFERA (Blackburniana), a noble and very distinct Palm	7s. 6d. and 10s. 6d.
SAGUS RUFFIA	1 guinea
SARIBUS OLIVÆFORMIS.....	1 and 1½ guinea
" ROTUNDIFOLIUS (subglobosus), <i>vide</i> Livistona rotundi- folia.	
" ZOLLINGERI	10s. 6d., 15s., & 1 guinea
*SEAFORTHIA ELEGANS, <i>vide</i> Ptychosperma Cunninghamii.	
* " ROBUSTA, <i>vide</i> Areca Baueri.	
* " VEITCHII	1½ and 2 guineas
SOCRATEA EXORRHIZA	1½ guinea
STEVENSONIA GRANDIFOLIA, <i>vide</i> Phœnicophorium sechellarum.	
*SYAGRUS AMARA.....	15s. and 1 guinea
" BOTRYOPHORA	7s. 6d., 15s., & 1 guinea
* " CAMPESTRIS	15s. and 1 guinea
* " COMOSA	1½ guinea
* " MIKANIANA	15s. and 1 guinea
THRINAX ARGENTEA	2 guineas
" ELEGANS, very handsome for exhibition purposes; fine specimens	2, 3, and 4 guineas
" ELEGANTISSIMA, an exceedingly elegant and graceful miniature-growing Palm	1½ guinea
" GRACILIS	
" GRANDIS	2 and 3 guineas
" JAMAICENSIS	
" MARTII	1 and 1½ guinea
* " PARVIFLORA	5s. and 7s. 6d.
" RADIATA	
" ROBINII	1 and 1½ guinea
* " TUNICATA, <i>vide</i> Brahea dulcis.	
*TRITHRINAX MAURITIÆFORMIS, <i>vide</i> Sabal mauritiæformis.	
VERSCHAFFELTIA MELANOCHÆTES	10s. 6d., 15s., 1 and 1½ guinea
" SPLENIDIDA, a magnificent and very distinct new Palm, from the Island of Seychelles.....	2 guineas
WALLICHIA CARYOTOIDES	1½ guinea
" MYRIOSTIGMA	
" PORPHYROCARPA	1½ guinea
WALLISIA LINDENI	
WELFIA REGIA. A very distinct and beautiful stove Palm, recently named by M. Wendland. The stipes are smooth and slender, supporting a handsome bilobed leaf, which is parted almost down to the base into a pair of oblong acuminate lobes. The fresh leaves are of a pleasing bronzy hue, which adds much to the beauty of the plants in a young state	1½ guinea
WETENIA MAYENSIS	1 and 1½ guinea
ZALACCA EDULIS	10s. 6d., 15s., & 1 guinea
" WAGNERI.....	fine plants 1 and 1½ guinea.

NEW AND CHOICE AZALEAS (INDICA).

—:0:—

Mr. WILLIAM BULL'S selection, 18s., 24s., and 30s. per dozen: New varieties, 5s. and 7s. 6d. to 15s. each; handsome specimens, 15s., 1, 2, 3, and 4 guineas each.

A. BORSIG, a fine double flower, pure white, and of great substance; a useful variety for cutting, as the flowers being double are very lasting.

ANTOINETTE THELEMANN, immense double flowers of a rich rosy scarlet colour, shaded with violet.

BARON VON MANDELL, a fine flower, white and crimson.

BIJOU DE PARIS, a very distinct variety; the flowers are of immense size and well formed, of a pure white, striped with rose, and spotted with yellow; very free flowering.

CAMPANULATA ALBA, a beautiful white Indian Azalea with bell-shaped flowers, small leaves, and compact bushy habit. 5s. to 7s. 6d.

CHARMER. This handsome variety is of a colour quite unique in Azaleas, viz., a bright amaranth, which will make a charming contrast to existing kinds; the flowers are well formed, with petals of great substance; it is of excellent habit, and a profuse bloomer.

COLORIS NOVA, a novel and distinct variety, beautiful reddish purple, shaded with lilac; very bright and showy.

COMTE DE HAINAUT, bright rose, beautifully maculated; good shape, very double.

COQUETTE DE GAND, very large semi-double flowers, beautiful purple, edged with white, and spotted and striped with dark purple.

DOMINIQUE VERVAENE, large flowers, of a bright orange red, very double; or perhaps better described as being imbricated, each flower having twelve to fifteen petals, regularly disposed, as in a Camellia-flowered Balsam.

DONNA MARIA ANNA, brilliant rose, very fine.

ERBPRINZ LUDWIG, fine double, dark lilac.

EUGÈNE MAZEL, very large and beautiful flowers, exceedingly well formed, of a bright red, shaded with lilac and maculated with blue; good compact habit, and very floriferous.

EVELINE, finely-formed flowers of a rich orange colour, striped with rich crimson and bordered with white; very free flowering and attractive.

FRANÇOIS DEVOS, a magnificent flower, very double, of good form and of a dark red colour. It is of a free robust growth, and exceedingly free flowering, and is unsurpassed for the intense richness of its colour.

GLOIRE AVANT TOUT. This striking and effective variety produces large flowers of excellent shape, pure white, largely striped with rosy carmine; very beautiful and showy.

GRANDE DUCHESSE DE BADE. An extremely handsome richly coloured variety. Its colour is a bright orange scarlet; flower well formed, sometimes showing a slight inclination to be double, petals very thick and wax-like; excellent habit.

GUILLAUME III., a large handsome flower of a bright orange scarlet, spotted with deep crimson.

HELÈNE THELEMANN, a beautiful peach rose.

HERCULÉ, very large flowers, colour a reddish purple.

INSIGNIS, orange scarlet, a fine double flower.

LA SURPRISE, finely-formed flowers of a rosy salmon colour, blotched in the upper petals with black; a magnificent variety.

LA VICTOIRE, a splendid flower of a beautiful bright reddish cerise colour, each of the petals being lightly marked with white.

LEOPOLD I., very large semi-double rose coloured flowers; a free-blooming variety.

LE SUPERBE, a grand variety, with finely-shaped flowers of great substance, and of a brilliant vermilion scarlet colour, the top segments beautifully spotted with purple. This is undoubtedly one of the most magnificent and best-finished flowers in its colour.

LIZZIE, large finely-formed flowers of good substance, colour pure white, striped carnation-like with rosy carmine; free robust habit.

MADAME ALEX. HARDY, a splendid variety, having very large and finely-formed flowers of a rosy orange colour, with broad violet spots, shading to a beautiful amaranth, which entirely covers the three upper petals.

NEW AND CHOICE AZALEAS—Continued.

- MADAME ALEX. VAN LANGENHOVE**, an exceedingly effective and charming variety; flowers white, with transparent edges, the whole flower broadly flaked, barred, and speckled with bright rose shading to deep red, and spotted with light green.
- MADAME CAMILLE VAN LANGENHOVE**, snow white, a number of the flowers being barred with salmon, while others are striped with light rose and carmine; all these markings may be occasionally seen on the same flower. A very beautiful and effective variety.
- MADAME DE CANNERT D'HAMALE**, an immense flower, so large, and of such wax-like substance, as to almost resemble a Lily in appearance, of a beautiful satiny white, cleanly spotted with yellow in the upper petals. It received a First Prize at the Exhibition of the Royal Horticultural Society at Malines; it also received a First Prize when exhibited at the Royal Horticultural Society's Exhibition at Brussels.
- MADAME DOMINIQUE VERAENE**. This variety produces flowers of the most perfect form, of a soft rose colour, the upper petals largely spotted with bright red purple; it is also striped with lilac and red, and margined with white. This splendid variety received a First Prize at the Royal Horticultural Society's Exhibition at Brussels.
- MADAME IRIS LE FEBVRE**, flowers exceedingly double and constant, of a dark orange, with very broad spot of deep chocolate, charmingly enlivened by a shading of bright violet extending over the whole of the upper petals, and also suffusing the lower rows.
- MADAME LEON MAENHAUT**, amaranth crimson, spotted with black; a splendid flower of exquisite shape, and quite a novelty in colour. It is very floriferous.
- MADAME LOUIS VAN HOUTTE**, a splendid flower, of model form, with smooth well-rounded petals, of good substance; white, broadly banded with rose, and flaked with cochineal.
- MADAME MARIE VERAENE**, large fringed flowers, white, striped rosy carmine; good shape.
- MADAME VAN DER CRUYSEN**, fine large semi-double flowers, of good form, of a beautiful satiny rose colour, lightly shaded, spotted with black, and bordered with a fresh amaranth colour.
- MADMOISELLE LÉONIE VAN HOUTTE**, a variety with magnificently formed flowers, white, flaked with rose, and handsomely spotted with sulphur yellow.
- MADMOISELLE MARIE LE FEBVRE**. This variety produces fine white flowers of extraordinary size, and of excellent form.
- MADMOISELLE MARIE VAN HOUTTE**, an exceedingly attractive variety, its immense semi-double white flowers being striped, flaked, and blotched with rosy salmon, somewhat like a Carnation; the petals are broad and finely rounded.
- MONSTRUOSA ALBA**, a magnificent flower, of immense size, and of the most pure snowy white.
- NONPAREIL**, a superb variety; flowers of immense size and good form, colour a pale orange, largely bordered with pure white, and spotted with chocolate.
- PRÉSIDENT A. VERSCHAFFELT**, a remarkable variety, of a bright satiny orange colour; the upper petals have a bluish tint, and the whole flower is spotted with jet black. It is very free blooming, and the flowers are of immense size and perfect form.
- PRINCE FRANCIS JOSEPH**, salmon scarlet, very showy.
- PRINCESSE STÉPHANIE CLOTHILDE**, double white, imbricated, occasionally striped with rosy lilac in some of the petals; a magnificent thick wax-like flower.
- PROFESSOR KOCH**, a beautiful rose, semi-double.
- PUNCTULATA OMNICOLOR**, an attractively variegated variety, flowers white, very much striped, mottled, and splashed with orange scarlet.
- PUNCTULATA VARIEGATA**. This is another showy variegated kind, rosy scarlet, striped, mottled, and splashed with white and orange scarlet.
- QUEEN OF BEAUTIES**, salmon pink, margined with white and flaked with carmine, densely and very richly spotted with crimson; flowers large, of good shape and substance.
- QUEEN OF ROSES**, flowers a beautiful bright rose, finely formed; one of the best of the rose coloured varieties.
- REINE DES BLANCHES**, fine pure white.
- REINE DES PAYS BAS**, violet pink, margined with white, and richly spotted with deep crimson; a very attractive variety.
- ROI D'HOLLANDE**, fine well-formed flowers, of an exceedingly rich dark red colour, spotted all over with black; a remarkably attractive variety, of good habit, and very free flowering.
- ROI DES DOUBLES**, deep rose, very large and double.
- SENATOR KESSLER**, shaded crimson, very rich.
- SOUVENIR DE LEON MAENHAUT**, bright rosy carmine.
- SOUVENIR DE L'EXPOSITION UNIVERSELLE**, white, striped and spotted with rose; a magnificent flower, of perfect form and immense size.

NEW AND CHOICE AZALEAS—Continued.

SOUVENIR DE VAN PEENE, a beautifully formed flower, of a deep bright rose colour, shading into a pale satin-like pink, richly spotted in the upper petals with dark purple red.

STELLA, a very vigorous-growing variety, of a bright orange scarlet colour, stained with rich violet on the upper segments of the corolla.

VIRGINALIS, pure white, spotted with yellow, fringed edge.

VIVID, deep rich scarlet; a fine high-coloured variety.

WILLIAM BULL, a variety raised in Belgium, and named by M. Ambroise Verschaffelt; the flowers are of unusual size and substance, double and well formed; colour crimson and violet.

WILLIAM TELL, fine form, carmine, shaded with copper colour, striped.

THE GENERAL COLLECTION COMPRISES THE FOLLOWING GOOD VARIETIES:—

ADMIRATION
ALBA ILLUSTRATA
— PLENA
— MAGNA
ALBERTUS
ALEXANDER II.
ALEXIS DALLIÈRE
AMBOISE VERSCHAFFELT
ANGENA
ANTOINE CHANTIN
ARDENS
A. SCHEUERMANN
AUGUSTE VAN GEERT
BARCLAYANA
BARON DE PRÊT
— VRIÈRE
— ED. OSY
BEAUTÉ DE L'EUROPE
— SUPRÊME
BEAUTY OF REIGATE
BELLE GANTOISE
BERNARD ANDREA
BOUQUET DE FLORE
— ROSES
BRILLIANT
CARNATION
CARTOPHYLLOIDES
CEDO NULLI
CHARLES ENKE
— VAN ECKHAUTE
CHELSONI
CLAPHAM BEAUTY
COMET
COMTESSE DE FLANDRE
CONCINNA
COQUETTE DE FLANDRE
CORONATA
CORRECTA
CRISPIFLORA
— ROSEA
CRITERION
CRYSTALLINA
DANTE
DELECTA
DIEUDONNÉ SPAE
DISTINCTION
DONNA MARIA
DR. LIVINGSTONE
DUC ADOLPHE DE NASSAU
— DE BRABANT
— MALAKOFF
DUCHESS ADELAIDE DE NASSAU
DUKE OF CAMBRIDGE
— DEVONSHIRE
EDOUARD MAERTENS
ELEGANTISSIMA
ELFRIDE

EMPRESS EUGÉNIE
ERNST BENARY
ETENOARD DE FLANDRE
ETOILE DE GAND
EULALIE VAN GEERT
— FOL. VARIEGATIS
EXQUISITA
— FOL. VAR.
— PALLIDA
EXTRANEI
FASCINATION
FERDINAND KEGELIAN
FIELDER'S WHITE
FLAG OF TRUCE
FLOWER OF THE DAY
FORGET-ME-NOT
FORMOSA
FRANÇOIS DEVOS
FREDERIC II.
FÜRST ANATOL DE DEMIDOFF
FÜRSTIN HELENA VON WALDECK
GARABALDI
GÉANT DES BATAILLES
GEN
GENERAL WILLIAMS
GLEDSTANESII
— FOMOSA
GLOIRE DE BELGIQUE
— LEDEBERG
GLORY OF SUNNINGHILL
GRÄFIN THUN
GRAND DUC MICHEL
GRANDIS
HER MAJESTY
HERMINE
HOLFORDII
HORTENSE VERRAENE
ILLUSTRIS NOVA
IMPERIALIS
INCOMPARABLE
IVERYANA
— ALBO-CINCTA
— IMPROVED
JACQUES VON ARTEVELDE
JEAN VAN GEERT
— VERSCHAFFELT
JENNY LIND
JULIANA
KINGHORNII
LA DÉSSE
— GÉANTE
— PAIX
LE LION DE FLANDRE
LEVIATHAN
L'IMPÉRIAL
LION BELGE
L. L. LIEBIG

LORD CANNING
— CLYDE
— RAGLAN
LORELKY
LOUISE MARGOTTIN
— MARIE
— VON BADEN
LOUIS NAPOLEON
LUDWIG H. WOLF
MADAME A. VERSCHAFFELT
— DESBORDS-VALMORE
— JEAN VERRAENE
— MIELLEZ
— WAGNER
MAGNET
MAGNIFICENS
MAGNIFLORA
MARIE VERRAENE
MARS
MARTHA
MAXIMILIAN I.
MILTONI
MODÈLE
MONARCH
MONSIEUR KETELEER
— THIBAUT
MOZART
NAPOLEON III.
NARCISSIFLORA
OPTIMA
OTTO FORSTER
PAULINE MARDNER
PERFECTA ELEGANS
PERFECTION
PERRYANA
PETUNIEFLORA
PRÉSIDENT
— CLAËYS
— HUMANN
— VICTOR VAN DEN HECKE
PRINCE ALBERT
— IMPÉRIAL
— OF ORANOE
— PRUSSIA
PRINCESS ALEXANDRA
— ALICE
— HELENA
— MARY OF CAMBRIDGE
— ROYAL
PRINCESS BATHILDE D'ANHALT
DESSAU
— FRÉDÉRIC D'ANHALT DES-
SAU
— HILDA D'ANHALT DESSAU
— MARIE GALITZIN
— STEPHANIE-CLOTILDE
PRINZESSIN EBOLY

AZALEAS—Continued.

PRINZ FRANZ-JOSEPH	ROSEA PUNCTATA	TANNHAUSER
PROFESSEUR LEMAIRE	ROSE CHÉRI	TEUTONIA
PULCHRA	ROSY CIRCLE	THE BRIDE
PUNCTULATA	RUBENS	THEODORE KÖRNER
PURITY	SALMONEA ALBO-CINCTA	THUSNELDE
QUEEN OF PERFECTION	SCHÖNE MAINZERIN	TOILETTE DE FLORE
— THE WHITES	SECRÉTAIRE CLAU	TRICOLOR
— VICTORIA	SEMI-DUPLEX MACULATA	TRIOMPHE DE GAND
QUENTIN DURWARD	SINENSIS	— LEDEBERG
REINE DES BELGES	SIR CHARLES NAPIER	TROTTERIANA
— DOUBLES	— H. HAVELOCK	VARIEGATA SUPERBA
— PANACHÉES	SOPHIE VERVAENE	VESUVIUS
— LOUISE	SOUVENIR DE L'EXPOSITION	VICOMTE DE FORCEVILLE
RHENANIA	— MIELLEZ	VIOLECEA SUPERBA
ROI DES BEAUTÉS	— PRINCE ALBERT	VITTATA
— D'HOLLANDE	SPLENDIDISSIMA	— ELEGANS
— LEOPOLD	STANDARD OF PERFECTION	VULCAIN
ROSEFLORA PLENA	STANLEYANA	WAXWORK
ROSEA ALBA	STRIATA FORMOSISSIMA	WILHELM SESTER.
— ILLUSTRATA	SYMMETRY	

CAMELLIAS.

Mr. WILLIAM BULL has a magnificent lot of Specimen Camellias of symmetrical pyramidal form. The names and sizes of a few are annexed, but an inspection of the Stock is invited.

CAMELLIA	ALBA PLENA, a handsome plant, 9 feet high and 8 feet through; a magnificent specimen	40 guineas
"	ALBA PLENA, a standard, with stem 3 feet 6 inches high, and bushy head 3 feet high	4 "
"	AMABILIS FULGENS 3 ft. 10 in. high	2 "
"	CAROLINA FRANZINI 5 ft. 2 in.	2 "
"	CESARE FRANCHETTI 4 ft. 6 in.	2 "
"	CONTE DI SORANZO 4 ft. 10 in.	4 "
"	CONTESSA OTTOLINI 5 ft. 8 in.	4 "
"	CRUCIATA VERA 3 ft. 3 in.	2 "
"	EUREUS 7 ft. 6 in.	7 "
"	EUREUS 4 ft. 10 in.	4 "
"	FIMBRIATA, a standard, with stem 3 feet 9 inches high, and bushy head 3 feet high	5 "
"	FIMBRIATA, a standard, with stem 3 feet 4 inches high, and bushy head 2 ft. 9 inches high	4 "
"	FRA ARNOLDO DA BRESCIA, the finest plant in cultivation of this beautiful Camellia 6 ft. 9 in. high	12 "
"	FRA ARNOLDO DA BRESCIA 4 ft. 10 in.	4 "
"	GAVAZZI 6 ft. 2 in.	5 "
"	MARCHEZA THERESE D'AMBRA 2 ft. 8 in.	1½ "
"	NINFA DEL FEBRO 4 ft.	3 "
"	PICTA 5 ft. 8 in.	8 "
"	REINE DES BELGES 3 ft. 6 in.	1½ "
"	SUPERBA 7 ft.	4 "

NEW AND CHOICE CAMELLIAS.

Several of the annexed will be great acquisitions, for they are of those beautiful soft blush and flesh colours hitherto so rare, of which the old *Lady Hume's Blush* is the type.

A. J. DOWNING, flesh beautifully cupped; an exquisite variety. 7s. 6d.

ANGELO COCCHI, a carnation-striped variety. 5s.

ARCDUC ETIENNE, blush, flowers very large; superb. 7s. 6d.

BELLA ROMANO, flowers large, finely formed, blush, flaked with crimson. 7s. 6d.

NEW AND CHOICE CAMELLIAS—Continued.

- COMMENDATORE BETTI, flower bright rose colour, large and heartfully imbricated 5s.
 COMTE DE GOMER, soft rose, splendidly striped with crimson, petals finely imbricated. 5s.
 CORA L. BARTON, very light flesh, with cherry coloured stripes. 5s.
 COUNTESS CORRADINO, deep red, with white stripe; a beautiful variety. 7s. 6d.
 COUNTESS OF DERBY, an exceedingly handsome variety, white, flaked with rose. 5s.
 DR. BOISDUVAL, bright pink; exceedingly fine flowers. 7s. 6d.
 DUCHESSE DE NASSAU, light pink, large flowers; exquisite shape. 7s. 6d.
 ELVIRA BIANCHINI, large imbricated flower of good form; colour cream white, marked with rose coloured bars and streaks. 5s. and 7s. 6d.
 FANNY SANCHIOLI, bright pink. 7s. 6d.
 GENERAL CIALDINI, bright shaded carmine, with casual red bars; a fine imbricated flower of symmetrical form and outline. 5s. and 7s. 6d.
 IL TRAMONTO, magnificent flowers, large, and of the finest rose, perfectly and regularly imbricated; the petals are either handsomely blotched or banded with white in an exceedingly attractive manner. 7s. 6d.
 LAVINIA MAGGI, the best of the carnation-striped varieties. 3s. 6d. and 5s.
 LAVINIA MAGGI ROSEA, a superb variety, colour bright red, beautiful form; this variety possesses the peculiarity of retaining its flowers individually in freshness and beauty for a long time. 7s. 6d. and 10s. 6d.
 LEOPOLD I., very large flowers, of fine imbricated form, and a deep red colour. 5s.
 MADAME AMBROISE VERSCHAFFELT, a beautifully imbricated flower, very full, white, tinted with blush, and veined and spotted with rose and red; good habit. 15s.
 MONSIEUR D'OFFOY, rose, with white centre; very handsome. 5s.
 MRS. DOMBRAIN, soft pink, beautifully formed. 7s. 6d.
 NONPAREIL. The flowers of this variety have great regularity of outline, fine thick petals, colour a delicate flesh, barred, splashed, and regularly striped with deep pink. It is of close compact habit, and a remarkably free bloomer. 7s. 6d. and 10s. 6d.
 PRINCESS MARY, a most superb variety, the flowers having great regularity of outline, and fine thick shell-like petals, which are exceedingly smooth and full. The colour is handsome and attractive, a pleasing shade of bright reddish crimson.
 Added to exceedingly handsome flowers, this Camellia possesses the great advantage of having an excellent habit, and remarkably broad rich-looking thick foliage. First Class Certificate from the Floral Committee of the Royal Horticultural Society for its exceptional merit. 15s. and 1 guinea.
 QUEEN OF BEAUTIES. This variety, sent out by Mr. W. B. in 1861, has now proved itself incontrovertibly one of the most superb ever offered; colour blush, fine imbricated form. 5s.
 SOUVENIR D'EMILE DEFRESNE, bright carmine, striped with white. 7s. 6d.
 TRICOLOR IMBRICATA PLENO, flowers white, with rose and carmine flakes. 3s. 6d. and 5s.
 VICOMTE DE NIEULAND, very light pink, striped with white, flowers large. 7s. 6d.
 VICOMTE DE NIEUPORT, flowers of a bright rose colour, perfectly formed, and heartfully imbricated. 3s. 6d. and 5s.
 ZORAIDE VANZI, blush white, with picturesque rosy red bars and flakes, flowers of great substance and good even outline. 5s. and 7s. 6d.

The following Camellias are new Italian varieties; they range in price according to the sorts, from 5s., 7s. 6d., to 10s. 6d. each:—

CAMELLIA BELLA DI VILLA PAM-
 FILI
 „ BIANCA GERARDINI
 „ BIOMA GERARDINI
 „ CAMILLO GALLI
 „ CORRADINO
 „ EIZIANO
 „ GIOBERTI
 „ IL DISINGANNO
 „ LA PACE
 „ LA VERTOLE
 „ L'ITALIA
 „ L'ITALIANA
 „ MARCHESA PEPOLI
 „ MARMORA NOVA
 „ MELPOMENE

CAMELLIA MICHEL ANGELO
 MINERVA POZZESI
 „ NADINA
 „ NINFA DELL'ARNO
 „ PAMFILIANA
 „ PRINCIPESSA
 „ „ CLOTILDE
 „ „ „ RUBRA
 „ „ DORIA NOVA
 „ SOLFATARA
 „ SOLFERINO
 „ SORRISO DI AMORE
 „ STRIATA PAMFILI
 „ ST. DISINGANNO
 „ VENERE
 „ VIRGINIA FRANCO.

CAMELLIAS.

Selections of well-known good sorts, in fine plants, can be made from Mr. W. B.'s general collection, at 24s., 30s., 45s., and 60s. per dozen. The collection comprises the following excellent varieties :—

ADRIEN LEBRUN
ALBA CASORETTI
— FENESTRATA
— ORNATISSIMA
— PERFECTA
— PLENA
ALBERTUS
AMABILIS
ANDREA DORIA
ANNETTE FRANCHETTI
ANTONELLI
APUEFORMIS
ARCHIDUCHESS AUGUSTA
— MARIE
ARIOSTO
ASMODÉE
ASPASIA
AUGUSTE DELFOSSE
AUGUSTINA SUPERBA
BARON DE VRIERE
BEALI
— ROSEA
BEAUTY OF CLAPHAM
BELLA DI FIRENZE
BELLE JEANNETTE
BENNEYI
BERGAMA
BICOLOR DE LA REINE
BONOMIANA
CANDIDISSIMA
CANDOR
CARDINAL ANTONELLI
CARLOTTA GRISI
CAROLINE SMITH
CARSWELLIANA
CARYOPHYLLOIDES
CENTIFOLIA
CESARE FRANCHIETTI
CHANDLERI
— ELEGANS
COCCINEA FL. PL. FOL. VAR.
COLLETHI
COMPACTA ALBA
COMTE DE FLANDRES
— — PARIS
— — TOLL
COMTESSE NEGRI
— NENCINI
CONTE BERNARDINO LECHI
CONTESSA LAVINIA MAGGI
— MARIANA
— OTTOLINI
— PAOLINI MAGGI
— — ROSEA
COQUETTI
COUNTESS OF ELLESMERE
— — ORKNEY
CRUCIATA
CUP OF BEAUTY
DANIEL WEBSTER
DE LA REINE
— — — ROSEA
DON BERNARDO LECHI
DONCKELAARI
DUCA DI GENOVA

DUCA D'AUMALE
— DE BRETAGNE
— — CHARTRES
— — LITTA
DUCHESS DE BERRI
— — NORTHUMBERLAND
— — D'ORLEANS
DUKE OF LANCASTER
DUNLOP'S AMERICANA
ELEGANS
— — CHANDLERI
ELISA CENTURIONI
ELIZABETH HERBERT
EMILIA CAMPIONI
— GAVAZZI
EMPEREUR DE RUSSIE
ETOILE POLAIRE
EUGÉNIE DE MASSÉNA
EXIMIA
FATIMA
FAUSTINE
FEASTII
FIMBRIATA
FLORIDA
FORMOSA
FRA ARNOLDO DA BRESCIA
FRANCOFURTENSIS
FULGENS PLENISSIMA
GARIBALDI
GÉNÉRAL DROUOT
— LAFAYETTE
— WASHINGTON
GIARDINO FRANCHETTI
— SCHMITZ
GIOVANNI NENCINI
— SANTARELLI
GIOVANNINI MASSINIANA
GLORIA DI MILANO
GORDONI
GRAND DUC CONSTANTINE
GRANDIS
GRÉTRY
GUILLAUME III.
GUTHRIANA
HALLEYI
HENDERSONI
HENRI FAVRE
IL CYGNO
— 22 MARZO
— ROBERTI
IMBRICATA
— ALBA
IMPÉRATRICE EUGÉNIE
JACKSONI
JAPONICA VARIEGATA
JARDIN D'HIVER
JEFFERSONI
JENNY LIND
JUBILEE
LA CONSTITUTIONE
LADY HUME'S BLUSH
LA ESMERALDA
LANDRETTI
LA SPERANZA
L'AVENIRE

LA VESTALE
LEANA SUPERBA
LEMICHEZII
LÉON LEGUAY
L'INSUBRIA
LOMBARDO
LOWII
MACULOSA
MADAME BOSCHI
— DE STREKALOFF
— LEBOS
— MIELLEZ
— PÉPIN
— PICOULINE
MADONNA
MAIDENBLUSH
MALVINA
MARCHEZA THERESA D'AMBRA
MARCHIONESS OF EXETER
MARGUERITE GUILLON
MARIE MORREN
— THERESA
MARIETTE MASSANII
MATHOTIANA
— ALBA
MAZEPPA
MAZUCHELLI
MINIATA
— STRIATA
MONARCH
MONTIRONI
MRS. ABBY WILDER
— COPE
MYRTIFOLIA
NAPOLEON III.
NASSINIANA
NAZIONALE
NEGRI
NINFA DELL TEBRO
— EGELIA
NIOBE
OCHROLEUCA
OPTIMA
PALMER'S BEALI
— PERFECTION
PAOLINA MAGGI
PAREPA
PEARL
PICTA
PIE IX.
PIRZIO
PLANIPETALA
PRESIDENT BUCHANAN
PRINCE ALBERT
— DE ROHAN
— FREDERICK WILLIAM
PRINCESSE BACIOCCHI
— DE PRUSSE
— MARIE
PRINCESS FREDERIC WILLIAM
PRINCIPESSA
— MARIA PIA
— ROSPIGLIOSI
PROFESSORE FILIPPE PARLATORE
— GIOVANNI SANTARELLI

CAMELLIAS—Continued.

PULASKY
PUNICEA
QUEEN OF DENMARK
— — — ENGLAND
— — — ROSES
— — — VICTORIA
QUERCIFOLIA
RÉ
REGINA DEI GIOANTI
REINE DES BEAUTÉS
— — — BELOES
— — — FLEURS
— — — MARIA-HENRIETTE
RETICULATA
— — — FLORE PLENO
RISTORI
ROI DES BELGES

ROI LEOPOLD
ROMA RISORTA
RUBENS
SACCOI NOVA
SARAH FROST
SASANQUA ALBA
— — — FOL. VAR.
— — — ROSEA
SEBASTOPOL
SERRATIFOLIA
STELLA POLARE
STORYI
TARGONI
— — — ROSEA
TEUTONIA
— — — ROSEA
THE BRIDE

THERESA
TORNIELLI
TRICOLOR
— — — DE MATHOT
TRIOMPHE DE LODDI
— — — WONDELORHEM
UNICA
VALTEVAREDA
VAN DYCK
VARIEGATA
VERSCHAFFELTH
VICTORIA MAONA
VIOIRINE DI COLLE BEATO
VITTORIA EMMANUELE II.
WILDERI
WILLIAM DOWNING.

NEW AND CHOICE PENTSTEMONS.

*Those marked thus * are dwarf-growing varieties.*

ANNIHILATOR, rich deep crimson, light throat, striped with crimson, and shaded with violet, dwarf. 1s.

ARTIST, bright violet rose; throat white, shaded with violet, and rayed with crimson. 1s. 6d.

ASCENDENT, violet purple, white throat, slightly pencilled with rose. 1s. 6d.

BONS VILLAGEOIS, crimson tube, bright red lobes, which are very large, white throat. 1s.

CAMILLE PRIEUR, large flowers, bright red, the throat maculated with bright crimson. 2s. 6d.

CARDINAL, a dwarf-growing variety; tube scarlet, lobes bright pink, and the throat white, flaked with red. 1s. 6d.

CAROLINE, lavender, shaded with violet, light throat, feathered with crimson. 1s. 6d.

CASSIDY, rosy violet tube and lobes, pure white throat. 9d.

COLOUR SERGEANT, crimson purple, white throat. 9d.

CONGRESS, dark crimson tube, scarlet lobes, white throat, striped with crimson, the mouth distinctly shaded with violet. 1s. 6d.

CONQUEST, dark rose tube, pink lobes, upper part of the throat white, under part dark crimson. 2s. 6d.

CONSTANCE, cherry coloured tube, pink lobes, white throat, strikingly reticulated with crimson. 1s. 6d.

CRUSADER, rich crimson, white throat, shaded with violet, and darkly striped. 1s. 6d.

DAYLIGHT, rosy pink, pure white throat, large flower. 1s. 6d.

DE SAINT PAUL, fine dark purple, pure white throat, streaked with crimson. 9d.

DIADEM, violet purple, white throat, rayed with crimson; an attractive variety. 2s. 6d.

DIRECTOR, rosy purple tube and lobes, pure white throat. 1s. 6d.

DR. SMITH, deep plum, throat white. 9d.

ELECTOR, rich dark purple. 1s. 6d.

EMULATION, rose tube, bright pink lobes; fine large flower. 1s. 6d.

ENCHANTING, violet crimson, white throat, prettily striped with dark crimson. 1s. 6d.

ENCOUNTER, scarlet, crimson throat. 1s. 6d.

***ENVOY**, a dwarf-growing variety; tube rosy violet, lobes bright carmine; the throat white, rayed with intense crimson. 1s. 6d.

***ERASMUS**, tube purple crimson, lobes rosy violet; the throat white, striped and blotched with crimson; dwarf and compact. 1s. 6d.

EXCHEQUER, bright rich scarlet, crimson throat. 9d.

***FAUST**, a dwarf-growing variety; flowers clear purple, the throat maculated with maroon. 2s. 6d.

FORESTER, fine claret coloured flowers; the throat beautifully pencilled with crimson on a light ground. 1s. 6d.

GOTTLIEB-ZAHN, fine large clear rose flower, with pure white throat maculated with purple. 2s. 6d.

HENRY DEMAY, large well-formed flowers of a clear violet colour, the throat pure white bordered with rose. 2s. 6d.

HOGARTH, violet rosy tube, pink lobes, and white throat pencilled with crimson. 1s. 6d.

IPHIGÉNIE, flowers large, scarlet, mouth beautifully maculated with crimson. 9d.

JAMES MUIR, pink, white throat, large. 9d.

JOSEPHINE, bright pink, with pure white throat; a very pleasing flower. 1s. 6d.

LANDSEER, purple crimson, maroon throat. 1s. 6d.

NEW AND CHOICE PENTSTEMONS—Continued.

- LAURENCE**, large, bright carmine, white throat, veined with dark carmine. 9d.
- LEONORE D'EST**, lively carmine, white throat, maculated with reddish brown, edge bordered with white. 9d.
- LUCRETIA**, claret tube and lobes, light throat, shaded with violet. 9d.
- LURLINE**, light violet rose, pure white mouth and throat; large flowers. 1s. 6d.
- MADAME CERF**, deep violet, large white throat, veined with a beautiful brown, bordered with pure white. 9d.
- MARGUERITE FOREL**, flowers large, colour carmine, white throat, marked with purple. 9d.
- MARIA HELD**, very pure white tube, with a light circle of violet at the opening of the throat, lobes rosy violet. 1s.
- METROPOLITAN**, pink tube and lobes, light throat, striped with rose, flowers large. 9d.
- MINSTREL**, dark rose, white throat, pencilled with crimson. 2s. 6d.
- *M. LEMOINIER**, tube bright purple amarant, the throat marked with maroon. 2s. 6d.
- MODESTY**, carmine salmon, the upper part of throat white, mouth marbled red. 1s. 6d.
- MRS. A. STERRY**, delicate rosy peach, pure white throat, fine form, and good spike. 2s. 6d.
- MRS. HOPE**, light peach, white throat, pencilled with light crimson, fine spike. 9d.
- MRS. POLLOCK**, lavender purple, and white throat. 9d.
- NEPTUNE**, deep carmine tube and lobes; the throat white, blotched with crimson. 1s. 6d.
- NON SUCH**, violet blue, pure white throat; an exceedingly pretty flower. 1s. 6d.
- NOTABLE**, fine crimson flower, with a light throat. 1s.
- ORIENTAL**, deep rosy violet tube and lobes, throat pure white. 9d.
- PAUL RACOUCHOT**, pure white, veined with lilac, and bordered with carmine. 9d.
- PERCY**, bright violet crimson, fine broad lobes, pure white throat, slightly pencilled with rose; a fine large flower. 2s. 6d.
- PRESIDENT**, deep red tube, shaded with violet, rose lobes, light throat, striped with crimson. 9d.
- PRESIDENT SILBERMAN**, bright pink, pure white throat, veined with crimson. 1s.
- PRINCEPS**, rose coloured flowers, with white throat. 9d.
- PURPLE KING**, purple, shaded violet, white throat, striped with rosy purple. 2s. 6d.
- RAPHAEL**, dark crimson tube, shaded with violet, bright red lobes, maroon throat, which, in the upper part, is white and violet. 9d.
- REPULSE**, violet purple, white throat, reticulated with crimson. 1s. 6d.
- REVIEW**, deep carmine, light throat, prettily pencilled with crimson. 1s.
- RINGLEADER**, violet purple, light throat, marbled with maroon. 1s. 6d.
- *ROMANCE**, carmine, with white throat; a dwarf-growing variety, producing fine spikes of flowers. 1s.
- *ROSE RENDATLER**, bright clear violet, white throat, spotted with purple; very pretty and distinct. 2s. 6d.
- RUBENS**, dark red, the under lobes and lower part of the throat blotched with crimson; the interior of the upper lobes white, shaded with violet. 1s. 6d.
- SENATOR**, tube violet red, lobes margined with bright carmine; pure white throat, slightly striped with crimson. 1s. 6d.
- SUNBEAM**, dark crimson tube, scarlet lobes, light throat, shaded with violet, and striped with crimson; a fine large flower. 2s. 6d.
- SURPRISE**, crimson purple, dark purple throat. 1s.
- THERÈSE DU PLESSIS**, rosy violet, pure white throat. 2s. 6d.
- TITIAN**, deep red tube and lobes, light throat, blotched and striped dark crimson. 9d.
- UMPIRE**, deep crimson tube and lobes, white throat, darkly reticulated. 1s. 6d.
- UNDINE**, maroon, light throat, darkly striped. 1s. 6d.
- UNIVERSAL**, violet purple, white throat, pencilled with purple. 1s.
- VAN VOLXEM**, bright rose, with blush white throat. 9d.
- WAVERLEY**, bright purple, pure white throat, darkly reticulated. 1s. 6d.

NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S selection of 12 varieties . . . 18s., 24s., 30s., and 42s.
 New Varieties . . . 3s. 6d., 5s., 7s. 6d., and 10s. 6d. each.

- | | | |
|--|--|---|
| ADOLPHE ADAMS , green leaf ground, densely speckled with white, and rose coloured mid-ribs. 2s. 6d. | ALFRED BLEU , leaf rich green, with pure white spots and flesh coloured centre; distinct. 2s. 6d. | ARGYRITES . 1s. & 1s. 6d. |
| ALCIDE MICHAUX , dark green leaves, marked with white spots, and crimson rayed centre. 2s. 6d. | ALPHAND , green, spotted red, crimson centre. 10s. 6d. | ARGYRONEURUM , green ground and white ribs, peculiar and effective. 1s. 6d. |
| | ALPHONSE KARR . 2s. 6d. | AUBER , green ground, densely marked with white spots and central pink ones. 3s. 6d. |
| | AMABILE . 1s. 6d. | |

NEW AND CHOICE CALADIUMS—Continued.

- AUGUSTE RIVIÈRE**, white centre and rays upon a light green ground, interspersed with crimson spots. 5s.
- BARAQUINII**. 2s. 6d.
- BARILLET**, very bright rosy crimson centre and ribs, on a pale yellowish green ground, with broad margin of bright green; very distinct. 10s. 6d.
- BARON DE ROTHSCHILD**, rich blood red centre and spots, on mottled green leaf ground. 5s.
- BARRAL**, bright green, with a fine red centre, and large spots of rose. 2s. 6d.
- BEETHOVEN**, ground colour white, elegantly intersected and veined with green, centre rib delicate rose. 3s. 6d.
- BELLEYMEI**. 2s. 6d.
- BELLINI**, mottled pale green ground, with rosy centre and spots. 3s. 6d.
- BICOLOR SPLENDENS**. 1s. 6d.
- BOIELDIEU**, like *Bicolor splendens*, and very superior to it. 7s. 6d.
- BRILLIANT**, rich dark green, blotched with crimson, crimson veins, and light crimson centre; very fine. 7s. 6d.
- BRONGNIARTII**. 2s. 6d.
- CANNÆRTII**. 2s. 6d.
- CHANTINII**. 1s. 6d.
- CHANTINII FULGENS**, dark green ground, with a brilliant crimson centre and white spots. 3s. 6d.
- CHARLES VERDIER**, fine green, with blush pink centre and spots. 3s. 6d.
- CHELSONI**, bright glossy green, suffused with brilliant red, and blotched with crimson. 2s. 6d.
- CUPREUM**. 2s. 6d.
- DE CANDOLLE**, rich green, with beautiful rose coloured spots and cream white centre rays. 3s. 6d.
- DEVINCK**, leaves heart-shaped, with delicate pink centre ribs, interspersed with white spots. 1s. 6d.
- DEVOSIANUM**. 2s. 6d.
- DR. BOISDUVAL**, centre finely rayed with crimson, and snow white blotches on a green ground. 3s. 6d.
- DR. LINDLEY**, crimson centre, the green ground marked with rose blotches. 5s.
- DUC DE MORNAY**, deep green leaf borders, with large and beautiful crimson rayed centre. 3s. 6d.
- DUC DE NASSAU**, brilliant red centre and ribs, white scattered spots on emerald green leaf borders. 3s. 6d.
- DUC DE RATIBO**, green ground, with red mid-ribs marked with white spots; fine and distinct. 5s.
- DUCHARTRE**, leaf ground white, flushed rose, green veins and red spots. 10s. 6d.
- EDWARD ANDRÉ**, green ground, with rose centre, crimson ribs, and ornamental pink blotches. 2s. 6d.
- EDWARD MOREAUX**, mottled green ground, with rich lake red centre. 2s. 6d.
- E. G. HENDERSON**, rich green leaves, finely marked with transparent rose spots, and brilliantly mottled crimson rays and centre. 3s. 6d.
- ELVINA**, bright green, grey centre, with radiating veins of grey; all the leaf blotched with rich red. 3s. 6d.
- EMMELINE**, light green, surface dispersely spotted with white and crimson. 2s. 6d.
- EXCELLENT**, leaves large, beautifully spotted and splashed with crimson and white; an improvement on *C. Chantinii*. 7s. 6d.
- FORMOSUM**. 2s. 6d.
- HALEVY**, white mid-ribs, and marked with crimson blotches on a green ground. 5s.
- HASTATUM**. 2s. 6d.
- HERCULES**, dark green, blotched with bright red, grey centre, veins rich bright crimson. 5s.
- HOULLETII**. 1s. 6d.
- IMPÉRATRICE EUGÉNIE**, light glaucous green, greyish pink centre, and rose coloured veins; distinct. 10s. 6d.
- IMPÉRIALE**, the leaves margined with dark green, rose colour centre veined with red. The surface blotched with white. 5s.
- ISADORA LEROY**, rich metallic green, with crimson red centre rays. 3s. 6d.
- KETELEER**, spotted white upon emerald green; large crimson centre. 5s.
- LAMARTINE**, large leaf, with deep crimson centre and dense white spots. 3s. 6d.
- LAVINIA**, bright green, grey centre, with radiating veins of grey. 2s. 6d.
- LEOPOLDII**, rich crimson rayed centre, deep green leaf border; style of *Bicolor*. 3s. 6d.
- LOUISE POIRIER**, crimson leaf ground, with green margin and white spots. 3s. 6d.
- LOWII**, *vide* *Alocasia*.
- LURLINE**, light green, profusely blotched and spotted with white. 2s. 6d.
- MACROPHYLLUM**. 2s. 6d.
- MADAME ANDRIEUX**, crimson centre rays, with pink spots. 3s. 6d.
- MADAME DUTEIL**, green ground, rose blotches. 3s. 6d.
- MADAME HOULLET**, large leaves, with clustered blush white blotches on the opposite leaf margins. 3s. 6d.
- MADAME PAILLET**, a beautiful variety; very dark green ground, attractively marked with a profusion of large spots, and blotches of pure white. 3s. 6d.
- MARMORATUM**. 1s. 6d.
- MARQUISE DE CAUX**, red centre and veins, with rose tinted blotches on the green margins. 7s. 6d.
- MARS**. 2s. 6d.
- MARTERSTYGINNUM**. 2s. 6d.
- MAXIME DUVAL**, fine broad crimson centre and ribs, green margin. 7s. 6d.
- MAX KOLB**, light green ground, with pale centre, novel and distinct. 3s. 6d.
- MERCADANTE**, pale copper coloured centre and veins, bordered with green. 7s. 6d.

NEW AND CHOICE CALADIUMS—Continued.

MEYERBEER, white leaf ground, with green veins and red mid-ribs. 5s.

MILTONI, red veins on a grey centre, the marginal portion of the leaves dark green, large blotches of crimson on the surface. 3s. 6d.

MIRABILE. 2s. 6d.

MOZART, delicate rose centre and veins on green ground. 7s. 6d.

MRS. DOMBRAIN, leaves large, centre and ribs pale yellowish green, shaded with rose, surface covered with large white spots, and occasionally with rose. 10s. 6d.

NAPOLEON III., flamed crimson centre, with forked rays, and carmine rod spots on rich green ground. 3s. 6d.

PICTUM. 2s. 6d.

PICTURATUM. 2s. 6d.

PÆCILE. 2s. 6d.

PRESIDENT, light crimson centre, dark green margins slightly mottled with grey; fine, very distinct. 7s. 6d.

PRINCE ALBERT EDWARD, leaf stems of a rich dark ebony hue, streaked and barred with grey white; leaf-blades dark emerald green,

with a rich crimson mid-rib, radiating from the centre towards the margins, the intervening spaces being densely spotted with ivory white; as the leaves attain maturity, the small thread-like green veins form an elegant tracery over the upper surface. 15s. and 21s.

QUADRICOLOR, centre of leaf pale yellowish green, ribs white, edged rich rosy crimson, and margined bright green; distinct. 10s. 6d.

RAULINII, rich red centre and veins, finely spotted white. 3s. 6d.

REGALE, broad silvery grey centre, and rosy red mid-ribs, with vermilion red spots on green ground. 2s. 6d.

REINE VICTORIA, style of *Bellegmei*, with elegant green veins and margins, densely spotted or marbled between with white and scattered rich crimson; very fine. 3s. 6d.

RICCI, pale greenish white centre, shaded with rosy crimson; broad margin of bright green, densely spotted with bright crimson; very distinct and fine. 10s. 6d.

ROSSINI, large leaf, with pale centre, pink mid-ribs, and red blotches. 3s. 6d.

SCHMIDTZI. 1s. 6d.

SIEBOLD, rich green, with fiery red crimson rayed centre, green spaces densely spotted with claret red. 7s. 6d.

STRIATUM, a distinct variety; the white centre veins and mid-rib forming a striking contrast to the dark green colour of the other portion of the leaf. 5s.

TESTONI, a splendid variety, with rich crimson centre, ribbed with red and bordered with green. 7s. 6d.

THELEMANII. 3s. 6d.

THERESA, light green, blotched with white, grey pink centre, and rose coloured veins. 5s.

THIBAUTII, a fine large leaf, with rich crimson veins on a red ground. 5s.

TRIOMPHE DE L'EXPOSITION, crimson centre, with red ribs and green border; very fine. 7s. 6d.

TROUBETZKOYI. 2s. 6d.

VAN DEN HECKEI. 2s. 6d.

VEITCHII, *vide* *Alocasia*.

VERSCHAFFELTII. 2s. 6d.

WIGHTII. 1s. 6d.

NEW GOLDEN-LEAVED CALADIUMS.

GOLDEN QUEEN, leaves large, pale green or yellow, uniform in colour; very handsome, and of a remarkably chaste appearance. 5s.

PRINCESS ROYAL, leaves large, of a pale green or yellow, with crimson centre, in the style of *C. Brongniartii*; very handsome. 5s.

NEW AND CHOICE BEGONIAS.

The following are very elegant, and beautifully variegated.

Price 2s. 6d. each.

AMABILIS

BETTINA ROTHSCHILD

DISCOLOR MARMOREA

ELEGANS

EXIMIA

FREDERIC SIESMEYER

INIMITABLE

MADAME PERRIER

MAGNIFICA

MASTERPIECE

MIRABILIS

PICTURATA

SPECIOSA

SPECTABILIS

SPLENDENS.

BEGONIA BOLIVIENSIS.

This beautiful and singular plant, introduced from Bolivia, is a bulbous-rooted deciduous kind, attaining an average height of 2 feet.

The foliage is light green, and the flowers bright glossy red, very freely produced, generally in pairs, but sometimes three together. The male blooms are as large again as the females, averaging more than 2 inches in length, of a compressed bell-shaped form, the two sepals being oblong-lanceolate, the two petals decussate with the sepals, similar in shape, but narrower. 1s. 6d. and 2s. 6d.

BEGONIA ALBO-RUBRA, 2s. 6d.

| BEGONIA DUCHARTREI, 2s. 6d.

BEGONIA DIADEM.

A beautiful variety, the upper surface of the leaves freckled and marbled with silvery white on an olive ground, and the under part of a reddish crimson colour. 3s. 6d.

BEGONIA DISPLAY.

Leaves handsomely marked, the upper surface mottled silvery, on an olive ground, and of a deep crimson underneath; an exceedingly attractive variety. 3s. 6d.

BEGONIA ERECTA CRAIGIANA.

This fine variety produces its beautiful bright pink flowers most profusely during the winter months; it has fine large dark reddish foliage, is of erect habit, and is exceedingly showy and attractive. 2s. 6d.

BEGONIA ERECTA MULTIFLORA.

A pretty erect-growing variety, with ornamental foliage, extremely floriferous, and rendered exceedingly useful and attractive by the delicious fragrance of its charming bright pink flowers, which are produced in the greatest profusion in mid-winter. It is somewhat similar to the preceding. 2s. 6d.

BEGONIA FOLIOSA.

This dwarf stove perennial, a native of New Grenada, has a pretty plumy habit of growth, occasioned by the distichous arrangement of the leaves. The flowers are small, pinkish white. The plants assume a pyramidal habit if a leading stem is carried up, but if stopped, they acquire a drooping character, and in that state no more elegant basket plant for the stove can be imagined. 2s. 6d.

BEGONIA HYBRIDA FLORIBUNDA.

A charming hybrid from *fuchsioides* and *multiflora*; it has very elegant and delicate foliage, and is a most abundant bloomer, continuing to produce throughout the winter its pretty bright rose flowers in the utmost profusion. 1s. 6d.

BEGONIA FUCHSIOIDES, 1s. 6d.

,, INSIGNIS, 2s. 6d.

| BEGONIA INGRAMII, 1s. 6d.

,, PARVIFLORA, 1s. 6d.

BEGONIA PEARCEI.

Flowers large, bright yellow, and borne on slender stems well above the foliage. 2s. 6d.

BEGONIA PEARCEI SUPERBA.

This is a remarkably attractive and ornamental plant, the upper surface of its leaves being of a very rich dark velvety green, sometimes almost black, very strikingly ribbed and veined with greenish white; underneath they are of a reddish crimson colour.

In addition to its beautifully coloured leaves, the plant produces large yellow flowers, which form an admirable contrast to the rich dark foliage. 2s. 6d.

BEGONIA SAGITTATA.

An erect smooth-stemmed species. The leaves have longish footstalks, and a blade having a somewhat arrow-shaped form, with a one-sided base, the margins indistinctly lobed, and serrate. The green upper surface is dotted closely over with small pearly spots, from each of which project a short blunt transparent seta. The rose pink two-petaled flowers grow in small dichotomous axillary cymes. A native of South America. 2s. 6d.

BEGONIA RICINIFOLIA MANICATA, 2s. 6d.

,, SEMPERFLORENS, 1s. 6d.

| BEGONIA SAUNDERSIANA, 2s. 6d.

,, SMARAGDINA, 2s. 6d.

BEGONIA SEDENI.

One of the finest hybrid flowering Begonias ever raised. It is equally as free in growth, and of the same upright habit, as *B. boliviensis*, but with larger leaves, the veins of which are slightly tinted with rose colour. The flowers are of the richest magenta, and of large size. The plant continues a long time in bloom. 3s. 6d. and 5s.

BEGONIA VEITCHII.

This remarkable and beautiful plant, which was discovered near Cuzco in Peru, introduces quite a new feature into the now well-known family of Begonias. It differs in all respects from any other Begonia yet known, in having immense blooms of a vivid vermilion or cinnabar red, and in being comparatively hardy. 7s. 6d.

BEGONIA WELTONIENSIS.

An excellent summer, autumn, and winter-blooming variety, of dwarf dense habit, with crimson stems and leaf stalks, bright green leaves, and pretty waxy pink flowers. It is exceedingly free flowering and attractive, and is useful for planting in shady positions in the sub-tropical garden. 1s. 6d.

NEW AUCUBAS.

These new hardy evergreen shrubs are most desirable acquisitions; indeed, they may be looked upon as the most permanently useful introductions of modern times. Many have been the novelties recently added to our collections from Japan, but for durable importance none of them come up to these plants, and for this reason: The common Aucuba is a shrub that grows and thrives better in towns and cities than any other evergreen; it thrives vigorously where everything else dies, as some of the gardens of London can testify. With us, however, it has till recently been a fruitless shrub, but when the male form of this plant, which we now possess, becomes sufficiently circulated, our Aucuba bushes will become covered with large bunches of berries about four times the size of those of the common Holly, and of the brightest glossy coral red. This can be seen at the present time in perfection at Mr. W. B.'s establishment, as well as the male and female plants hereafter named.

Nothing in the way of hardy evergreen shrubs will at all compare with Aucubas when laden with their coral red berries.

As there is some little misconception on this subject, perhaps it may be as well to state that the Aucuba is a dioecious plant, that is to say, some of its individuals produce only male or pollen-bearing flowers, while others produce only female or berry-bearing flowers. The ordinary Aucuba was introduced to this country from Japan nearly a century ago, but the plant or plants so introduced happened to be females only. The whole stock in Europe sprang by propagation from this original introduction, and Japan from that time being a sealed country, the male plant could not be obtained. To the celebrated Chinese and Japanese traveller and collector, Mr. Robert Fortune, is due the merit of introducing the first male plants with which we are acquainted. Lately, however, there have been several most important and distinct varieties introduced by Dr. Von Siebold, including both male and female kinds, with plain green unspotted leaves; also others of both sexes, having blotched and variegated foliage.

AUCUBA JAPONICA LUTESCENS.

An entirely new and remarkably handsome seedling variety, having the leaves strongly toothed, and so freely spotted and blotched with yellow, that in the well-matured state they appear as if the ground colour was yellow, slightly marbled with green. It is a very effective and showy hardy shrub, and quite distinct from all other varieties hitherto cultivated. 7s. 6d.

AUCUBA JAPONICA (FEMINA) AUREO-MACULATA.

One of the most freely variegated of the numerous varieties of Aucuba which are now to be met with in our gardens. The leaves are of a bright green ground colour, and toothed, and they are not only marked with numerous dots and splashes of bright yellow, after the manner of the common form, but they have in addition the large central blotches of yellow characteristic of the variety called *limbatum*. The two forms of marking combined render the leaves extremely ornamental. It was recently awarded a First Class Certificate by the Floral Committee. 7s. 6d.

AUCUBA JAPONICA (MASCULA) MARMORATA.

This attractive variety has been imported from Japan.

Among the numerous kinds of spotted and blotched-leaved Aucubas, this proves to be remarkably distinct, and much more striking and effective in respect to its markings than either the ordinary spotted female form, so common in gardens, or the comparatively scarce *maculata*, which approach the nearest to it. Compared with those, its leaves are shorter and less toothed, and the colour is much brighter than either, the ground colour being a very deep green, and this blotched all over with large irregular spots and patches of bright yellow. 7s. 6d.

FEMALE AUCUBAS.

				s.	d.	s.	d.	
AUCUBA	JAPONICA	FÆMINA	AUREA	7	6	and	10	6 each
"	"	"	DENTATA	5	0	"	7	6 "
"	"	"	ELEGANS	3	6	"	5	0 "
"	"	"	LANCEOLATA	5	0	"	7	6 "
"	"	"	LATIFOLIA	2s. 6d.	3	6	5	0 "
"	"	"	LIMBATA	2s. 6d.	3	6	5	0 "
"	"	"	LONGIFOLIA	2s. 6d.	3	6	5	0 "
"	"	"	" VARIEGATA	5	0	"	7	6 "
"	"	"	MACROPHYLLA	2	6	"	3	6 "
"	"	"	MIRABILIS	...		"	7	6 "
"	"	"	NEBULOSA	...		"	7	6 "
"	"	"	VIRIDIS	2	6	"	3	6 "

MALE AUCUBAS.

AUCUBA	JAPONICA	MASCULA	ANGUSTATA	.	.	2s. 6d.	3	6	and	5	0	each
"	"	"	BICOLOR	.	.	2s. 6d.	3	6	"	5	0	"
"	"	"	DENSIFLORA	.	.	.	...	"	"	7	6	"
"	"	"	GRANDIS	.	.	.	...	"	"	7	6	"
"	"	"	LATIFOLIA	.	.	.	2	6	"	3	6	"
"	"	"	MACRODONTA	.	.	.	...	"	"	7	6	"
"	"	"	MACROPHYLLA	.	.	.	2	6	"	3	6	"
"	"	"	MACULATA	.	.	2s. 6d.	3	6	"	5	0	"
"	"	"	"	ROBUSTA	.	.	5	0	"	7	6	"
"	"	"	MULTIFLORA	.	.	.	...	"	"	15	0	"
"	"	"	NEBULOSA	.	.	.	...	"	"	7	6	"
"	"	"	OVATA	.	.	.	...	"	"	7	6	"
"	"	"	VIRIDIS	.	.	2s. 6d.	3	6	"	5	0	"

Extra-sized plants at proportionate prices.

SEEDLING AUCUBAS, 9s., 12s., and 18s. per dozen; £3, £4, and £6 per 100.

These have been raised from some of the fine imported kinds, and from the well-known Aucuba familiar in gardens, variously fertilised with the different varieties of plain-leaved, blotched, and maculated males, and may be expected to produce many novel and fine sorts. The plants are now only small, so that the foliage and markings are not yet fully developed. The sexes in these seedlings may be expected to be somewhat equally divided.

AUCUBA BERRIES, 1s. per dozen, or 6s. per 100.

The INDIAN AUCUBA HIMALAICA, which, coming from a great elevation, is hardy. 1s. 6d., 2s. 6d., and 3s. 6d.

Handsome plants of *Aucuba japonica* can be supplied in the season, with from 30 to 300 berries, varying in price from 5s. to 1½ guinea.

Covered with their beautiful coral-like red berries, Aucubas are exceedingly valuable for decorative purposes, for being quite hardy, they will stand almost anywhere, and are alike handsome for the greenhouse, conservatory, or open air. Medium-sized plants, full of berries, form pretty objects for table decoration.

MIMULUS, NEW STRAIN.

This is a new cross, combining the quaint spotting of the *Maculosus* strain with the rich bronzy rod of the Chilian Mimulus. The colours and markings are extremely novel, the richly spotted palate in most of the varieties being exceedingly showy.

ARAB, bright yellow; the lobes blotched with rich crimson, and the throat spotted with crimson. 1s. 6d.

BEAUTY, pale creamy yellow ground; the lobes beautifully maculated with rosy purple, and the throat spotted with rose; very distinct. 2s. 6d.

BUTTERFLY, rich dark crimson lobes, very slightly margined with bright yellow and spotted with yellow; throat bright yellow, thickly spotted with crimson; a beautiful variety. 2s. 6d.

MIMULUS, NEW STRAIN—Continued.

- CAROLINE**, rich reddish crimson lobes, margined with yellow; throat yellow, spotted with crimson. 1s. 6d.
- CHARMING**, bright yellow ground; the lobes blotched with rich crimson and the throat maculated with the same colour. 2s. 6d.
- CLIMAX**, lobes rich dark crimson, margined with bright yellow; throat rich yellow, maculated with crimson. 2s. 6d.
- CLIO**, yellow lobes, heavily painted and blotched with dark crimson; throat yellow, spotted with light crimson. 1s. 6d.
- CONCORD**, bright golden yellow, irregularly blotched and spotted with rich crimson. 1s. 6d.
- DAZZLE**, yellow ground, very heavily blotched and painted with rich brown crimson; the throat spotted and shaded with crimson. 2s. 6d.
- DIANA**, light chocolate lobes, maculated with crimson maroon; the throat bright yellow, spotted with crimson. 1s. 6d.
- EMBLEM**, rich crimson scarlet lobes; shaded yellow throat, slightly spotted with crimson. 2s. 6d.
- FAME**, rich shaded orange scarlet, with yellow throat, spotted with reddish crimson. 1s. 6d.
- FESTOON**, yellow ground; the lobes heavily blotched with rich reddish crimson, and the throat spotted with crimson; a fine flower. 2s. 6d.
- FIGARO**, lobes reddish brown; throat yellow, and the mouth thickly spotted with brownish crimson. 1s. 6d.
- FLORENCE**, orange red lobes; shaded yellow throat, blotched and spotted with brownish crimson. 1s. 6d.
- GALLANT**, crimson lobes, margined with yellow; rich yellow throat, thickly spotted with crimson. 2s. 6d.
- GAZELLE**, light yellow ground; the lobes slightly blotched and spotted with crimson maroon; the throat thickly spotted with crimson. 2s. 6d.
- HERALD**, bronzy red; the under lobes maculated with dark crimson, and the throat spotted with crimson. 1s. 6d.
- JEWEL**, lomon coloured lobes, minutely and densely freckled and spotted with dark crimson. 1s. 6d.
- LAVINIA**, rich orange brown lobes, and orange throat, shaded and spotted with brown. 1s. 6d.
- LEGATEE**, bronzy lobes, freckled with maroon; throat yellow, spotted with dark crimson. 1s. 6d.
- LEONARD**, bright crimson lobes, blotched and spotted with maroon; yellow throat, spotted with crimson. 2s. 6d.
- LIVELY**, pale cinnamon lobes; the throat mottled and spotted with dark crimson. 1s. 6d.
- MABEL**, lobes reddish brown, thickly spotted and blotched with rich crimson; orange throat, spotted with crimson; very distinct. 2s. 6d.
- MANFRED**, rich bronzy crimson lobes, edged with yellow; throat yellow, blotched with crimson; exceedingly attractive. 1s. 6d.
- MINNIE**, bright yellow; lobes blotched and maculated with rich maroon, and the throat spotted with dark crimson. 2s. 6d.
- MIRA**, bronze lobes, maculated with maroon; orange throat, spotted with brown. 1s. 6d.
- NECTAR**, bright yellow ground; the lobes richly blotched, and the entire flower thickly spotted with rich crimson. 2s. 6d.
- NOVELTY**, light yellow ground; the lobes blotched and maculated with crimson, and the throat spotted with light crimson. 2s. 6d.
- OCTAVIE**, yellow ground; the lower lobe or lip richly maculated with dark crimson, and the other portion of the flower densely spotted with crimson. 2s. 6d.
- OSCAR**, chocolate coloured lobes, partially blotched with dark crimson; deep yellow throat, maculated with reddish brown. 2s. 6d.
- PEERLESS**, bright yellow, blotched and spotted with light crimson, and the throat maculated with the same colour. 2s. 6d.
- PERCY**, deep yellow lobes, heavily blotched with crimson; yellow throat, slightly spotted with crimson. 2s. 6d.
- PROFUSE**, lobes deep crimson, slightly margined with yellow; throat orange, spotted with crimson. 1s. 6d.
- SOCIAL**, yellow ground, heavily blotched and maculated with dark crimson; the throat thickly spotted with crimson. 2s. 6d.
- SPARK**, bright yellow, very slightly maculated with crimson maroon. 1s. 6d.
- SYBIL**, bright yellow; the lobes blotched with rich dark crimson, and the throat spotted with crimson. 2s. 6d.
- SYLVIA**, orange lobes; deep yellow throat, spotted with crimson; a very fine flower. 1s. 6d.

MIMULUS, NEW STRAIN—Continued.

- TREATY**, bright yellow lobes, richly blotched and maculated with bronzy crimson; the throat yellow, spotted with chocolate brown. 2s. 6d.
TRIBUTE, rich bronzy red, the lower lobes spotted with dark crimson, and the throat deep yellow maculated with brown. 2s. 6d.
UNDINE, pale reddish brown lobes, maculated with light crimson; bright yellow throat, spotted with crimson; very distinct. 2s. 6d.
VENUS, creamy white lobes, blotched with rich purplish crimson; yellow throat, thickly spotted with rosy crimson; quite a novel and distinct variety. 2s. 6d.
VULCAN, lobes rich bronzy chocolate; throat yellow, spotted with bronze; attractive. 1s. 6d.
ZELINDA, rich orange red lobes; yellow throat, maculated with dark crimson. 1s. 6d.

ANNETTE, 9d.
ANTONIO, 1s.
ARTIST, 1s.
BEACON, 9d.
CAPTIVE, 9d.
CHARM, 9d.
COTTAGER, 1s.
DISPLAY, 1s.

ELECTOR, 9d.
EMPRESS, 9d.
ERASMUS, 9d.
GARLAND, 1s.
IONA, 1s.
JULIA, 9d.
LURLINE, 1s.
MANUAL, 1s.

MONARCH, 9d.
OMEN, 9d.
PEASANT, 1s.
PORTIA, 9d.
PROVOST, 1s.
RENOWN, 1s.
SIGNET, 9d.
WINDFALL, 1s.

Selections of other good kinds at 6s. per dozen.

NEW AND CHOICE PETUNIAS.

For New Varieties, offered for the first time, see pages 8 and 9.

*Those marked thus * have double flowers. Those marked thus † have fringed flowers.*

- ***ABUNDANCE**, white, blotched with deep rose; a fine flower, very full and double. 2s. 6d.
 ***ACHILLE RAGON**, red, striped and flaked with pure white; a splendid flower. 1s. 6d.
AFFLUENCE, rosy carmine, shaded with violet, with a clean white stripe down the centre of each petal. 1s.
 ***ALCIBIADE**, very large flower, reddish lilac, with large white blotches. 1s. 6d.
 †**ALPHONSE CARÊME**, bright rosy carmine, blotched and edged with silvery white; a very large and fine double flower. 1s. 6d.
 ***ANNETTE**, a fine large flower of excellent shape; pure white, attractively mottled in the centre with rosy crimson. 2s. 6d.
ANTONIO, bright crimson, with handsome violet centre; a fine large flower. 1s. 6d.
ASSEMBLY, pure white, blotched and barred with violet crimson. 1s. 6d.
 ***AUTOCRAT**, pink, reticulated with red, and veined with purple. 2s. 6d.
BERTHA, bright carmine, with five white bars. 1s. 6d.
 ***BRILLIANT**, bright rose, blotched and striped with white; flowers very full and double; an exceedingly free-blooming variety. 2s. 6d.
 †**CANAL DE SUEZ**, a fine semi-double flower, porcelain white, with a large rosy violet blotch in the centre. 1s. 6d.
CAPTIVE, pure white, striped with rosy crimson, the stripe widening towards the margin of the flower. 2s. 6d.

- ***CELEBRITY**, pink, blotched with white and also blotched with crimson. 1s. 6d.
CHAIRMAN, flowers large and fine, pure white, prettily blotched on the edges of the petals with rich crimson. 2s. 6d.
CHARTER, bluish white, flaked and barred with violet crimson. 1s. 6d.
 †**COL. SCOTT**, *vide* page 8.
 ***COMMANDER**, white, very regularly barred and blotched with rosy violet; a fine showy flower. 2s. 6d.
 ***CONSORT**, bright carmine, blotched and flaked with white; very fine. 1s.
 ***CYRUS**, white, blotched with crimson in the centre; large full flower. 2s. 6d.
 ***DANDY**, semi-double, bright rosy carmine; bordered with white. 1s. 6d.
 ***DAWN**, *vide* page 8.
 ***DIADÈME**, lilac mauve, reticulated with violet purple and shaded with white; a fine large flower. 1s. 6d.
 †**DR. HOGG**, *vide* page 8.
 †**ÉLÉONORE**, a very full and double pure white flower, striped with violet; a beautiful variety. 1s. 6d.
 ***ÉLISE ROCHEFORT**, a large pure white flower, rayed with violet purple; an exceedingly free-flowering variety. 1s. 6d.
ÉMILIE RAFARIN, a fine large snow white flower, very full and double. 1s. 6d.
 ***ENCHANTING**, a fine large flower, of a beautiful bright rose colour. 1s. 6d.

NEW AND CHOICE PETUNIAS—Continued.

- ***ENCHANTRESS**, white, the central petals bright rose. 1s. 6d.
- ***ENCOUNTER**, *vide* page 8.
- ***ENDYMION**, dark crimson purple, slightly blotched with white on the edge of the flower; very full, round, and double. 2s. 6d.
- ESSENTIAL**, pure white, the division of each petal flaked with rosy crimson; perfectly circular in form. 1s. 6d.
- EUSTACE**, *vide* page 8.
- FORESTER**, white, tinted with blush, striped with bright carmine, and blotched with carmine on the margin of the flower. 2s. 6d.
- ***GARNET**, white, largely blotched with violet carmine; a large and showy flower. 1s. 6d.
- ***GAZELLE**, pure snowy white, slightly spotted with bright crimson in the centre; a fine, large, and full flower. 2s. 6d.
- ***GENERAL**, rich deep crimson, irregularly blotched and mottled with white; an exceedingly attractive variety. 2s. 6d.
- ***GLOIRE DES PETUNIAS**, a very fine variety, producing large flowers, very full and double, of good form and of a beautiful flesh colour, with a large blotch of velvety reddish purple in the centre. 1s. 6d.
- ***GRENADE**, *vide* page 8.
- ***GUSTAVE LAMBERT**, a fine large flower, delicate rose, veined and reticulated with carmine, and spotted with white. 1s. 6d.
- HARMONY**, white, barred with bright rose, a well-formed flower, with dark throat. 2s. 6d.
- ***HONOUR**, a very fine, large, full, and double pure white flower, blotched in the centre with rosy purple. 1s. 6d.
- INSTANCE**, white, tinted with rose and striped and veined with rich deep crimson; a free-flowering variety, of very close compact habit. 1s. 6d.
- ***JOSEPHINE**, pure white, irregularly blotched with rosy pink; a free-blooming variety of compact growth. 2s. 6d.
- †**KÄTCHEN BUCHNER**, very large double white flower, lightly marked with lilac; very pretty. 1s. 6d.
- ***L'ABBÉ OSSEAUME**, fine large well-formed flower, very double, pure white, maculated with brilliant carmine, and shaded with rose; an exceedingly attractive variety. 1s. 6d.
- LA LORRAINE**, a beautiful round flower, with pure white centre, and fine large bright rosy carmine blotches on the margin of the corolla; dwarf and free flowering. 1s. 6d.
- LEOPARD**, bright crimson, irregularly blotched with white; a showy flower, habit good and compact. 2s. 6d.
- LIBERTY**, white, shaded with pink, also striped and margined with rosy carmine. 2s. 6d.
- LONGFELLOW**, white, ribbed with crimson, and the whole flower marginally encircled with crimson. 1s. 6d.
- †**MADAME DE MAZURE**, a full double flower, of a beautiful shade of carmine crimson, bordered with white; novel and attractive. 1s. 6d.
- ***MADAME KELLE**, large flowers, rosy violet, marbled and blotched with white. 1s.
- ***MADEMOISELLE JEANNE DONNAT**, a fine-shaped flower, rosy lilac, striped and marbled with white. 1s. 6d.
- ***MADEMOISELLE MARIE DE SAINT-INNOCENT**, a splendid flower, pure white, with violet centre. 1s. 6d.
- ***MAGENTA**, a magnificent flower, of a splendid rose colour. 1s. 6d.
- ***MARIE VAN HOUTTE**, white, shaded with rose; a splendid flower, very large and double. 3s. 6d.
- ***MARVELOUS**, bright carmine, flaked with silvery white; a fine showy flower. 1s. 6d.
- MILTON**, white, intersected and marginally blotched with crimson lake. 1s. 6d.
- MINNIE**, *vide* page 8.
- MIRA**, a fine flower of a bright rosy carmine colour, entirely surrounded with white, and having a dark throat. 1s. 6d.
- ***MONARCH**, bright rose, blotched with white; a fine, large, and full flower. 9d.
- ***M. LEVASSOR**, pure white, blotched with violet purple; extra. 1s. 6d.
- ***MUSKETEER**, bright crimson, very attractively mottled and blotched with white; a good-shaped flower. 2s. 6d.
- NELLIE**, pure white, blotched with rose on the margin of the lobes. 1s. 6d.
- ***NESTOR**, pure white, veined and blotched with lilac; an attractive variety. 1s. 6d.
- ***NYMPH**, *vide* page 8.
- ***ORACLE**, pure white, blotched with violet rose; a beautiful flower. 1s. 6d.
- ORACLE**, bright rose, white centre, the white projecting into the centre of each lobe in the form of a star. 1s. 6d.
- PANTALON**, rosy violet, blotched with white, dark throat; fine large flower. 1s. 6d.
- PEERLESS**, rosy lilac, reticulated with purple and blotched with white, dark violet throat; a novel and pretty flower. 2s. 6d.
- ***PERSUASIVE**, *vide* page 8.
- ***PHILOSOPHER**, rich crimson; a remarkably fine self flower. 1s. 6d.
- ***PIONEER**, rosy purple, maculated with white; a beautiful flower, very full and double. 2s. 6d.
- PLAUSIBLE**, *vide* page 9.
- PLEASANT**, pure white, veined with pale rose, and blotched on the margin of the flower with bright rose. 2s. 6d.

NEW AND CHOICE PETUNIAS—Continued.

- PRECEDENT**, pure snowy white, each lobe striped and margined with bright rosy crimson; an exceedingly attractive flower. 1s. 6d.
- ***PRECISION**, pale lilac, veined and reticulated with dark violet; very distinct. 1s. 6d.
- ***PRESIDENT**, white, blotched rosy purple; exceedingly free-blooming variety. 1s. 6d.
- ***RAMBLER**, *vide* page 8.
- REMARKABLE**, bright rose, with a distinct blotch of white in the centre of each of the five lobes. 1s. 6d.
- †**REV. J. DIX**, *vide* page 8.
- †**REV. NIERSON LORRAINE**, *vide* page 8.
- ROMANCE**, pure snowy white, blotched and striped with lavender, and reticulated with purple; a distinct variety. 2s. 6d.
- ***ROYALTY**, a splendid flower, of a rich crimson colour, the outer petals tipped with white. 2s. 6d.
- SANSPAREIL**, an immense flower of perfect form; pure white centre, surrounded with purple; the outer portion of the flower is bright rose, maculated with white on the margin. 1s. 6d.
- ***SEBASTIAN**, *vide* page 8.
- ***SIDNEY**, crimson violet, blotched with white, and shaded with mauve. 1s.
- SOCIAL**, *vide* page 9.
- ***SEUR CONSTANCE**, brilliant rose, largely ribboned with pure white; a beautifully imbricated variety. 1s. 6d.
- †***SOUVENIR DE CHISWICK**, *vide* page 8.
- ***STANDARD**, white, with central petals soft lavender. 1s. 6d.
- ***STANISLAUS**, dark purple violet, maculated with white; very floriferous. 1s. 6d.
- SUMMIT**, crimson, barred with white; a fine flower, with rich violet throat. 2s. 6d.
- ***SUNSHINE**, pure white, blotched and flaked with violet crimson in a most striking and effective manner. 2s. 6d.
- ***TITIAN**, dark crimson, blotched with white; of dwarf and compact habit. 1s. 6d.
- TROJAN**, *vide* page 9.
- ***TROUBADOUR**, blush white, rayed and blotched with crimson. 1s. 6d.
- ***UMPIRE**, lake, margined with white; a splendid variety. 2s. 6d.
- †**VALID**, deep crimson, marginally blotched with white, the edge of the flower being fringed or serrated; a distinct and handsome variety. 2s. 6d.
- ***VANGUARD**, a magnificent variety; the flowers are full and double, of a glowing red colour, occasionally mottled with white. 2s. 6d.
- VESTA**, a fine-formed pure white flower, strikingly blotched and barred with deep crimson. 1s. 6d.
- VILLAGER**, *vide* page 9.
- VITALITY**, lavender, veined with purple and blotched with white. 1s. 6d.
- ***VIVACITY**, *vide* page 8.
- ***WILHELM SCHEURER**, immense flower, of good form; a beautiful lilac rose colour. 1s. 6d.
- WISDOM**, *vide* page 9.
- WIZARD**, a well-formed flower, white lobed, and shaded with violet crimson. 2s. 6d.
- ZEALOUS**, lilac, veined and reticulated with rich deep crimson and purple; a large flower, very attractively marked. 1s. 6d.
- ZELINDA**, *vide* page 9.
- ***ZINGARA**, bright red, striped with white, sometimes blotched. 1s.

NEW ANEMONE-FLOWERED PETUNIAS.

This new section is remarkable for the peculiarly attractive formation of the flowers, from the centre of each of which there is a projecting tuft of small florets, and these, being frequently of diversified colours, produce a singular and pleasing effect.

- ANIMATION**, pure white, with the central petals mottled with crimson. 1s. 6d.
- BRIGHTNESS**, pure white, very prettily barred and blotched with deep rose; fine flower. 2s. 6d.
- CHANCELLOR**, bright rose, each lobe having a white centre, the projecting central petals bright rose; a very pleasing flower. 2s. 6d.
- CONSTANCE**, pure white, with central petals of a deep violet crimson colour. 2s. 6d.
- DAY DREAM**, pure white, very attractively flaked with rosy violet, the petals projecting from the centre also rosy violet. 1s. 6d.
- EMBLEM**, bright violet, veined and shaded with crimson; an attractive variety. 2s. 6d.
- GUARDSMAN**, fine flower, both central and surrounding petals of bright lively crimson. 1s. 6d.
- MELODY**, pure white, centre petals crimson, mottled white; strikingly handsome flower. 1s. 6d.
- PEGASUS**, a splendid self flower of magnificent bright crimson colour; very attractive. 1s. 6d.
- SERAPH**, pure white, with central petals white and carmine; a peculiarly effective flower. 1s. 6d.
- SURPRISE**, snow white, with rosy violet protruding central petals; very attractive. 1s. 6d.
- SYBIL**, lavender, blotched with white, the whole of the flower reticulated and veined with purple; an exceedingly beautiful variety. 2s. 6d.
- WINNER**, *vide* page 8.

NEW AND CHOICE PHLOXES.

- ADELINA PATTI**, white, with violet purple centre, fine. 1s. 6d.
ADMIRATION. This variety only grows about a foot high, and has immense Hydrangea-like heads of blossom; flowers individually large, and of the most perfect form, colour bright red or carmine, with glowing crimson centre. 9d.
ALPHONSE KARR, salmon violet. 1s.
AMABILIS, rosy salmon, bright purple eye, splendid truss; extra fine. 1s. 6d.
ANGE GARDIEN, milk white, large purple eye, very large truss. 1s.
AUORE BORÉALE, rich salmon vermilion. 1s.
BORÉE, vivid red. 9d.
COMTE DE LAMBERTYE, reddish violet, purple eye. 1s.
COMTESSE DE CHAMBORD, white, with salmon purple centre, new colour; very fine. 1s. 6d.
DOCTEUR PARNOT, bright red. 1s.
EARL RUSSELL, pale lavender, dark purple centre. 1s.
ETOILE DE NEUILLY, white, with distinct purple eye. 1s.
EUREUS, rosy salmon, large flowers. 9d.
FOUDROYANT, greyish salmon. 9d.
GLOIRE DE NEUILLY, bright orange red. 1s.
HÉBÉ, light rose, with bright red centre. 9d.
LA CANDEUR, pure white, with large cerise eye. 1s.
L'AMI CABASSET, salmony slate. 1s.
LE LION, rose, tipped with purple. 9d.
LIERVALII, dark rose, striped white, dwarf; very distinct and fine. 1s. 6d.
LUCIEN TISSERAND, azure violet. 1s.
MADAME BONNEAU, bright violet, purple centre. 1s.
MADAME DE SMET, rosy slate colour, purple eye. 1s.
MADAME DOMAGE, very large and fine white flowers, marked with purple in the centre; a splendid variety. 2s. 6d.
MADAME DUCHMIN, white, with red centre and lilac border. 1s.
MADAME EMARAUT, rosy salmon. 1s.
MADAME FROMENT, white, purple centre, shaded with deep purple on the edges; fine. 1s. 6d.
MADAME LA COMTESSE DE MALART, very large white flowers, with shaded red centre; extra fine. 1s. 6d.
MADAME LA COMTESSE DE TURENNE, pure white, with purple centre. 1s.
MADAME LA MARQUISE DE MÉRONET, flowers white, marked in the centre with dark salmon, and produced in fine spikes. 1s. 6d.
MADAME LEMOINE, white, centre marked with bright scarlet. 1s.
MADAME MARIN SAISON, white, shaded red, extra fine spike. 1s. 6d.
MADAME PICOUL, deep salmon, bright centre. 1s.
MADemoisELLE ATGER, pure white, largely marked with rose. 1s.
MADemoisELLE CHRISTINE NILSSON, pure clear white, large purple carmine eye. 1s. 6d.
MONSIEUR A. VEICK, reddish slate colour, fine form. 1s.
MONSIEUR DELAMARE, very fine red. 1s.
MONSIEUR DE LAUNAY, salmon, with purple centre. 1s.
MONSIEUR GEORGE HENDERSON, rose, shaded slate, with purple centre; a novel colour. 1s. 6d.
MONSIEUR HUGH LOW, red purple, deeper towards the edge; very fine. 1s. 6d.
MONSIEUR LE BARON DURUFLE, bright red. 1s.
MONSIEUR LINDEN, salmon scarlet red; one of the finest varieties ever sent out; of dwarf habit, and exceedingly attractive. 2s. 6d.
MONSIEUR MALET, lilac, with white centre; very dwarf and compact. 1s. 6d.
MONSIEUR MARIN SAISON, red salmon violet; dwarf and very fine. 1s. 6d.
MONSIEUR MARIUS PORTE, salmon, scarlet centre. 1s.
MONSIEUR THIBAUT, orange rose, purplish centre. 1s.
MONSIEUR VEITCH, a very large flower, grey slate or lilac colour, shaded violet, and veined with white, purple centre; very fine. 1s. 6d.
MONSIEUR W. BULL, bright lilac, with white centre; distinct and novel; a very effective variety. 1s. 6d.
MRS. JAMES HUIE, pure white, mauve eye. 1s.

NEW AND CHOICE PHLOXES—Continued.

PIE IX., salmon. 1s.

PRÉMICES DU BONHEUR, rosy white, with very large cerise eye. 1s.

QUEEN VICTORIA, white, shaded carmine, with purple centre; very large and fine. 1s. 6d.

RÊVE D'OR, brilliant cerise salmon, bright cerise eye. 1s.

REV. E. N. POCHIN, bright rose, distinctly marked with white. 1s.

RICHARD COBDEN, pearly white, rosy purple eye. 1s.

ROI DES ROSES, large truss, rose, suffused with salmon, crimson eye; dwarf and fine. 1s. 6d.

VENUS, silvery white, with bright violet purple eye; dwarf and attractive. 1s.

NEW STRIPED PHLOX MADAME RENDATLER.

This attractive variety produces fine spikes of large well-formed flowers, of a beautiful rosy violet colour, each petal being entirely bordered with pure white, thus giving the appearance of a Maltese cross. It is dwarf and free flowering. 2s. 6d.

NEW AND CHOICE FUCHSIAS.

For new varieties, offered for the first time, see pages 7 and 8.

ADELA, bright crimson tube and sepals, beautiful smooth corolla, rich purple, with distinct rod base, sepals completely reflexed. 1s. 6d.

ALBERTA, tube and sepals bright crimson; full thick short double corolla, of a bluish purple colour. 9d.

ALLIANCE, bright carmine tube and sepals, the latter reflexed, double, purple corolla. 1s. 6d.

AMBASSADOR, deep violet purple corolla; tube and sepals crimson, the latter elegantly reflexed; a showy flower. 5s.

ANGELIC, tube and sepals pure white, the latter beautifully reflexed, large and long violet rose corolla; a charming flower. 1s. 6d.

ANGELINE BRÆMT, a fine-formed double flower, the corolla bluish white, each petal marked with a large carmine band, sepals broad and well reflexed, of a bright carmine colour. 1s.

ANNETTE, corolla very rich deep purple; tube and sepals bright crimson, the latter completely reflexed; a very bright-looking pretty flower. 3s. 6d.

ASSEMBLY, a very full double violet blue corolla, with tube and reflexed sepals of a coral colour. 1s. 6d.

AUTOCRAT, *vide* page 7.

AVALANCHE, very double, compact, and beautifully formed flowers; corolla pure white, of extra size, with long carmine filaments; tube and sepals brilliant carmine scarlet. 2s. 6d.

BACCHUS, fine rich purple corolla; crimson tube and sepals; free and attractive. 3s. 6d.

BEACON, *vide* page 7.

BRIGADE, tube and sepals deep rose, the latter tipped with green and reflexed; very large, stiff, and ample corolla of a bright rose colour, shaded with violet; a large fine flower. 5s.

CHAMPION, a fine large well-formed flower; tube and sepals of good substance and of an intense crimson colour; sepals very thick, broad, and symmetrically reflexed; corolla of immense size and most perfect in form, of a very dark violet plum colour, changing to rich crimson as the flowers acquire age. 3s. 6d.

CHARTER, rose tube and sepals, large and full double violet plum corolla, striped and blotched with orange scarlet, the sepals completely reflexed. 2s. 6d.

CHERUB, sepals and tube pure white, corolla bright carmine, the sepals well reflexed, and the tube very long. 1s. 6d.

CLARISSA, tube and sepals pure white, the sepals horizontally reflexed and tipped with green; the finely-formed corolla is of a beautiful soft violet rose colour, becoming white towards the base, and margined with rosy carmine. 3s. 6d.

COMMANDER, a fine large flower, with purplish crimson corolla, and rich dark red tube and sepals, the latter partially reflexed. 3s. 6d.

COMTE DE FLANDRE, large and full corolla, all the petals bright carmine at the base, and dark indigo at the extremities, tube and sepals very dark carmine, the latter gracefully reflexed. 1s.

CORSAIR, a double-flowered variety, of excellent compact habit; the tube, as well as the sepals, which are well reflexed, are bright crimson; the corolla is of a rich bright purple colour marked with crimson at the base. 5s.

DAUNTLESS, this variety has a short dumpy corolla, but very full and double, and of a dark violet colour; tube and sepals light rosy crimson. 5s.

DELIGHT, elegantly reflexed sepals, which with the tube are pure white, corolla a beautiful violet lake. 1s. 6d.

NEW AND CHOICE FUCHSIAS—Continued.

DICTATOR, *vide* page 7.

DISPLAY, tube and sepals rose colour, large flat corolla, very full and double, colour lavender blue. 1s. 6d.

DREADNOUGHT, tube and sepals bright crimson, well reflexed; corolla of a remarkably beautiful purple colour. 2s. 6d.

DUKE, compact globose flower, with rose sepals, double rosy violet corolla. 1s. 6d.

ELEGANT, bright red tube, and recurved sepals, of extraordinary waxy substance; corolla bright purple, flamed carmine at the base. 2s. 6d.

ELFRIDA, tube and sepals very bright crimson, tube short, sepals broad and well reflexed; fine double corolla of a violet plum colour, marked with rose at the base. 5s.

EMBLEM, crimson tube and sepals, fine full double white corolla, marked with carmine at the base. 1s. 6d.

EMPEROR, dark crimson reflexed sepals, very large and long corolla, which is of a bright violet, with red base. 1s. 6d.

EMPRESS, peculiarly formed large long white corolla, each petal fluted; crimson tube and sepals, the latter very elegantly reflexed. 1s.

ENCHANTRESS, tube and sepals bright rose, the sepals broad and reflexed; immense double white corolla, tinted with violet crimson at the base. 2s. 6d.

ENCOUNTER, a useful free-flowering variety, rose tube and sepals, corolla violet blue, very full and double. 2s. 6d.

ENOCH ARDEN, sepals light scarlet, finely recurved, corolla cup-shaped, of a rich indigo blue, passing into a violet red or crimson. 9d.

ENSIGN, *vide* page 7.

ERNEST, tube and sepals crimson, the latter completely reflexed; corolla very full and double, of a rich dark violet colour, marked with rose at the base. 5s.

FAVOURITE, tube and sepals bright scarlet, the latter elegantly reflexed; corolla pure white and bell-shaped. 1s.

FREUND J. DÜRR. This variety is remarkable for its form; each flower represents two corollas, double and single, four of the stamens develop themselves so vigorously that they bear at their apex a sort of second corolla. Large and very long flowers, wide sepals of a bright scarlet red; the principal corolla is very long, dark blue, flaked or shaded with carmine, and the second of similar colours. 1s. 6d.

GENERAL, deep dark red, the sepals recurved very regularly back to the tube; corolla close and compact, of a bright light purple colour, flamed rose. 2s. 6d.

GENEROUS, tube and sepals bright rose, the latter reflexed; corolla deep pink, shaded with violet. 1s. 6d.

GEORGE FELTON, tube short and thick, sepals elegantly reflexed, corolla a beautiful bright purple, large, full, and handsomely expanded. 2s. 6d.

GERARD CORNELISSEN, a remarkable variety, its double corolla being flaked with blue, white, and rose; sepals bright red. 1s.

GERTRUDE, dark crimson tube and well-reflexed sepals, very dark purple plum corolla. 3s. 6d.

GIANT, immense double purple corolla and bright rose sepals, completely reflexed; of good habit, and free flowering; it cannot fail to command attention from the unusual size of its flowers. 1s.

GIPSY QUEEN, bright red sepals, completely reflexed, with a huge double corolla of rich purple. 1s.

GRENADIER, *vide* page 7.

HARMONY, tube and sepals rich crimson, the latter very long, broad, and horizontally reflexed; corolla violet blue, a very pretty colour. 3s. 6d.

HARRY GEORGE HENDERSON, large broad bright coral scarlet sepals, and very large paracymbium-formed corolla, of a rich plum blue tint, merging into violet red, the margin being slightly revolute. 1s.

HERALD, tube and sepals bright rose, corolla bright blue, changing to violet pink, the sepals horizontally reflexed. 1s. 6d.

HOGARTH, double blue corolla, blotched and striped with bright rose, the tube and sepals bright carmine, the latter reflexed. 2s. 6d.

INSPECTOR. This variety has a very large and full purple corolla, tube and sepals crimson, the latter reflexed. 1s.

INSTANCE, tube and sepals bright carmine; the sepals well reflexed, and showing off to advantage the huge double white corolla, which is beautifully marked with violet rose at the base. 2s. 6d.

INSTIGATOR. This variety has an exceedingly fine lavender blue corolla, which is very much expanded, in some instances appearing almost flat. The tube and sepals are of a rich dark crimson colour, the tube short, and the sepals broad and well reflexed. It is a free-flowering and extremely attractive variety, of short-jointed and compact growth. 2s. 6d.

JEANNE D'ARC, a very large semi-double flower, corolla dark violet, marked with carmine at the base, crimson sepals, perpendicularly reflexed. 1s.

KING OF THE FUCHSIAS, tube and sepals carmine, rich violet purple corolla of gigantic size. 1s. 6d.

NEW AND CHOICE FUCHSIAS—Continued.

- KING OF THE STRIPES**, a splendid variety in the style of *Lucrezia Borgia*. In habit and shape of the bloom it is almost identical with *Souvenir de Chiswick* and *War Eagle*; it is one of the best and most regularly striped kinds ever sent out. 3s. 6d.
- LAVINIA**, short tube and well-reflexed sepals, of a bright rosy crimson colour; full double corolla, of a purple plum colour; a good flower. 5s.
- LEAH**, *vide* page 7.
- LEONARD**, *vide* page 7.
- LURLINE**, a pretty variety, with pure white corolla, dentated with violet on the margin; tube and sepals bright rose. 1s. 6d.
- LUSTRE**, vivid crimson vermilion corolla, the edges of the segments tinted with pale orange; tube and sepals waxy white, the latter very elegantly reflexed; excellent habit and free bloomer. 1s.
- MADAME A. VERSCHAFFELT**, corolla very double, clear rose, veined with bright carmine, each petal scalloped at the base, tube and sepals bright crimson. 1s.
- MADAME BRUANT**, thick tube, which, with the sepals, are carmine red, corolla violet mauve. 1s.
- M. ACKERMANS**, cylindrical-shaped corolla, bright carmine, shaded with dark blue, tube and sepals carmine, the sepals broad and well reflexed. 1s.
- M. CH. GAILLY**, corolla dark violet, beautifully shaded, tube and sepals crimson, the tube very long, and the sepals horizontally reflexed. 1s.
- MAID OF HONOUR**, both corolla and tube very long, the latter with the sepals bright rose, corolla pure white, prettily striped with violet rose at the base, the sepals recurved and reflexed. 2s. 6d.
- MAJESTIC**, very stout and waxy scarlet tube and sepals, well reflexed; corolla purple, flamed carmine, very large, full, and expanded. 2s. 6d.
- MANTLE**, short crimson tube, and fine well-reflexed sepals of the same colour; corolla a rich plum; of fine form and good habit. 5s.
- MARINER**, bright crimson tube and sepals, the latter broad and reflexed; corolla purple blue, blotched and flaked with bright crimson. 1s. 6d.
- MARKSMAN**, long tube, which, with the sepals, are bright carmine; corolla very full, double, finely expanded, and peculiarly flat, of a rich dark violet colour. 1s.
- MARMION**, bright crimson tube and well-reflexed sepals; exceedingly pure white corolla; a very pretty and distinct variety. 5s.
- MARVEL**, irregular-shaped corolla of a lavender blue colour; the sepals, which, with the tube, are bright carmine, are very fine and broad, and well reflexed. 2s. 6d.
- MAY FELTON**, light rod tube and sepals, gracefully reflexed; corolla mauve, double and regular, the petals slightly edged with light mauve. 2s. 6d.
- MAY QUEEN**, the sepals of good substance and very gracefully recurved; corolla long and large, of symmetrical form, colour a beautiful violet rose; tube and sepals pure white; it is of excellent habit, and very free flowering. 1s. 6d.
- MEDINA**, a variety with a very full and double corolla of a rich purplish crimson colour; tube and sepals bright crimson, the latter very broad and well reflexed. 5s.
- MEMNON**, tube and sepals bright rose, the latter horizontally reflexed; the corolla double, of a bright violet blue colour, attractively blotched with rose towards the base. 3s. 6d.
- MODEL**, very bright red tube and sepals, the latter broad and elegantly reflexed; corolla very dark purple, flamed with brilliant carmine. 2s. 6d.
- MODEL** (Banks'), one of the finest Fuchsias with dark corolla ever sent out; large and well-formed flowers, vigorous habit. 1s. 6d.
- MONARCH**, *vide* page 8.
- MONTROSE**, tube and sepals bright rose, the latter broad, well reflexed, and tipped with green; the corolla is white, full and double, and of diversified form. 2s. 6d.
- MR. DISRAELI**, tube and sepals very bright scarlet, perfectly reflexed; corolla of a most intense bright mauve colour, very large and of a most elegant shape; of good growth and habit. 3s. 6d.
- MRS. SHIRLEY HIBBERD**, pure waxy white tube and sepals, not a particle of green on the tips of the sepals; fine large corolla, colour bright pink suffused with purple. 3s. 6d.
- NEPTUNE**, rich purple corolla, attractively blotched with rose at the base, bright crimson tube and sepals, reflexed. 1s. 6d.
- NIMROD**, bright crimson tube and broad sepals; fine full double corolla of a purplish plum colour. 3s. 6d.
- NONPAREIL**, cherry coloured reflexed sepals, very large and handsome fine white corolla; excellent habit. 1s.
- OCTAVIE**, a distinct variety, with a beautiful light blue semi-double corolla, and bright rose tube and sepals. 3s. 6d.
- ORACLE**, *vide* page 8.
- PATRICIAN**, tube and sepals rich crimson, the latter very broad and well reflexed; fine corolla of a deep purple colour. 3s. 6d.

NEW AND CHOICE FUCHSIAS—Continued.

- PEGASUS**, tube and sepals very bright crimson, the sepals broad and well reflexed; the corolla semi-double, very short, bluish colour, veined with bright crimson. 3s. 6d.
- PERSUASIVE**, tube and sepals deep crimson, the latter well reflexed; corolla very rich violet purple. 3s. 6d.
- PRESIDENT**, very rich carmine tube and sepals, corolla rich purple; the sepals large, broad, and horizontally reflexed. 1s. 6d.
- PRESTIGE**, broad short sepals, completely reflexed; large purple corolla, marked with rose at the base; the tube and sepals carmine colour. 1s. 6d.
- PRIAM**, a variety of short thick-jointed habit, and very free blooming; short tube and broad reflexed sepals of a rich crimson colour; corolla very thick and double, colour violet purple, blotched with carmine. 5s.
- PRINCESS BEATRICE**, waxy white tube and sepals, the latter beautifully reflexed, bright pink corolla, good habit. 1s.
- PRINCESS OF WALES**, a fine flower, of great substance, with double pure white corolla, and good tube and sepals, the latter beautifully reflexed; it is of fine habit, quick growth and a most abundant bloomer. 3s. 6d.
- PRIVATEER**, dense globose flowers, with rosy tube and sepals, and lavender blue double corolla. 1s. 6d.
- PURPLE PRINCE**, tube and sepals waxy carmine scarlet; corolla rich violet, flower of extra size; fine free habit. 2s. 6d.
- PURSUIT**, scarlet crimson tube and sepals, the latter horizontally reflexed, corolla very pure white. 1s. 6d.
- REGALIA**, large double violet purple corolla, blotched with red at the base, sepals bright crimson, nicely reflexed, and showing the huge corolla to great advantage. 1s.
- RESOLUTION**, red tube and sepals, the latter reflexed, large plum-coloured corolla, blotched and striped with carmine. 1s. 6d.
- RHODERICK DHU**, sepals bright salmon, tinted scarlet, well recurved; umbrella-shaped corolla of a rich dark lavender blue colour. 9d.
- ROYAL PRINCE**, very bright tube and sepals, handsomely recurved; large corolla, very bright purple veined carmine; fine. 2s. 6d.
- RUSTIC**, tube and sepals dark crimson; tube short, and sepals of immense breadth and well reflexed; fine large double corolla of a rich dark purple colour, marked with rose at the base. 5s.
- SOCIAL**, intense crimson tube and sepals, with very pure white corolla, the sepals reflexed. 2s. 6d.
- STANDARD**, *vide* page 8.
- STARLIGHT**, pure waxy white tube and sepals, clear lake corolla; sepals very broad, stout, and elegantly reflexed, flowers large and fine. 1s.
- STRIATA PERFECTA**, a constant and beautiful striped kind; the tube and sepals scarlet, and the corolla light mauve, striped with scarlet. 1s. 6d.
- SULTAN**, tube and sepals waxy scarlet, broad and well reflexed; corolla deep violet; of fine habit; a magnificent variety. 2s. 6d.
- SUPREME**, scarlet crimson tube and sepals, the latter reflexed, pure white corolla; a very free bloomer. 1s. 6d.
- SYBIL**, tube and sepals carmine, corolla pure white and double. 2s. 6d.
- SYMBOL**, crimson tube and sepals, the latter reflexed, creamy white double corolla. 1s.
- THERESA**, tube and sepals white; the sepals elegantly reflexed; corolla of a very rich and bright crimson lake colour. 3s. 6d.
- TINTED VENUS**, bell-shaped corolla, white, tinted and feathered with violet rose; tube and sepals bright rose, the latter prettily reflexed; flowers well proportioned, of good form, and produced in great profusion. One of the most distinct and graceful varieties in cultivation. 3s. 6d.
- TREASURE**, *vide* page 8.
- TRIBUNE**, the sepals, which, with the tube, are of a splendid crimson colour, are very large, broad, long, and exceedingly well reflexed; the corolla is a rich plum colour, shaded with violet, well formed, very large, and of immense length. 3s. 6d.
- TROUBADOUR**, crimson tube and sepals, the latter of extraordinary width and substance, and elegantly recurved; corolla long and large, very full and double, of a rich purple colour, attractively marked with crimson at the base. 2s. 6d.
- TRY ME OH!** tube and sepals bright scarlet, the latter perfectly reflexed, corolla dark purple blue; flowers not very large, but of perfect shape, habit dwarf and vigorous. 1s.
- UMPIRE**, *vide* page 8.
- VESTA**. This variety has a large and smooth white corolla, with carmine tube and sepals. 2s. 6d.
- VICTOR**, corolla rich blue, of double formation, but the petals are very peculiarly arranged, and being greatly expanded have the appearance of a fine single corolla, with a surrounding frill. The sepals, which with the tube are of a crimson colour, are prettily reflexed. 3s. 6d.
- ZELINDA**, tube and sepals rose colour, the sepals tipped with green and well reflexed; corolla double white, of diversified form. 2s. 6d.

HYBRID FUCHSIAS.

CLOTH OF GOLD, a very useful and effective plant, with leaves margined with golden yellow; the flowers are similar to those of *F. Souvenir de Chiswick*, from which variety it is a sport. 1s.

GOLDEN FLEECE, an extra fine bedding variety, of dwarf and compact habit, with golden yellow foliage; *vide* page 151.

GRACILIS VARIEGATA, an elegant variety of good habit, with small leaves broadly margined with white. 1s. 6d.

PUMILA, a beautiful little gem, of dense compact habit, giving a profusion of pendent rich glossy crimson bell-shaped blossoms; it is well adapted for edgings and small beds. 1s. and 1s. 6d.

REGALIA, an exceedingly attractive variety with beautiful golden leaves, shaded with bronze, and distinctly veined with bright crimson; the flowers are well formed; tube and sepals rich crimson; corolla deep purple.

This variety will be highly esteemed as a bedding plant, and its distinct foliage makes it a most desirable and conspicuous object for the greenhouse or conservatory. 1s. 6d.

NEW AND CHOICE BEDDING PLANTS.

ABUTILON THOMPSONI.

A distinct and pretty variegated foliage shrub, of a neat erect habit, with small vine or maple-like leaves, uniformly mottled or marbled with pale and deep yellow; a useful and extremely effective plant, from its striking variegation, which, when fully exposed in the open air, is developed to great advantage. 1s. and 1s. 6d.

AGERATUM IMPERIAL DWARF.

This is a useful bedding plant, with flowers of a cheerful azure blue, throwing a dense mass of blossom throughout the summer, averaging the height of six inches, free, healthy, and vigorous in growth, and easy of propagation. 1s. each; 9s. per dozen.

ALOPECURUS PRATENSIS AUREO-VARIEGATUS.

An exceedingly elegant form of variegated grass of an effective character. It is a hardy perennial, having the leaves streaked and margined with golden yellow, which gives to the herbage a distinct golden tinge, such as may be seen from a distance. It is a useful and picturesque edging plant for beds and borders in arrangements where the yellow tint is required. 1s. each; 9s. per doz.

ALTERNANTHERA AMABILIS TRICOLOR.

This is an erect-growing but much-branched variety, and like its congeners, is very useful for carpet bedding. The leaves are broadly ovate, glabrous, of a dark green ground colour, with vivid rose centre, traversed by purple veins, with an irregular band of orange yellow intervening. 3s. 6d.

ALTERNANTHERAS.

AMABILIS, 1s. each; 9s. per doz.

„ **LATIFOLIA**, 3s. 6d.

AMENA, 1s. each; 9s. per doz.

MAGNIFICA, 1s. each; 9s. per doz.

PARONYCHIOIDES, 9d. each; 6s. per doz.

SPATHULATA, 9d. each; 6s. per doz.

VERSCOLOR (TELEIANThERA), 9d. each; 6s. per doz.

These are small-growing pretty little variegated plants from Brazil, adapted for planting out in summer, and especially suitable for small beds, edgings, &c.; they are variously and brightly coloured—crimson, pink, amber, red, and chocolate brown.

AUBRIETIA PURPUREA VARIEGATA.

This remarkable and highly interesting plant is a well-defined variegated form of the well-known *Aubrietia purpurea*. 6d. each; 4s. per doz.

BOUVARDIA LEIANThA COMPACTA.

A splendid variety, of robust habit and very compact growth, producing immense trusses of rich bright scarlet flowers; a capital plant for pot culture. 1s.

CALADIUM ESCULENTUM, 1s. 6d. and 2s. 6d. | **CALADIUM ODORATUM**, 5s.

SHRUBBY CALCEOLARIAS.

(BEDDING VARIETIES.)

LEON HUBERT, large and perfect flowers, colour red, shaded with brown, yellow border, bright yellow oap; very beautiful. 1s.

PRINCESS LOUISE, a dwarf bushy variety, producing fine large trusses of blossom; the flower stems are short but stout, and the blooms, which are larger than those of any other yellow bedding Calceolarias, are of a pure sulphur yellow colour; very effective. 1s. each; 9s. per doz.

SPARKLER, bright crimson brown, with a bright yellow golden cap. 9d.

STARLIGHT, bright red, similar in colour to *Victor Emmanuel*. 1s.

TRIOMPHE DE VERSAILLES, orange yellow, good habit, excellent for bedding. 9d.

CANNAS (of sorts).

These striking foliage plants, so effective for sub-tropical gardening and border grouping, 9s. 12s., and 18s. per dozen.

COPROSMA BAUERIANA VARIEGATA.

This is a very useful bedding plant, and for border or rihand planting is extremely effective; indeed, there is little doubt, when more known, that it will become one of the most attractive and useful of summer bedding plants.

It was introduced from New Zealand, and has moderate-sized glossy obovate leaves, bright green in the centre, with very broad white marginal variegation, which is creamy yellow in a young state; this diversification adds to the beauty of the plant. 1s. 6d., 2s. 6d. and 3s. 6d.

DAHLIAS (Exhibition and Fancy, of sorts), 6s., 9s., 12s., and 18s. per dozen.

DAHLIAS (Dwarf Bedding, of sorts), 6s. and 9s. per dozen.

DAHLIAS (Bouquet or Pompon, of sorts), 6s. and 9s. per dozen.

ECHEVERIA GLAUCO-METALLICA.

A very distinct and fine hybrid between *E. secunda glauca* and *metallica*; the leaves are nearly as large as in *metallica*, and intermediate in colour between both parents, having the deep glaucous hne of the former, with the bronzy tint of the latter. The plants, which are stemless, are formed of rosulate tufts of leaves, similar to *E. glauca*, but much larger; they grow freely, and attain a diameter of 18 inches. 3s. 6d. to 15s.

ECHEVERIA RETUSA GLAUCA.

A distinct hybrid between *E. retusa* and *secunda glauca*; the plants, which are stemless, form neat tufts, and produce freely, for many months in succession, stout flower stems about 18 inches high, surmounted with corymbs of bright red flowers with yellow centres. 3s. 6d. to 7s. 6d.

ECHEVERIA SECUNDA GLAUCA MAJOR.

A fine hybrid between *E. secunda glauca* and *metallica*; the leaves and general character of the plant resemble those of *E. secunda glauca*, but are much larger than in that variety; the plants are stemless, and form rosulate tufts, about 12 inches in diameter. It is very distinct and free growing. 3s. 6d. to 15s.

ECHEVERIA ATROPURPUREA, 1s.

„ **GLAUCA**, 6d. each; 4s. per doz.

ECHEVERIA METALLICA, 9d. and 1s.

„ **SECUNDA**, 6d. each; 4s. per doz.

BEDDING FUCHSIA "GOLDEN FLEECE."

A very effective variety for bedding; foliage of a rich bronze-tinted yellow, changing to a pure gold colour. 9d. and 1s. each; 6s. and 9s. per dozen.

NEW BEDDING FUCHSIA "REGALIA."

An exceedingly attractive variety, with beautiful golden leaves, shaded with bronze and distinctly veined with bright crimson. The flowers are well formed; tube and sepals rich crimson, corolla deep purple. This variety will be highly esteemed as a bedding plant, and its distinct foliage makes it a most desirable and conspicuous object for the greenhouse or conservatory. 1s. 6d.

FERDINANDA EMINENS, 1s. 6d. and 2s. 6d. | **HUMEA ELEGANS**, 9d. and 1s.

HELIOTROPE MRS. LEMINGTON.

An exceedingly handsome and very free-flowering variety, producing immense trusses of extremely dark flowers. 1s. each; 9s. per dozen.

HOLCUS LANATUS ALBO-VARIEGATUS.

This is a well-marked variegated grass of a perennial character, with soft pubescent leaves and leaf sheaths, the former marked with a broad central and narrow green stripes, the intermediate spaces and margin being of a clear silvery white. It forms a neat tuft, and will be a welcome addition to variegated hardy plants. 1s. each; 9s. per dozen.

IRESINE ACUMINATA.

This is an exceedingly effective bedding plant, being admirably adapted either for edging or riband rows. The foliage is of a dark bronzy green ground colour, with rich reddish crimson mid-rib and veins, very conspicuously marked. It is of a dwarf bushy habit, and compact style of growth. 6d. and 9d. each; 4s. and 6s. per dozen.

IRESINE LINDENI.

A most useful and exceedingly effective bedding plant. It is of robust and hardy constitution, and of neat bushy habit and style of growth. The foliage is very striking and effective, of a rich dark red colour, each leaf having a conspicuous amaranth mid-rib. It is admirably adapted either for riband rows or the edgings of flower beds, its rich and attractive foliage always producing a striking effect. 6d. and 9d. each; 4s. and 6s. per doz.

LANTANA MINE D'OR.

The foliage of this variety is of a deep green ground colour, beautifully varbled and mottled with gold; the flowers are of a rich dark orange colour, passing into deep red; the centre of the flowers is yellow. It is a very attractive and useful plant. 2s. 6d.

LOBELIA ERINUS.

This dwarf-growing section of Lobelias is exceedingly useful and effective. Their neat and compact habit, and the redundancy with which their blossoms are produced, render them almost invaluable for bedding, especially for edgings and riband borders.

ANNETTE, lilac, with white eye prettily spotted with lilac. 1s.

BLUE BONNET, bright blue, with white centre, spotted with dark blue. 1s.

CELESTIAL, celestial blue, with white centre, attractively spotted with indigo blue. 1s.

CHARM, a seedling from "*L. Erinus gracilis nana*," and of the same neat dwarf habit as that variety, but differing from it in the colour of its flowers, which, instead of being white, are light blue with white eye, spotted with dark blue. 1s.

CROWN PRINCESS, pure white, with centre prettily spotted with indigo. This is a very fine variety, flowers well formed, and habit free and compact. 1s.

IMPERIAL, a splendid variety, of a lovely turquoise blue colour, with clean attractive white centre; close compact habit. 1s.

OMEN, a beautiful rose coloured flower, with distinct white eye. 1s. 6d.

PEARL. This is as yet the nearest approach to a white variety of "*speciosa*;" it partakes of the character of the latter in its compact style of growth, and the profusion with which its flowers are produced. It forms a close compact tuft, and when in full bloom appears a mass of white. The individual flowers, which are very large, are pure white, with the upper lobes very slightly tinged with blue. It is a decided acquisition. 1s. 6d.

PEERLESS, very blue, with small white eye; exceedingly attractive. 1s.

PUMILA GRANDIFLORA, a variety of free vigorous miniature growth, forming the most densely compact tuft-like outline, which, during the summer months, is studded all over with rich deep azure blue flowers. 9d.

ROSETTA, dark rosy lilac, white eye, prettily spotted with rose. 1s.

SERENA, pure white, with upper lobes and tube light blue. 1s.

SYLVIA, pale bluish lilac, with distinctly marked white eye. 1s.

TRENTHAM BLUE, fine large flowers, of a beautiful blue colour, with clear white eye. 6d.

HERBACEOUS LOBELIAS.

CARMINATA, rosy carmine; an attractive variety. 1s. 6d.

CHARM, bright blue, the individual blossoms of good size and substance. 3s. 6d.

DAZZLE, intense vermilion; fine and showy. 1s. 6d.

ELVINA, fine bright pink; a beautiful variety, throwing very fine spikes. 3s. 6d.

HERBACEOUS LOBELIAS—Continued.

- GARLAND**, rosy purple, flowers large and well formed ; very attractive. 1s. 6d.
GLITTER, bright glowing scarlet, huge flowers, upwards of two inches across, each lobe measuring an inch and a half long. 2s. 6d.
MARVEL, puce, with light centre ; an exceedingly attractive and well-formed flower. 3s. 6d.
MATCHLESS, rich purple, with bright rose suffused through each petal. 2s. 6d.
MODERATOR, very bright rose, good flowers ; fine and showy. 1s. 6d.
RINGLEADER, light purple, a very pretty colour ; free grower. 3s. 6d.
SANGUINEA, dark crimson, finely-formed flowers ; very novel. 1s. 6d.
SYPHILITICA GRANDIFLORA, very light, with white eye ; a pretty flower. 1s. 6d.
UMPIRE, violet puce, with light centre ; dwarf habit, throwing fine spikes of flower. 3s. 6d.

NEW MIMULUS, *vide* pages 140 to 142.

MËSEMBRYANTHEMUM CORDIFOLIUM VARIEGATUM.

An exceedingly attractive variegated-foliaged plant, remarkably well adapted for out-doors summer bedding. The branches are furnished with flat fleshy heart-shaped leaves, distinctly margined with cream colour, and form a diffuse yellowish mass, entirely covering the surface of the ground. This has proved one of the most distinct and attractive bedding plants of the season ; indeed, it is difficult to convey an adequate idea of its effect, when used as an edging or in groups by itself. The flowers are bright rosy purple. 1s. 6d.

MIMULUS TILINGII.

An annual species discovered by Dr. Tiling, near Nevada city, in the Sierra Nevada of California. Standing in beds together, the plants are of perfectly erect growth, whereas the outside branches standing singly, assume a more spreading habit, and form a more or less broad pyramid, terminated by flower spikes thickly set with pure golden yellow finely-shaped flowers. The rich bright colour, and the great abundance of flowers continuously open at one time, render the plant an object of great attraction. 1s. 6d.

MYOSOTIS AZORICA CÆLESTINA.

A new variety of the well-known and popular favourite Forget-me-not, *Myosotis azorica*. The flowers are of a rich turquoise blue, and produced in the greatest abundance. 1s.

MYOSOTIS DISSITIFLORA.

One of the best of all the Forget-me-nots. It is of remarkably compact habit, and a profuse bloomer, having the appearance when in full bloom of a sheet of the most exquisite blue, and is an exceedingly attractive and beautiful bedding plant. 9d. each ; 6s. per doz.

MYOSOTIS IMPÉRATRICE ELIZABETH.

This new Forget-me-not is a hybrid obtained from *M. azorica* and *M. alpestris*, with greatly superior features to those fine species. It is of more erect and elegant habit than the former, and more compact than the latter, with abundant flowers of an exceedingly beautiful azure blue tint ; more brilliant than either of the kinds quoted. 1s. each ; 9s. per dozen.

NIEREMBERGIA FRUTESCENS.

This pretty little plant has been introduced to Europe from the Andes of Chili. It has stood unprotected in the open ground near Paris, and may therefore be expected to prove nearly hardy in this country ; flowers white, tinged with violet, throat yellow. 1s.

PERISTROPHE ANGUSTIFOLIA AUREO-VARIEGATA.

This very elegant Acanthad has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society, and is a most beautiful edging plant for summer bedding. The leaves are ovate-lanceolate, bright orange in the centre, and margined with dark green ; in habit it is dwarf and compact, but of free growth ; as a pot or basket plant it is very beautiful, and although the flowers are not remarkable for size, their bright mauve purple colour forms a striking and agreeable contrast with the orange colour of the leaves. It has been introduced from the mountains of Java. 2s. 6d.

PHLEUM PRATENSE VARIEGATUM.

A handsome hardy perennial grass, forming a stiff erect-growing tuft, with smooth leaves, freely banded and striped with white, so as to form an elegant variegation. It makes a fine parti-coloured mass in the herbaceous border, and is well adapted for planting in lines. 1s. 6d.

NEW YELLOW PICOTEE, PRINCE OF ORANGE.

A splendid perpetual-flowering variety ; flowers bright orange, edged with crimson. 2s. 6d.

PETUNIAS, *vide* pages 8, 9, and 142 to 144. | POLYMNIA GRANDIS, 2s. 6d.

GOLDEN-LEAVED BEDDING PLANT "GOLDEN FEATHER."

(PYRETHRUM PARTHENIUM AUREUM.)

A beautiful dwarf hardy perennial plant, 6 to 9 inches in height. It is of uniformly neat and densely compact habit, and by simply pinching off the flower buds, its elegant feather-like golden leaves make it an effective plant for bedding or riband decoration. 4d. each ; 3s. per dozen.

SALVIA GRAHAMII PURPURATA.

This splendid variety has very fine flowers of a rich purplish crimson. They resemble in form the flowers of *S. Grahamii*, but far exceed that variety in richness of colour. 1s.

SEMPERVIVUM ANOMALUM, 6d.

„ CALIFORNICUM, 6d. and 9d.

„ GLOBIFERUM, 6d.

„ HIRTUM, 6d.

„ SOBOLIFERUM, 6d.

SOLANUM MACRANTHUM, 2s. 6d.

SEMPERVIVUM ARACHNOIDEUM, 6d.

„ CILIATUM, 1s.

„ GLUTINOSUM, 2s. 6d.

„ PITTONI, 6d.

„ TECTORUM, 6d.

SOLANUM ROBUSTUM AUREUM, 3s. 6d.

STATICE SPICATA.

This charming Caucasian species is of annual duration, flowering early in the season and continuing in bloom for a very long time ; the leaves are prettily semi-pinnatifid sinuated, of a lively emerald green, forming a spreading tuft, out of which rise a multitude of cylindrical ear-like spikes, some undivided, others more or less branched in a pyramidically arranged fashion, closely set with flowers of a lovely rosy pink colour. The whole plant represents a graceful sub-pyramidal bouquet about 1 foot in height, rising out of a rosetto-like tuft of exceedingly handsome bright green foliage. It is an extremely neat plant for pot culture, very beautiful and effective for dwarf beds or edgings ; it represents a totally new feature amongst Statice as a genus, and is much esteemed for its value in making bouquets. 2s. 6d.

NEW BEDDING TROPÆOLUMS.

CAVALIER, light orange vermilion, slightly feathered in the upper petals ; of close compact instead of trailing, habit, forming a complete ball when bedded out. 1s. 6d.

COMPACT, deep golden yellow, blotched with dark rich crimson in all the lobes ; a fine large flower. 1s. 6d.

EXILE, intense crimson, shaded with maroon in the upper petals ; very rich and attractive. 1s. 6d.

GAIETY, orange, all the petals cleanly blotched or spotted with bright crimson. 1s.

GLITTER, vivid scarlet, broad petals, good round flower. 1s.

MRS. TREADWELL, rich velvety orange crimson, flowers of great substance. 1s.

STANDARD, a very dark rich crimson flower, feathered with black in the upper petals ; distinct and showy. 2s. 6d.

TITIAN, very large and fine flower, of a beautiful bright orange colour, with dark feathering in the upper petals. 1s. 6d.

VILLAGER, bright orange, marked in the under petals with bright vermilion, and in the upper petals with light crimson ; a very showy flower. 1s. 6d.

UHDEA BIPINNATIFIDA. 2s. 6d.

VERBENAS.

CHOICE KINDS, for bedding and pot culture, at 6s. and 9s. per dozen.

CARNATION-STRIPED, a choice assortment of the best and most distinct kinds at 9s. and 12s. per dozen. For New Varieties, offered for the first time, see page 9.

VIOLA CORNUTA ALBA.

This is a form of the mauve coloured species, with pure white flowers. 9d. each ; 6s. per dozen.

VIOLA CORNUTA PERFECTION.

This is quite a gem in the way of a bedding Viola. The flowers are borne as in *V. cornuta*, but are nearly three times the size, and of a dark mauve purple hue, with some dark lines radiating from a yellow eye. It is wonderfully profuse and continuous in bloom, and is one of the most useful and attractive of bedding plants. 9d. each ; 6s. per dozen.

VIOLA LUTEA GRANDIFLORA.

A valuable and most effective bedding plant, of dwarf compact habit, with shining green foliage and large bright yellow flowers, produced in the greatest profusion. It is unequalled for spring and autumn decoration. 9d. each; 6s. per dozen.

VIOLA LUTEA SPLENDENS.

Where yellow bedding plants are desired, this, the best of the yellow Violets that has sprung from the *lutea* type, will be hailed as a great acquisition. Like others of the section, it is of dwarf compact habit, with bright glossy green foliage, but the flowers are larger. The colour of the blossoms is of the brightest yellow, and they are produced with the greatest redundancy, from the spring until late in the autumn. 1s. each; 9s. per dozen.

WIGANDIA CARACASANA, 2s. 6d.

„ URENS, 2s. 6d.

WIGANDIA MEXICANA, 3s. 6d.

„ VIGIERI, 2s. 6d.

NEW ROSES.

The following are a selection of New Roses offered for the first time.

Price 2s. 6d. each.

HYBRID PERPETUAL.

CAPITAINE LAMURE, deep red, changing to violet; large and full, form perfect, free blooming; growth vigorous.

HENRI PAJES, bright rose, large and full; fine form, good habit; growth vigorous.

MADAME GUILLOT DE MONT-FAVET, beautiful bright rose, shaded with white; large and full, good form; growth erect and vigorous.

MADemoiselle MARIE GONOD, white, medium size, full and fine; erect and vigorous.

MONSIEUR CORDIER, brilliant red, large and full, very effective; growth vigorous, habit good.

PRINCESS CHRISTIAN, bright rosy peach, sometimes salmon colour; very large and double, form compact, very free blooming; growth moderate.

TEA-SCENTED.

FRÈRES SOUPERT ET NOTTING, yellow, edged with lilac; large and full; growth moderate.

A seedling from *Madame Falcot*.

MADAME BERARD, bright clear rose, large and very full; fine form, free blooming, and good habit; growth vigorous.

MADAME EMILIE DUPUY, yellow, tinged salmon; large, full, and fine form; growth vigorous.

VICTOR PULLIAT, white, tinged with yellow; large and full; growth free. A seedling from *Madame Willmoez*.

NEW ROSES.

The following are a choice selection of New Roses.

Price 2s. 6d. each.

HYBRID PERPETUAL.

ABBÉ GIRAUDIER

ALBION

ALEXANDRE DE HUMBOLDT

BARON CHAURAND

BLANCHE DE MERU

CANDIDE

CHARLES TURNER

COMTESSE D'OXFORD

ELISA BOËLLE

FERDINAND DE LESSEPS

GENERAL GRANT

GENERAL MILORADOWITSH

JEANNE GUILLOT

JULES CHRÉTIEN

JULES SEURRE

LA MOTTE SANGUINE

LOUIS VAN HOUTTE

LOUISA WOOD

MADAME DUSTOUR

MADAME LEFRANÇOIS

MADAME LIABAUD

MADemoiselle EUGÉNIE VERDIER

MADemoiselle JULIETTE HALPHEN

MARQUISE DE CASTELLINE

MARQUISE DE LIGNERIS

PAUL NÉRON

PERLE BLANCHE

REINE DES BEAUTÉS

SUSANNAH WOOD

THOMAS METHVEN.

NOISETTE.

LAMARQUE JAUNE.

ROSES—Continued.

TEA-SCENTED.

BELLE LYONNAISE
CATHERINE MERMET
CÉLINE NOIREY
LE MONT BLANC
MADAME DUCHER

MADAME HIPPOLYTE JAMAIN
MADAME LEVET
MADAME TRIFLE
TOUR BERTRAND
UNIQUE.

Mr. WILLIAM BULL will be happy to supply choice selections on the following terms:—

	PER DOZEN.
SUPERIOR SELECTED STANDARDS, in fine varieties	18s. & 24s.
HALF STANDARDS, in fine varieties	12s. & 18s.
DWARFS, in fine varieties	9s. & 12s.
CLIMBING, in pots, the best, selected from Noisette, Banksian, Macartney, Hybrid China, Ayrshire, Boursault, and Evergreen	9s. & 12s.
CHINA, in pots	12s., 18s., & 24s.
TEA-SCENTED, in pots	12s., 18s., & 24s.
HYBRID PERPETUALS, finest varieties, in pots	12s., 18s., & 24s.

Extra-sized plants of the best varieties of Roses, in pots, for Exhibition or Forcing, at 2s. 6d., 3s. 6d., and 5s. each.

SALTER'S NEW CHRYSANTHEMUMS.

The Metropolitan District Railway Company having taken Messrs. John Salter & Son's Nursery Grounds at Hammersmith, and Messrs. Salter and Son having retired from business, Mr. WILLIAM BULL has made arrangements to send out their Japanese and other New Chrysanthemums, the entire stock of which is now in Mr. WILLIAM BULL's hands. All orders that have been received by Messrs. Salter & Son will be executed by Mr. WILLIAM BULL.

SALTER'S NEW JAPANESE CHRYSANTHEMUMS
OF 1870.

For New Varieties, offered for the first time, see page 15.

- AURORA, bright flame orange with a darker centre, petals of ribbon-like form, flowers large and full. 1s. 6d.
- CHANG, very large, with broad twisted and curled florets of a dark orange red colour with a yellow back. 1s. 6d.
- COLONEL HEMERY, flower beads very large and of semi-globular form, composed of a mass of strap-shaped florets of deep golden yellow; very showy. 1s. 6d.
- EMPEROR OF CHINA. The flowers when they expand are rosy white; when mature they are clear white, having the centre tinted with rosy buff, much like the common Honeysuckle. 1s. 6d.
- GLORIOSA, flowers of large size, composed of very long slender florets of bright orange, curiously twisted and curled. 1s. 6d.
- HELEN MACGREGOR, deep chestnut red, flowers very full and fringe-like. 1s. 6d.
- MANDARIN, clear canary yellow, florets very broad and curled. 1s. 6d.
- MEG MERRILIES, sulphur white, very large and of most curious form, belonging to the Dragon section. 1s. 6d.
- NEGRO, splendid dark maroon, with long curled thread-like florets. 1s. 6d.
- ROB ROY, tubular florets of purple red, with the expanded portions pale amber, like the colours of the wild Honeysuckle. 1s. 6d.
- SOL, clear citron yellow, with long wax-like florets. 1s. 6d.
- THE SULTAN, flowers of immense size, composed of a mass of bright rosy purple florets, with a lighter back; a highly ornamental plant. 1s. 6d.
- VICEROY OF EGYPT, deep rosy crimson and white back, first row of florets quilled, the rest very broad and curled inwards. 1s. 6d.
- PRICE 1s. 6d. EACH, OR IF THE ENTIRE COLLECTION IS TAKEN, HALF PRICE WILL BE CHARGED.

SALTER'S NEW CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS OF 1870.

For New Varieties, offered for the first time, see pages 15 and 16.

- BEAUTY OF STOKE**, yellow, suffused with amber, which becomes darker with age, very large and beautifully incurved. Figured in the *Floral Magazine*. 1s. 6d.
DUKE OF EDINBURGH, rose lilac, with lighter centre, very large and finely incurved. 1s. 6d.
GLOBOSUM, dark Indian red, of very fine incurved form and dwarf habit. Figured in the *Floral Magazine*. 1s. 6d.
MARGINATUM (Anemone), large lilac blush, edged rose, and rose centre. 1s. 6d.
MEYERBEER, rose purple, with lighter back, very finely incurved. 1s. 6d.
MISS HOPE, delicate lilac, shading off to white in the centre, very fine form. 1s. 6d.
MRS. MOGGRIDGE, silver lilac, with lighter centre, compact medium-sized flower. 1s. 6d.
MRS. WREFORD MAJOR, deep rose, very close and compact, fine form and dwarf habit. 1s. 6d.
NORMA, ivory white, with short stiff florets; a very fine conservatory and pot plant. 1s. 6d.
ONDINE, cream, tipped rose lilac, and lighter centre, fine incurved form. 1s. 6d.
PRINCESS LOUISE (Anemone), delicate rosy lilac, with a full high centre, very fine. 1s. 6d.
VIRGINALE (Anemone), pure white; a very dwarf late-flowering variety. 1s. 6d.

PRICE 1s. 6d. EACH, OR IF THE ENTIRE COLLECTION IS TAKEN, HALF PRICE WILL BE CHARGED.

JAPANESE CHRYSANTHEMUMS.

GENERAL COLLECTION.

- ADMIRANDA**, flesh colour, dark carmine centre; a fine flower with long recurved florets 3s. 6d.
AIMÉ MAUREL, very bright rose, pointed with white, long florets, very close. 9d.
ALLIANCE, dark bronze colour. 9d.
AURANTIUM, clear golden yellow, of immense size and very double, broad and massive wax-like florets. 9d.
BARONNE DE PRAILLY, rose, pointed with white, flowers very large. 9d.
BERNARDIN DE LÉOUBE, rich yellow, florets large and recurved, a very peculiarly formed flower. 9d.
BLANCHE DE CASTILLE, enormous flower, with long irregular florets, white, shaded with purple, large golden yellow centre. 3s. 6d.
BRONZE DRAGON, large bronzed salmon. 9d.
CHARTER, deep golden yellow. 9d.
CHROMATELLA, bright chrome or orange yellow, a very rich and intense shade of colour, good habit, free blooming and double; a valuable late-blooming variety. 9d.
CI SYANG, dark crimson, maculated with pure white; very novel and showy. 3s. 6d.
CLORINDE, a fine flower, with very long petals; rich red, with yellow centre. 3s. 6d.
COMET, bright orange yellow, changing to chestnut red, florets very long and curiously twisted and curled, which give it the appearance of a large bunch of gold thread; good habit and free flowering. 9d.
COMTESSE DE BEAUREGARD, dark rose, passing to a very delicate rose; a charming colour; flowers of an enormous size. 9d.
CRITERION, a fine flower of good form; colour buff yellow; dwarf growth and very free. 3s. 6d.
CRY KANG, a fine large flower, with long quilled florets of a beautiful lilac violet colour, the interior surface white; a novel colour. 3s. 6d.
DIRECTOR, bronzy yellow; a free-flowering variety. 9d.
DR. MASTERS, a very distinct and showy variety, with long sword-like florets, opening with a large centre of bright yellow, the exterior being formed of showy rod florets, and the centre changing to red as the flowers expand, the florets then becoming tipped with gold; very large, of good habit, and perfectly double. 9d.
DUC DE LUYNES, copper colour, pointed with golden yellow. 9d.
EMPIRE, ruby colour, beautifully fringed. 9d.
ERNEST, fine bright pink. 9d.
EUGÈNE MANGE, yellow, passing into very dark bronze, large florets. 9d.

JAPANESE CHRYSANTHEMUMS—Continued.

- FORTUNE'S TWO-COLOURED INCURVED**, scarlet chestnut and orange, incurved and fine. 9d.
- G. F. WILSON**, dark golden yellow, very large and double, composed of long ribbon-shaped florets of great breadth and substance, remaining in perfection a long time. 9d.
- GOLDEN LOTUS**, bright golden orange, fine colour, and beautifully incurved. 9d.
- GRANDIFLORUM**, large golden yellow tasselled. 9d.
- GUSTAVE REY**, deep chamois, lightly pointed with white. 9d.
- HERO OF MAGDALA**, blood red, the reverse of the florets orange buff; the flowers in their young state reflex, but as they advance in age the centre florets take an upward or incurved direction, while the remainder reflex, thus showing two distinct colours in the same flower. This combination of colour and form give the plant great novelty of character. 9d.
- JAMES SALTER**, clear lilac or mauve, shaded towards the centre; the flowers are very double, and of immense size, and are composed of a multitude of broad florets from four to five inches long, which, as they expand, become curled or twisted in a most curious manner, unlike any other Chrysanthemum. It is very early, a profuse bloomer, and of dwarf branching habit. 9d.
- J. ULRICH**, imbricated florets, light brown, passing into dark brown. 9d.
- JUNO**, large pure citron yellow; a beautiful variety of the actinoid class, flowering in the form of loose tassels, and continuing in bloom during January and February. 9d.
- JUPITER**, large amber, changing to buff; florets very long and much twisted or curled; flowers of immense size and very showy. 9d.
- LA COQUETTE**, ground colour blood red, maculated with golden yellow; a charming variety. 9d.
- LEOPARD**, bright Indian red, with large yellow spots covering the surface of the florets, a very novel and singular combination of colour. 9d.
- MADAME CHINARD**, enormous flower, with very long florets of a beautiful clear rose colour, reflected with silvery white and sometimes ribboned with dark rose; an admirable colour; extra fine. 3s. 6d.
- MADAME GODILLOT**, reddish yellow, very long florets, large flowers. 9d.
- MARGINATUM**, a large flower of a clear lilac colour, maculated with pure white; an exceedingly curious variety. 3s. 6d.
- METEOR**, bright golden yellow, changing to orange; florets very long and curiously curled; a very early and free-blooming variety of the actinoid class. 9d.
- MORGIANA**, light red, with a yellow back; the flowers as they expand take the form of loose tassels; the florets being very long, give the plant a very singular appearance. 9d.
- MR. BONNET**, dark flower, dense to the centre, shading to the extremity of the florets, the latter very large, flowers also large. 9d.
- MR. MARTIGNON**, deep copper colour, large flowers. 9d.
- MUTUAL**, violet crimson, flowers fringed. 9d.
- NAGASAKI VIOLET**, dark rosy violet and golden disc, the florets sometimes spotted with pure white; a most attractive and curious variety of the actinoid or thread-flowered section. 9d.
- NEC PLUS ULTRA**, dark chamois, spotted with yellow, well formed, and very double. 9d.
- PRINCE SATSUMA**, bright golden yellow, large and very double; the florets of this variety have a rigid appearance, and are in the form of a rosette. 9d.
- PURPUREUM ALBUM**, rich purple, mottled and spotted white; the flowers are of medium size, and have a very delicate appearance, not unlike a bunch of purple and white ribbon formed into a loose tassel. 9d.
- PYRAMIDALE**, a very full flower, with erect quilled florets of a canary yellow colour passing to brick red; it is very free, of dwarf habit, and exceedingly attractive. 3s. 6d.
- QUILLED PINK**, rose lilac, quilled. 9d.
- RED DRAGON**, red chestnut, tipped with yellow, and sometimes spotted with gold, flowers very double and of immense size; good habit, and very free flowering. 9d.
- RED INDIAN**, Indian red, flowers very large and double, dwarf habit. 9d.
- REINE DES ISLES SANDWICH**, light maroon, the florets quilled, open at the apex, and tipped with dark maroon. 9d.
- REGALIA**, orange, striped bright red, a very showy and attractive colour; the florets, which are very broad, take an upright position, and arch inwardly. 9d.
- ROBERT FORTUNE**, bright orange or amber, large and very full; a splendid flower of the actinoid or thread-flowering class, flowering late. 9d.
- ROSEUM ALBUM**, rosy purple, striped, mottled, and spotted with white; medium size flowers, good for bouquets, dwarf and very free flowering. 9d.
- ROSEUM PUNCTATUM**, white, spotted rose. 9d.

JAPANESE CHRYSANTHEMUMS—Continued.

- SIMON DELAUX**, very large flower of a bright reddish salmon colour, with long irregular florets shaded with rich gold colour. 3s. 6d.
- SOLEIL D'OR**, an enormous flower, very double, with long erect quilled florets, of a rich golden yellow shaded with purple; a fine variety. 3s. 6d.
- SONNET**, rich golden yellow, fine large flower. 9d.
- STANISLAUS MEISSONIER**, sulphur yellow, a beautiful and exceedingly well-formed flower. 9d.
- STAR**, very large orange yellow florets, of great breadth and length, radiating from a golden disc. 9d.
- STRIATUM**, white, striped rose; inconstant. 9d.
- SURPRISE**, a variety with long quilled florets; the flowers are very large, yellow, reflected with purple, centre rich golden yellow; very attractive. 3s. 6d.
- TARANTULA**, a most singular flower, with a close button-like disc, and a single spreading ray of long, slender, tubular golden florets, $7\frac{1}{2}$ inches in diameter. 9d.
- TASSELED YELLOW**, large golden yellow. 9d.
- THE DAIMIO**, pale pink, changing to rosy lilac, flowers very large, double, and of great substance; a showy and attractive variety of the ribbon-form section. 9d.
- THE MIKADO**, golden yellow, changing to orange as the flower advances, very double, and of immense size, composed of long spreading filiform florets, slightly curled. 9d.
- THE TYCOON**, very bright red, with a golden orange back; the florets, which are very long, are curiously curled, and take the form of tassels. 9d.
- TRIOMPHE D'HYÈRES**, clear rose, a very large fine flower, of perfect form. 9d.
- WIZARD**, one of the most beautiful of the actinoid class, flowering in the form of loose tassels, of a bright red maroon colour; dwarf habit, free blooming and early. 9d.
- YEDDO LILAC**, rose lilac and lighter centre; the florets take an upright position, thence arch inwardly, thus forming a complete ball. 9d.
- YELLOW DRAGON**, large yellow. 9d.
- Y KANG KANG**, an enormous flower, very full, golden yellow shaded with lilac; a superb variety. 3s. 6d.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS.

GENERAL COLLECTION.

- ABBÉ PASSAGLIA**, brassy amber, broad incurved florets; a beautiful show flower and conservatory plant. 9d.
- AIMÉE FERRIÈRE**, silver white, beautifully tipped rose pink, incurved and very fine. 9d.
- ALBUM MULTIFLORUM**, white, incurved, of medium height; free and fine for pot culture. 9d.
- ALFRED SALTER**, delicate pink, very large, beautifully incurved, and one of the finest show flowers in cultivation. 9d.
- ALMA**, rose crimson, very fine for specimens. 9d.
- ANNIE SALTER**, golden yellow; splendid show flower. 9d.
- ANTONELLI**, salmon orange, large and beautifully incurved; fine show flower. 9d.
- ARIADNE**, cream and rose, new and pleasing colour; large and fine for specimens. 9d.
- AUREUM MULTIFLORUM**, bright pure yellow, incurved, of medium size, dwarf; free and fine for pot culture. 9d.
- BARON BEUST**, red chestnut, with gold tips on the under surface; florets smooth and finely incurved. 9d.
- BEAUTY OF ST. JOHN'S WOOD**, very similar to *Princess of Wales*. 9d.
- BEETHOVEN**, bronzed red, with slight golden tips on the under surface; florets broad, stiff, and finely incurved; very double, and of free habit. 9d.
- BELLA DONNA**, delicate lilac, with light centre, large, and finely incurved. 9d.
- BELLE AURORE**, a fine large flower, of perfect form, and very double, of a rich bronzy red tipped with gold; a splendid variety. 3s. 6d.
- BERNARD PALISSY**, bright fiery orange, very distinct; dwarf habit, and good pot plant. 9d.
- BEVERLEY**, large ivory white broad incurved florets of exquisite form; a splendid show flower. 9d.
- BLONDE BEAUTY**, a fine incurved flower, of perfect form, medium size, the florets extra broad; colour white, with delicate stripes and tips of the palest rose, which deepens towards the margins. 9d.
- BOADICEA**, rose and cream, large and very high centre, beautifully incurved. 9d.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS—Continued.

- BRONZE JARDIN DES PLANTES, bronzed orange, with yellow centre ; a fine incurved sport of *Jardin des Plantes*. 9d.
- BUTTERFLY, purple, bronze and gold back, incurved ; a novel combination of colours. 9d.
- CAPTIVATION, cream, shaded and heavily bordered with carmine ; a very double and finely-formed reflexed flower, well adapted for specimens and the conservatory. 9d.
- CASSANDRA, white, with rosy tips, incurved ; an extra fine large show flower. 9d.
- CHERUB, golden amber, with rosy tint, large and finely incurved. 9d.
- CHEVALIER DOMAGE, bright gold, splendid colour. 9d.
- CHRISTINE, *syn.* NE PLUS ULTRA, rosy blush, fine large flower. 9d.
- CLEOPATRA, blush, with rosy shade, beautifully incurved. 9d.
- CLOTH OF GOLD, gold ; large show flower. 9d.
- COMPACTUM, peach and silvery shade, incurved ; a very pretty conservatory flower. 9d.
- COUNTESS OF GRANVILLE, fine white, reflexed, but very full and beautiful flower. 9d.
- COUNTESS OF WARWICK, sulphur white or primrose, large and finely incurved, of excellent habit and foliage ; a beautiful show flower. 9d.
- CRIMSON VELVET, magnificent velvety crimson, a most attractive and striking flower ; dwarf habit, full and free. 9d.
- DAPHNE, sulphur, incurved ; fine pot plant. 9d.
- DIDO, sulphur white, with stiff incurved florets, very double, dwarf, compact habit, and very fine. 9d.
- DR. BROCK, reddish orange, incurved and fine. 9d.
- DR. LINDLEY, large, dark orange, with amber centre, broad incurved florets ; a first-class show flower. 9d.
- DR. ROZAS, rose crimson, incurved and very fine. 9d.
- DR. SHARPE, crimson magenta, fine for specimens. 9d.
- DUC DE CONEGLIANO, large red tasselled. 9d.
- EMPRESS EUGÉNIE, delicate rose lilac, large and incurved. 9d.
- EMPRESS OF INDIA, *syn.* WHITE QUEEN OF ENGLAND, ivory white, finely incurved. 9d.
- ENAMEL, delicate blush white, wide incurved florets, very double and free. 9d.
- ETOILE POLAIRE, golden yellow, incurved and fine. 9d.
- EVE, sulphur yellow, incurved, and delicate flower. 9d.
- FAUST, bronze crimson purple, incurved and very full, extra fine dwarf habit and foliage ; a great acquisition to the specimen class. 9d.
- FINGAL, large, rose violet, with lighter back, very double and symmetrical, florets wide and finely incurved ; a noble show flower. 9d.
- FLORENCE NIGHTINGALE, pale sulphur, very beautifully incurved ; excellent for cut blooms or specimen plants. 9d.
- FORMOSUM, pale sulphur, incurved, fine show flower. 9d.
- GARIBALDI, red chestnut, very large attractive flower. 9d.
- GENERAL BAINBRIGGE, dark orange amber and gold centre, beautifully incurved. 9d.
- GENERAL SLADE, Indian red, tipped bright orange, large and beautifully incurved ; a splendid show flower. 9d.
- GLOBE WHITE, *syn.* WHITE GLOBE, incurved and fine. 9d.
- GLORIA MUNDI, brilliant golden yellow, beautifully incurved, very high in the centre, fine dwarf habit, and very free ; a seedling from *Jardin des Plantes*, possessing the same glowing colour as its parent, with an improved form. 9d.
- GOLDEN BALL, bright orange, with golden back and tips, beautifully incurved ; very attractive on account of its brilliant colour. 9d.
- GOLDEN BEVERLEY, a fine golden canary sport of the much esteemed *White Beverley* ; a beautifully incurved show flower. 9d.
- GOLDEN CHRISTINE, golden buff, large and fine for specimens, a sport of *Christine*. 9d.
- GOLDEN DR. BROCK, a bright golden yellow sport of the highly-esteemed variety, *Dr. Brock* ; a beautifully incurved show flower. 9d.
- GOLDEN EAGLE, Indian red and orange, beautifully incurved and fine habit. 9d.
- GOLDEN HERMINE, a fine sport of *Hermine*, with bright golden orange flowers tipped carmine, finely incurved. 9d.
- GOLDEN JOHN SALTER, golden yellow, changing to amber ; a fine sport of *John Salter*. 9d.
- GOLDEN QUEEN OF ENGLAND, golden canary, a sport of *Queen of England*, very large and fine. 9d.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS—Continued.

- GOLDEN TRILBY**, a fine sport of *Trilby*, with clear yellow flowers, finely incurved. 9d.
- GOLIAH**, large, white, incurved, show flower. 9d.
- GUERNSEY NUGGET**, clear primrose yellow, very full and beautifully incurved, of immense size and great substance; fine habit and ample foliage. 9d.
- HERCULES**, very large red carmine, incurved; this, when well grown, is the largest variety known. 9d.
- HEREWARD**, large, purple, with silvery back; very compact, and finely incurved. 9d.
- HERMINE**, bluish, tipped purple, incurved, and extra fine. 9d.
- ION**, pure white, large and incurved. 9d.
- IONA**, bright citren yellow, beautifully incurved, high centre, and a model of form. 9d.
- ISABELLA BOTT**, delicate pearl white, tinted rosy lilac, very double, large, and conical, with finely incurved florets, having a wax-like appearance. 9d.
- JARDIN DES PLANTES**, bright golden orange, splendid colour, and finely incurved. 9d.
- JOHN SALTER**, red cinnamon, shading off to orange in the centre; flowers large, high, and globular; florets broad and finely incurved. 9d.
- JOSHUA WEDGWOOD**, bright rose carmine, distinct colour, close and beautifully incurved. 9d.
- JULIA GRISI**, light rose pink, new colour; an excellent conservatory plant, with odour of violets. 9d.
- JULIE LAGRAVÈRE**, dark velvety crimson, finer colour than *Bob*, compact, and extra fine for specimens. 9d.
- KING OF DENMARK**, bright rosy lilac, incurved and fine. 9d.
- LA BELLE BLONDE**, bluish white, large and incurved. 9d.
- LADY CARRHY**, large rose lilac, with silvery back, incurved; a beautiful show flower. 9d.
- LADY GODIVA**, sulphur white, large and finely incurved. 9d.
- LADY HARDING**, delicate rose pink, tipped bluish, large and finely incurved; a beautiful show flower, and dwarf compact habit. 9d.
- LADY PALMERSTON**, bright primrose yellow, large and globular, florets broad and finely incurved; a late-flowering variety. 9d.
- LADY RUSSELL**, bluish lilac, incurved and good. 9d.
- LADY SLADE**, delicate lilac pink and bluish centre, exquisitely incurved; a very symmetrical light flower. 9d.
- LADY TALFOURD**, delicate rose lilac, with silvery back, florets beautifully incurved, and of a shell-like form, very double, and of medium size; a lovely plant, equally suitable for specimens or cut blooms. 9d.
- LEDA**, large white; fine late-flowering variety. 9d.
- LE GRAND**, extra large, florets broad and stout, elegantly incurved; colour delicate rosy peach, shading to fawn, the petals next the centre faintly striped. 9d.
- L'EMIR**, light red crimson, incurved and fine. 9d.
- LÉON LEGUAY**, lilac, fine incurved, show flower. 9d.
- LITTLE HARRY**, bright golden amber, very double, symmetrical and finely incurved; of medium size; one of the finest naturally incurved flowers ever raised. 9d.
- LORD DERBY**, very dark purple, florets broad and finely incurved, flowers globular or cone-shaped; a most splendid variety either for cut blooms or specimens. 9d.
- LORD OF THE ISLES**, rosy orange, finely incurved, a fine show flower. 9d.
- LORD PALMERSTON**, rose amaranth, tipped silvery bluish, incurved, distinct and fine, like a *Fancy Dablia*. 9d.
- LORD RANELAGH**, light red orange, incurved and beautiful dwarf habit. 9d.
- LORD STANLEY**, large orange amber, finely incurved. 9d.
- LUTEUM FORMOSUM**, *syn.* **DELIGHT**, fine incurved golden yellow. 9d.
- MARCEAU**, hybrid, rose, bordered white; very beautiful. 9d.
- MARÉCHAL DUROC**, fine rose and lilac, incurved. 9d.
- MISS MARÉCHAU**, pure white, with finely incurved petals of great breadth and substance for cut blooms this flower is of great value, on account of its fine globular form. 9d.
- MISS MARY MORGAN**, delicate pink, with rich broad incurved petals; an immense and exceedingly beautiful flower. 9d.
- MR. BRUNLEES**, large Indian red, with tips incurved; a fine show flower. 9d.
- MR. CULLINGFORD**, fine dark carmine purple, very double and finely incurved, free blooming, and of dwarf habit. 9d.
- MR. EVANS**, very dark chestnut, with lighter centre, beautifully incurved, very dwarf and free flowering; well adapted for either cut blooms or specimen growing. 9d.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS—Continued.

- MR. GEORGE HASKIN, a very large incurved flower, with thick broad richly-converging florets, a warm lilac rose or peach, with silvery tinge, the colour deepening towards the margins; a grand showflower. 9d.
- MR. GLADSTONE, dark red chestnut, incurved. 9d.
- MR. MURREY, violet rose, very full and fine. 9d.
- MR. WYNESS, violet puce, incurved, and beautiful colour. 9d.
- MRS. BRUNLEES, delicate rose pink and light centre, incurved and of exquisite form, a beautiful late-flowering variety. 9d.
- MRS. E. MILES, bright yellow, very double, and finely incurved. 9d.
- MRS. G. RUNDLE, white, beautifully incurved. 9d.
- MRS. HALIBURTON, sulphur white, incurved, very double and fine, with remarkable high centre. 9d.
- MRS. HEALE, pure white, very large, and of exquisite form, a fac-simile (except in colour) of the beautiful and highly-prized *Princess of Wales*, of which it is a white sport. 9d.
- MRS. HUFFINGTON, a beautiful medium-sized flower, blush white, with large and distinct tips of purple, finely incurved, and of good habit. 9d.
- MRS. KAINES, transparent blush, incurved; a beautiful late-flowering variety. 9d.
- MRS. SHARPE, a fine incurved show flower, of large size, the florets broad, stout, and smooth, the colour rich pinkish rose, with bright silvery shade; an attractive variety. 9d.
- MRS. W. HOLBORN, ivory white, large, and finely incurved. 9d.
- MULBERRY, dark mulberry, not large, but incurved, fine and very distinct. 9d.
- NOVELTY, large blush, beautifully incurved, but requires good cultivation. 9d.
- ORANGE ANNIE SALTER, a distinct and beautiful sport of the well-known *Annie Salter*, with bright orange flowers; well adapted for specimen plants or the conservatory. 9d.
- ORANGE PERFECTION, dark salmon orange, incurved. 9d.
- OSSIAN, large rose, incurved, very double and free; an attractive conservatory plant. 9d.
- PELAGIA, bright orange cinnamon, large, double, of dwarf habit; beautiful for specimens or the conservatory. 9d.
- PINK PEARL, delicate pink, with silvery shade, finely incurved. 9d.
- PINK PERFECTION, soft pink, the lower florets tinted with a darker shade; a most delicate and novel colour; flowers large and of exquisite form, composed of broad incurved wax-like florets of great substance. This is without exception the most beautiful flower in this colour. 9d.
- PIO NONO, Indian red and gold points, incurved, and fine show flower. 9d.
- PLENIPO, rose purple, with silvery shade; very double, close, and of large size; fine specimen and conservatory plant. 9d.
- PLUTUS, bright gold, incurved, splendid show flower. 9d.
- POUDRE D'OR, reddish orange, very early and full. 9d.
- PRINCE ALBERT, bright crimson, large, double, free, and fine for specimens. 9d.
- PRINCE OF WALES (Davis), dark purple violet, with lighter shade, beautifully incurved. 9d.
- PRINCESS BEATRICE. This is a seedling raised by Mr. Wyness, Gardener to Her Majesty, Buckingham Palace. It is a grand incurved flower, of the finest form and style, and the colour is a beautiful lively tint of rosy pink; a splendid show flower. 9d.
- PRINCESS LOUISE OF HESSE, rose pink, incurved blush, fine dwarf conservatory plant. 9d.
- PRINCESS MARIE, rose, incurved, and fine show flower. 9d.
- PRINCESS OF TECK, pure white, very large, full, and beautifully incurved, of superb form and dwarf habit; a fine plant either for cut blooms or specimens. 9d.
- PROGNE, amaranth, very brilliant colour, with odour of violets. 9d.
- PROMETHEUS, bright fiery red salmon, large and incurved. 9d.
- PROSPERO, dark violet purple, very full, incurved and free. 9d.
- PURPUREUM ELEGANS, rich purple violet or crimson, with half-incurved florets, of medium size, very double and free; a scarce and most attractive shade of colour, and both for specimens and the conservatory a great acquisition. 9d.
- QUEEN OF THE WHITES, large, white, full and incurved. 9d.
- RIFLEMAN, dark ruby, beautifully incurved, fine for cut blooms or specimens. 9d.
- RIVAL LITTLE HARRY, dark yellow or golden amber, very double and finely incurved; a seedling from *Little Harry*, with broader florets and more robust habit, but equally dwarf. 9d.
- ROBERT JAMES, vivid cinnamon and orange, very broad florets, finely incurved, and first-rate show flower. 9d.
- ROSA MUTABILIS, delicate peach veined rose, broad incurved florets, dwarf habit, and fine for cut blooms or specimen plants. 9d.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS—Continued.

- ROTUNDIFLORUM**, pearl white, changing to pale lilac as the flower expands, when it becomes a complete ball; florets broad, stiff, and finely incurved; a sport from *Beverley*. 9d.
- SAM SLICK**, ruby, with bronzo points, very double, of dwarf habit; a very distinct and fine variety. 9d.
- SAMUEL BROOME**, red cinnamon, with orange centre; incurved and fine late-blooming variety. 9d.
- SANGUINEUM**, light red crimson, broad incurved florets; distinct and fine. 9d.
- SAUMAREZ**, bright chestnut red, with short, stiff, broad, incurved florets. 9d.
- SERAPH**, sulphur, with yellow centre, finely incurved. 9d.
- SIR STAFFORD CAREY**, dark brown chestnut, with golden points, large, and finely incurved; a very distinct and striking flower. 9d.
- SPARKLER**, red, tipped bright orange, incurved; a first-rate variety for specimen plants. 9d.
- ST. PATRICK**, ruby red, finely incurved, large, free, and fine for cut blooms. 9d.
- STAFFA**, golden yellow, with stiff incurved florets of wax-like appearance. 9d.
- STELLARE**, amber, with a distinct yellow tip; florets smooth and finely incurved, cone-shaped, novel in colour, and fine for cut blooms or exhibition. 9d.
- STELLARIS GLOBOSA**, carmine crimson and white, incurved, a beautiful show flower. 9d.
- SULPHUREUM SUPERBUM**, clear sulphur yellow, very double, and fine for specimens. 9d.
- SYLPHIDE**, delicate lilac and blush, incurved. 9d.
- SYLVIA**, rose lilac and silvery back, incurved and fine. 9d.
- TALBOT**, rose purple, tipped blush, beautifully incurved, a very distinct and fine show flower. 9d.
- THE GLOBE**, fine incurved blush. 9d.
- THEMIS**, fine rose, incurved. 9d.
- VENUS**, large lilac poach, beautifully incurved. 9d.
- VESTA**, ivory white, incurved, and fine show flower. 9d.
- VOLUNTEER**, amaranth violet, with close incurved florets, dwarf and fine habit. 9d.
- WHITE CHRISTINE**, cream white; a sport of *Christine*; second to none as a specimen plant. 9d.
- WHITE EVE**, pure white, of exquisite form and wax-like appearance. A fac-simile, except in colour, of the much-admired *Eve*, of which it is a sport. 9d.
- WHITE QUEEN OF ENGLAND**, *syn.* **EMPRESS OF INDIA**, a sport of *Queen of England*, ivory white, finely incurved. 9d.
- WILLIAM EDWARD**, canary yellow, with short, stiff, and finely incurved florets, very full, and first-rate show flower. 9d.
- YELLOW KING**, a sport of *King*, large yellow, incurved; a noble late flower. 9d.
- YELLOW PERFECTION**, golden yellow, incurved and splendid form. 9d.
- ZEPHYR**, salmon red and yellow, incurved and fine. 9d.

Mr. WILLIAM BULL will be happy to make good selections of 100 in
50 varieties for 50s.

ANEMONE-FLOWERED.

- EMPEROR**, large blush and sulphur centre, changing to dark cherry. 9d.
- EMPRESS**, very large lilac, with broad guard florets and light centre; one of the finest anemones ever offered. 9d.
- FAIR MARGARET**, delicate rose pink, distinct colour. 9d.
- FINETTE**, a delicate lilac peach, with a lighter centre; guard florets broad and well arranged, free blooming, and of dwarf habit. 9d.
- FLEUR DE MARIE**, splendid large white. 9d.
- HANDEL**, dark rose, with wide incurved florets. 9d.
- JARDIN D'HIVER**, dark rose. 9d.
- KING OF ANEMONES**, large, crimson purple; very fine and distinct. 9d.
- LADY MARGARET**, large white anemone, with double row of guard florets. 9d.
- LOUIS BONAMY**, large lilac, with high centre, very fine. 9d.
- MADAME GODERAU**, fine sulphur. 9d.
- MARGARET OF NORWAY**, light red and gold centre. 9d.
- MARGUERITE D'ANJOU**, nankeen; very fine. 9d.
- MARGUERITE DE YORK**, canary and dark yellow; very fine. 9d.

ANEMONE-FLOWERED CHRYSANTHEMUMS—Continued.

- MISS EYRE, blush, with yellow centre, medium size, dwarf habit, and very free; a distinct and pretty late-flowering anemone. 9d.
 MISS MARGARET, a very pure white, with fine and full high centre. 9d.
 NANCY DE SERMET, beautiful white, extra fine form. 9d.
 PRINCE OF ANEMONES, large lilac blush, and fine high centre. 9d.
 PRINCESS CHARLOTTE, rosy blush, with high centre of darker colour; a very dwarf and free-blooming variety. 9d.
 PRINCESS MARGUERITE, lilac pink, with lighter centre. 9d.
 PRINCESS THYRA, white, with high sulphur centre; guard florets broad and well formed. 9d.
 QUEEN MARGARET, rose lilac, and fine high centre. 9d.
 SUNFLOWER, very large sulphur flower, with high golden centre. 9d.

CHRYSANTHEMUMS.—POMPONS, LILIPUTIANS,
AND HYBRIDS.

*The Liliputians (matricarioides), marked thus *, are about half the size of the Pompoms.*

- ADELE PRISETTE, fringed lilac; fine. 9d.
 AIGLE D'OR, hybrid, splendid canary yellow. 9d.
 ALLIETTE, violet lilac, with darker tips, and light centre; a very full round well-formed flower. 3s. 6d.
 AMY, clear yellow, dwarf habit, fine form and free. 9d.
 ANDROMEDA, cream, with brown points, very free, dwarf, and fine for specimens. 9d.
 APOLLO, chestnut and yellow; a fine incurved hybrid. 9d.
 ARABELLA, hybrid, blush. 9d.
 AUGUSTA, blush white, dwarf, early and free; fine for specimens. 9d.
 AUTUMNA, buff; very fine. 9d.
 BARON D'ULIMBERT, a splendid flower, of excellent shape; colour a rich dark violet purple; very attractive. 1s. 6d.
 BERROL, golden yellow; extra fine for specimen plant. 9d.
 BOB, dark brown; fine. 9d.
 BRILLIANT, crimson scarlet, very bright. 9d.
 CANARY BIRD, clear yellow, very dwarf, and fine habit. 9d.
 CAPELLA, dark red chestnut, with orange centre, very dwarf and attractive. 9d.
 CHRISTIANA, canary yellow, with brown points, beautiful form. 9d.
 CITRONELLA, pure clear yellow, very dwarf; a fine incurved hybrid. 9d.
 CLÉOPHAS, bronzy red, with yellow borders, and orange centre; a fine showy flower. 3s. 6d.
 COSBI, clear lilac violet, rather paler at the base of the florets; light centre; of good form, and very attractive. 3s. 6d.
 DANÆ, bright gold, very dwarf, abundant bloomer, and fine for specimens. 9d.
 DONA LUISA, a splendid flower, of good size and form; tender lilac, tipped with white. 3s. 6d.
 DRIN DRIN, clear yellow; very fine. 9d.
 FAIREST OF THE FAIR, lilac blush, with silvery tips, dwarf habit and very fine. 9d.
 FAIRY, lemon, with dark orange border. 9d.
 FAIRY NYMPH, pure white, wide round florets; free, and first-rate for specimen plants. 9d.
 FIGARO, red and yellow; very fine. 9d.
 FLORENCE, dark cherry, very fine; a most attractive colour, and abundant bloomer. 9d.
 GAIETY, bright red, with orange border, very double, dwarf bushy habit; very pretty. 9d.
 GEM, dark crimson; a very bright colour, early and free; a fine specimen plant. 3s. 6d.
 GÉNÉRAL CANROBERT, pure yellow; very fine for specimens. 9d.
 GOLDEN AURORE, beautiful bright golden sport of *Aurore Boréale*, and first-rate for specimen plants. 9d.
 GOLDEN CIRCLE, bright golden orange, of dwarf habit, and fine for specimen plants. 9d.
 HÉLÈNE, fine rosy violet. 9d.
 IDA, pale clear yellow; very fine. 9d.
 IRIS, white, tipped bright pink, double and fine form. 9d.
 JUDY, bright golden yellow, very double and fine. 9d.
 JULIA ENGELBACK, yellow and brown points, very distinct and fine. 9d.

POMPON, LILIPUTIAN, AND HYBRID CHRYSANTHEMUMS—Continued.

- LARA, cream, tipped cherry, free and pretty. 9d.
 LA VOGUE, bright gold; fine. 9d.
 *LE NAIN BÉBÉ, rosy lilac, with the odour of violets. 9d.
 LILI PITHON, deep purple violet, with lighter border to the florets; a beautifully-formed flower. 3s. 6d.
 LITTLE BEAUTY, white, bordered delicate rose pink; very full and fine. 9d.
 LITTLE CREOLE, brown orange, very dwarf compact habit, and free. 9d.
 LITTLE KATE, blush, with primrose centre, fine form and compact habit. 9d.
 LIZZIE HOLMES, canary yellow, with rosy tint, of exquisite form, very double, free and dwarf habit; one of the most beautiful Pompoms ever offered. 9d.
 LOUISE HONNORATY, dark rose, small, free, and of exceedingly dwarf bushy habit, from 10 to 12 inches high; quite a gem. 9d.
 LUCIEN CABOCHE, light rose pink, new colour and fine. 9d.
 LUCINDA, rosy lilac and blush, full and fine. 9d.
 MADAME DE VATRY, rose lilac and white. 9d.
 MADAME EUGÈNE DOMAGE, pure white, very fine. 9d.
 MADAME FERRAND, clear rosy lilac, all the florets finely embroidered with pure white, flower medium, reflexed; a very fine variety. 9d.
 MADAME FOULD, cream, splendid form, one of the finest Pompoms yet raised. 9d.
 MADAME PICHAUD, white and crimson. 9d.
 MADAME ROUSSELON, white, tipped rose, very fine. 9d.
 MADGE WILDFIRE, vivid red, and large golden tips, distinct, novel colour, and very attractive. 9d.
 MARIE LEBARBIER, rosy crimson, with light centre; small round flower, but exceedingly free. 1s. 6d.
 MDLLE. MARTHE, very fine, dwarf, white. 9d.
 MIRANDA, bright rose fringed, extra fine, and very distinct, with the odour of violets. 9d.
 MISS JULIA, dark chestnut, fine and distinct. 9d.
 MODÈLE, fine white. 9d.
 MR. VAN HOUTTE, very fine chestnut, almost a ball. 9d.
 MRS. CAMPBELL, white, bordered cherry, fine. 9d.
 MRS. DIX, blush, bordered rose, full size, very double; the finest flower of this colour. 9d.
 MUSTAPHA, dark brown crimson, very free. 9d.
 NITIDA, white, fine. 9d.
 PERI, dark yellow and red points, very dwarf and free, flowering pyramidically. 9d.
 PRÉCOCITÉ, a remarkably free-flowering variety, producing its pretty light yellow flowers in the utmost profusion. 3s. 6d.
 PRÉSIDENT DECAISNE, rosy carmine, fine violet scented. 9d.
 PRINCE KENNA, rose pink, and lighter centre, full, round, and very pretty. 9d.
 PRINCE VICTOR, dark red maroon, double and fine. 9d.
 *PYGMIE, bright gold, very double, and of dwarf habit; a most curious little Liliputian, and the smallest Chrysanthemum ever seen. 9d.
 ROSE D'AMOUR, clear rose, full size, very fine and free, and of dwarf habit. 9d.
 ROSE TREVENNA, rosy blush, extra fine. 9d.
 SAINT JUSTIA, red and orange, fine. 9d.
 SAINT MICHAEL, very bright gold, equal in colour to *Jardin des Plantes*, full size, dwarf habit, and very fine. 9d.
 SALAMON, dark rose carmine, very free and fine. 9d.
 SILOÉ, golden yellow, with dark orange centre; all the florets tipped with salmon purple; very attractive. 3s. 6d.
 SINDBAD, bronzed rosy purple, very double and fine form. 9d.
 SUNSET, orange and bronze, fine. 9d.
 THE COUNTESS, blush, tinted lilac; beautiful little Pompon, flowering in compact bouquets. 9d.
 THE LITTLE GEM, delicate peach blush; a lovely variety, remaining in bloom until after Christmas. 9d.
 TORFRIDA, bright golden amber, full and fine. 9d.
 TROPHÉE, rose mottled, fine. 9d.
 URANIE, amaranth, pencilled white, very fine. 9d.
 WHITE TREVENNA, a fine white sport of the well-known *Rose Trevenna*, so highly prized for its exquisitely formed flowers. 9d.

POMPONS, ANEMONE-FLOWERED.

- ASTREA, hybrid, lilac bluish and gold centre; free and fine. 9d.
 CALLIOPE, bright ruby red, with full high centre, very fine. 9d.
 CEDO NULLI, hybrid, white, with brown points. 9d.
 COQUETTE, bluish, with high yellow centre, dwarf, free and fine. 9d.
 EUGÈNE LAUJAULET, hybrid, yellow, with orange centre, fine. 9d.
 FIREFLY, bright capuciu scarlet, with high centre, a very distinct and striking colour. 9d.
 GRACE DARLING, fine lilac, and bluish centre. 9d.
 LILAC CEDO NULLI, rose lilac, fine for specimens. 9d.
 MADAME MONTELS, hybrid, white, with yellow centre, very distinct and beautiful. 9d.
 MARIE STUART, lilac bluish, with high sulphur centre; very fine. 9d.
 MISS NIGHTINGALE, bluish, with white centre, very full and fine. 9d.
 MR. ASTIE, golden yellow, dwarf, and splendid form. 9d.
 MRS. WYNESS, rose lilac, high centre, free and fine. 9d.
 SIDONIE, lilac, with high bluish centre, full-sized. 9d.

SUMMER-FLOWERED POMPONS.

These varieties bloom during the months of June, July, August, September, and October.

- | | |
|---|---|
| ADRASTUS, hybrid, mauve. 9d. | JARDIN DES PLANTES, fine white. 9d. |
| CHROMATELLA, dwarf yellow, fine. 9d. | MADAME ALPHONSE DUFOY, white, |
| FREDERIC PÉLÉ, fine bright crimson. 9d. | full size, very fine. 9d. |
| GOLDEN BUTTON, golden yellow, very | SCARLET GEM, scarlet crimson, very dwarf. |
| dwarf, early, and free. 9d. | 9d. |

MR. WILLIAM BULL

DEES TO INVITE

AN INSPECTION OF HIS WINTER GARDEN,

To view one of the most remarkable sights that can be witnessed in Grape-growing.

The Vines, which are festooned over the entire building, covering an area of upwards of 20,000 superficial feet, spanning 60, with the height of 26, are principally grown for the purpose of partially shading Specimen Plants from the direct rays of the sun.

These Vines, during the fruiting season, are loaded with thousands of bunches hanging in almost perfect regularity in every part of the house, and this, with the magnificent specimens beneath, present, as a *coup d'œil*, a combination of use and ornament which Mr. W. B. ventures to think is unsurpassed in this country, or indeed in Europe.

GRAPE VINES.

At the proper season plants can be supplied of all the best varieties, in good fruiting canes, of well-matured growth, and superlative excellence.

A SPECIAL LIST OF MAGNIFICENT VARIETIES OF

NEW AND CHOICE GLADIOLUS

Will be published in Mr. WILLIAM BULL'S Autumn Seed Catalogue.

This beautiful tribe of plants should be largely planted everywhere, because :—

They are perfectly hardy and easily grown.

They are gorgeously beautiful.

Their handsome spikes of flower buds are useful for cutting.

When cut and placed in water, the flower buds expand and last a long time.

Planted in pots they are effective for conservatory decoration.

In borders among Evergreens they are charming.

Planted by hundreds among Rhododendrons, they brighten and enliven the beds during the summer and autumn months; inexpensive kinds can be supplied for this purpose.

For decorating vases and epergnes, Gladiolus spikes are invaluable.

Gladiolus flowers have so many recommendations, that:—

Scarcely too much can be said in their favour.

Since the preceding part of the Catalogue went to press, the celebrated botanist, Dr. B. Seemann, F.L.S., who has been collecting New Plants for Mr. W. BULL, has returned from Central America, and has brought many New Plants that will vie with *Godwinia gigas*, *Psychotria cyanococca*, *Vitis chontalensis*, *Antigonon leptopus*, *Cyrtodeira chontalensis*, *Vitis javalensis*, *Agave Seemanni*, *Parmentiera cereifera*, and some of the beautiful Palms, &c., all of which have been introduced by Dr. Seemann.

From among the New Plants just brought, Mr. W. B. has selected the following remarkable Fern, *Elaphoglossum Herminieri*, to offer at once. Dr. Seemann's other introductions will be announced as soon as they can be sufficiently propagated to do so.

ELAPHOGLOSSUM HERMINIERI.

This handsome acrostichoid Fern has just been brought from the gold regions of Central America by Dr. Seemann, who compares its long drooping shining somewhat iridescent fronds to clusters of silvery oels, whence he proposes for it the popular name of Eel Fern. It has a stout short creeping rhizome, thickly clothed with long reddish brown scales. The sterile fronds are from a foot and a half to three feet long, sessile, sword-shaped, tapering gradually to each end, very thick in texture, with a glossy surface of an iridescent glaucous green colour. The fertile fronds are much shorter, three to four inches long, and oblong in outline. It has been previously known as a native of the West Indies, and some parts of Guiana and Brazil, is well adapted for basket culture, which will show its peculiar features to advantage, and can be recommended as distinct in appearance and ornamental in character. 15s.

In addition to the new varieties of "PRIMULA INTERMEDIA," described at page 51, Mr. W. B. can also offer the following; and this handsome and interesting new class can scarcely be too highly recommended:—

PRIMULA INTERMEDIA BETA, light rosy purple, with white centre, surrounded with plum colour; a finely formed flower, very showy and attractive. 5s.

PRIMULA INTERMEDIA BIANCA, rich maroon, with dark shading, attractive yellow centre. 5s.

PRIMULA INTERMEDIA CASILDA, puce, with white eye; a novel and distinct flower. 3s. 6d.

PRIMULA INTERMEDIA CONQUEST, a very rich deep velvety crimson, with large golden yellow centre; a strikingly handsome variety, producing fine large roundly formed flowers. 5s.

PRIMULA INTERMEDIA ETHEL, a beautiful violet peach colour, with large and conspicuous primrose eye. 5s.

PRIMULA INTERMEDIA HERMIT, dull reddish brown, with conspicuous yellow centre; a distinct variety. 3s. 6d.

PRIMULA INTERMEDIA MENTOR, a large and well-formed flower; colour blue, shaded with rose, primrose centre; very fine. 5s.

PRIMULA INTERMEDIA OMEGA, rosy crimson, with yellow centre; a pretty variety. 3s. 6d.

PRIMULA INTERMEDIA PANDORA, rosy purple, shaded with rich dark crimson, bright yellow eye, very attractive. 5s.

PRIMULA INTERMEDIA PHEBE, puce purple, with yellow eye; very free and pretty. 3s. 6d.

PRIMULA INTERMEDIA ROVER, rosy purple, with golden eye; a striking and effective flower. 3s. 6d.

PRIMULA INTERMEDIA SYREN, a fine large flower, of a reddish purple colour, with rich yellow centre; very showy and attractive. 5s.

IXORA COLEI.

This beautiful white *Ixora* is a seedling from *I. coccinea* and *I. alba*, having the strong, free, robust habit, and large foliage of the former, which is a dark green, and the pure white flowers of the latter, which it produces in great profusion, and retains for a length of time, thus proving its superiority over that variety as an invaluable addition to all collections of Stove Plants for exhibition and decorative purposes. 15s. For other "*Ixoras*," vide page 26.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published annually, contains descriptions and prices of all the most desirable novelties, both in Flower and Vegetable Seeds, together with all the best and most popular seeds that can be offered for the Kitchen Garden, Farm, Flower Garden, Conservatory, &c.

Export Orders.—Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Mr. W. B.'s BULB CATALOGUE,

"This admirably prepared list, in addition to the usual lists of Hyacinths, Tulips, Narcissi, Crocus, &c., &c., contains such a capital list of miscellaneous bulbs, that it deserves something more than a passing notice."—*Vide "The Gardeners' Magazine," September 4th, 1869, page 396.*

All Mr. WILLIAM BULL'S Catalogues may be had on application.

THE FLORIST AND POMOLOGIST

Is a monthly magazine, full of general gardening information of a most reliable character. With its handsome coloured plate of some new and popular flower or fruit, and its woodcut illustrations, it is equally adapted for the use of lady or gentlemen amateurs, and for practical Florists and Horticulturists. Price 1s. monthly.

New Publication, cloth, 8vo., price 5s.; post free, 5s. 5d.,

CHOICE STOVE AND GREENHOUSE FLOWERING PLANTS,

Comprising Descriptions of upwards of One Thousand Species and Varieties, accompanied by Instructions for their Cultivation and Mode of Management.

By BENJAMIN S. WILLIAMS, with Coloured Plate by J. N. FRENCH.

With Illustrations, 8vo., 16s.,

TREES AND SHRUBS FOR ENGLISH PLANTATIONS.

A Selection and Description of the most Ornamental Trees and Shrubs, native and foreign, which will flourish in the open air in our climate; with classified Lists of the several Species, for the purposes of practical application.

By AUGUSTUS MONGREDIEN.

Third Thousand, with 400 Illustrations, 8vo., 18s.,

THE PARKS AND GARDENS OF PARIS,

Described and Considered in Relation to the Wants of Our Own Cities, and of Public and Private Gardens.

By W. ROBINSON, F.L.S.

With Illustrations, 8vo., 12s.,

ALPINE FLOWERS FOR ENGLISH GARDENS.

An Explanation of the Principles on which the Exquisite Flora of Alpine Countries may be Grown to Perfection in all Parts of the British Islands.

By W. ROBINSON, F.L.S., Author of "The Parks and Gardens of Paris."

FOREIGN ORDERS.

Plants, Seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Wardian Cases, or close boxes, according to the nature of the goods, and shipped to any part of the world.

Cheques to be crossed "LONDON JOINT STOCK BANK."

Post-office Orders to be made payable at KING'S ROAD, CHELSEA, S.W.

WILLIAM BULL, F.L.S.,

RESPECTFULLY INVITES THE NOBILITY AND GENTRY ABOUT TO FURNISH
CONSERVATORIES TO AN INSPECTION OF THE

MAGNIFICENT SPECIMEN ORNAMENTAL PLANTS

IN HIS

WINTER GARDEN,

SOME OF WHICH ARE THE HANDSOMEST IN EUROPE;

THEY COMPRISE

VARIEGATED ALOES AND YUCCAS

MAJESTIC TREE FERNS AND DRACÆNAS

GRACEFUL GREVILLEAS AND ACACIAS

NOBLE PALMS AND MUSAS

BEAUTIFUL AZALEAS AND CAMELLIAS

GORGEOUS INDIAN RHODODENDRONS

CURIOUS CYCAS AND AGAVES

PICTURESQUE ENCEPHALARTOS AND ARAUCARIAS

AND

HANDSOME STANDARD BAYS, ORANGE TREES, and LAURESTINUS,

IN TUBS,

WITH SYMMETRICAL HEADS,

For Terrace Gardens or Conservatories.

Mr. WILLIAM BULL has a staff of thoroughly experienced packers, so that plants of any size or in full bloom can be safely sent any distance without the least injury.

ESTABLISHMENT FOR NEW AND RARE PLANTS,

KING'S ROAD, CHELSEA, LONDON, S.W.



PATENT PLANT CASE.

Vide Designs, page 172.

LETTERS PATENT to William Bull, F.L.S., F.R.H.S., of King's Road, Chelsea, in the County of Middlesex, New Plant Merchant, for the Invention of "**An Improved Case for the Conveyance of Plants.**"

Scaled the 13th December, 1870, and dated the 27th June, 1870.

SPECIFICATION in pursuance of the conditions of the Letters Patent, filed by the said William Bull in the Great Seal Patent Office on the 24th December, 1870.

TO ALL TO WHOM THESE PRESENTS SHALL COME, I, WILLIAM BULL, F.L.S., F.R.H.S., of King's Road, Chelsea, in the County of Middlesex, New Plant Merchant, send greeting.

WHEREAS Her most Excellent Majesty Queen Victoria, by Her Letters Patent, bearing date the Twenty-seventh day of June, in the year of our Lord one thousand eight hundred and seventy, in the thirty-fourth year of Her reign, did, for Herself, Her heirs and successors, give and grant unto me, the said William Bull, Her special licence that I, the said William Bull, my executors, administrators, and assigns, or such others as I, the said William Bull, my executors, administrators, and assigns, should at any time agree with, and no others, from time to time and at all times thereafter during the term therein expressed, should and lawfully might make, use, exercise, and vend, within the United Kingdom of Great Britain and Ireland, the Channel Islands, and Isle of Man, an Invention for "**An Improved Case for the Conveyance of Plants,**" upon the condition (amongst others) that I, the said William Bull, my executors or administrators, by an instrument in writing under my, or their, or one of their hands and seals, should particularly describe and ascertain the nature of the said Invention, and in what manner the same was to be performed, and cause the same to be filed in the Great Seal Patent Office within six calendar months next and immediately after the date of the said Letters Patent.

NOW KNOW YE, that I, the said William Bull, do hereby declare the nature of the said Invention, and in what manner the same is to be performed, to be particularly described and ascertained in and by the following statement thereof, reference being had to the accompanying Sheet of Drawings, in which Fig. 1 is a perspective view of my improved case as seen when it is closed; Fig. 2, a corresponding view with one covering frame removed to show the interior of the case; Fig. 3, an enlarged section of one of the upper ends of the case showing the ventilator; and Fig. 4, a view of the inner side of the same at right angles to Fig. 3.

It is well known that when plants have to be transported for long distances, and have consequently to remain packed for a considerable length of time, they require to be packed in cases with glass covers so that the requisite amount of light may be enabled to reach them. They also require to be more or less moist to withstand a journey of three or four months (more or less) in a closed case, and it is moreover necessary to protect them from the action of sea air and salt water during transit.

Heretofore great loss has been sustained in the transmission of valuable plants owing to the direct action of the rays of the sun upon the glass covers of the cases

containing the plants, the result of which has been the creation of what may be termed a "steaming" heat within the case, so that the plants have been literally boiled. Great damage results also from the breaking of the glass on board vessels, which at present frequently happens, thus exposing the plants to the action of the sea air. Various devices have been resorted to for the purpose of obviating these serious evils, such as the nailing across the case strips of wood, bamboo canes, canvass and other plans, but all the means hitherto used, so far as I know, have more or less failed to accomplish the object in view, as they either make the interior of the case too dark, or do not prevent the sun's rays from penetrating directly into the case.

Now in order to remedy the evils above referred to, and also to protect the plants from injury by the dripping on to them of the condensed vapour from the glass, I cover the glass with a frame or frames formed with louver pieces *a*, so arranged as to permit the necessary light to enter the case, but to protect the glass from the direct rays of the sun, and from breakage; and in order to protect the plants from the dripping of condensed vapour, I arrange the glass covers and interior of the case, as shewn in the Drawings, so that the condensed vapour shall pass down the surface of the glass into small channels or chambers *b*, provided within the case to receive it, which chambers *b* are filled with sphagnum moss or charcoal to absorb the moisture. I furthermore guard the plants against injury from sea water entering the case during the washing of the decks, by constructing the case with projecting parts or legs *c* in such manner that its bottom shall be raised some distance from the surface of the deck, and thus allow any water to flow underneath without soaking it up. I provide for the escape of foul and overheated air from the interior of the case by placing at each end thereof, or at one end only, a ventilator of the kind shewn at Figs. 3 and 4. A small chamber *d* is formed in the upper part of the end of the case; this chamber communicates through openings *e* with the interior of the case, and through openings *f* with the external atmosphere. The openings *e* and *f*, which I prefer to make about one inch in diameter, are covered by screens *g*, made of the finest wire netting procurable, and outside of this netting by a farther covering of finely perforated zinc plate *h*, through both of which coverings the air is as it were "wire-drawn" in its passage into and out of the case. The number of openings *e* and *f* may be varied to suit the requirements of the climate through which plants have to be conveyed, and the length of the voyage or journey, increasing the number of holes *e* and *f* according to the length of the journey, and the nature of the plants, as will be well understood by horticulturists.

This invention is the result of great observation and experience, for as a largo importer and exporter of new and rare plants I was induced to turn my attention to devising some practical means for obviating the serious evils already referred to in consequence of having suffered great losses for several years in importing plants, many of which were not only new to this country but to science.





Having thus described the nature of my said invention, and in what manner the same is to be or may be performed or carried into practical effect, I declare that what I claim as of my Invention and desire to have secured to me by the herein-before in part recited Letters Patent, is, the improved construction of plant case herein-before described and illustrated in the accompanying drawings or any more modification thereof.

In witness whereof, I, the said William Bull, have hereunto set my hand and seal, this Twenty-fourth day of December, in the year of our Lord One thousand eight hundred and seventy.

WILLIAM BULL.

MR. WILLIAM BULL'S PATENT PLANT CASE.

Vide Specification from Patent Office, pages 170 and 171.



INDEX.

	PAGE		PAGE
ABUTILONS	32 & 150	CYATHEA PRINCEPS	116
ACHIMENES	7, 81, & 82	CYCADS, PALMS, &c.	122 to 127
ADIANTUMS	115 & 118	CYCLAMENS	35
AGAVES, of sorts	32	CYPRIPEDIUMS	62 & 63
AGERATUM	159	CYTODEIRAS	82
ALLAMANDAS	3 & 16	DAILIAS	35 & 151
ALOCASIAS, of sorts	17	DENDROBIUMS	63 to 65
ALOPECURUS PRATENSIS AUREO-VARIEGATIS .	150	DICKSONIA ANTARCTICA	113, 114, & 118
ALTERNANTHERAS	150	DIEFFENBACHIAS	22
AMARYLLIS, of sorts	17	DIONEÆ MUSCIPULA	22
ANANASSAS	17	DIPLADENIAS	22 & 23
ANGRÆCUM SESQUIPEDALE	59	DORYANTHES EXCELSA	36
ANTHURIUMS, of sorts	17	DRACÆNAS, of sorts	23, 24, & 36
ANTIGONONS	17 & 18	DRACONTIUM ELATUM	4
ARAUCARIAS	33	ECHIVERIAS	36 & 151
ARISTOLOCHIAS	18	ECHITES	22, 23, & 24
ATHYRIUMS	120	EEL FERN " <i>ELAPHOGLOSSUM HERMINIERI</i> "	167
AUCUBAS, Male and Female	139 & 140	ENCEPHALARTOS	124 & 125
AUSTRALIAN GIGANTIC LILY	36	ERANTHEMUMS	25
AZALEAS, of sorts	41, & 128 to 131	ERYTHIRINA COMPACTA	4
BAMBUSAS	18 & 44	EUCODONIAS	79
BEDDING PLANTS	150 to 155	FERNS, GREENHOUSE	118 & 119
BEGONIAS	137 to 139	—— HARDY	120 & 121
BERTOLONIAS, of sorts	3 & 18	—— STOVE	115 to 117
BIGLANDULARIAS	79	—— TREE	113 & 114
BIGNONIAS	4, 19, 33, & 44	FICUS, of sorts	4, 25, 36, & 37
BOUGAINVILLEAS	19	FITTONIAS	25
CALADIUMS	135 to 137, & 150	FUCHSIAS, of sorts	7, 8, & 146 to 150
CALANUS DEALBATUS	123	GASTRONEMAS	4 & 37
CALCEOLARIAS, of sorts	34 & 151	GAULTHERIAS	37
CAMELLIA PRINCESS MARY	132	GERANIUMS, <i>vide</i> PELARGONIUMS.	
CAMELLIAS, of sorts	131 to 131	GESNERAS	77 to 79
—— SPECIMEN	131	GLADIOLUS CRUENTUS	5
CANDLE TREE (<i>Parmentiera coccifera</i>) . .	28	GLOXINIAS	82 to 85
CAMPSIDIUM VALDIVIANA	4	GODWINIA GIGAS	25
CATTLEYS	61 & 62	GOODYERAS	5 & 66
CHAMERANTHEMUMS	19	GRASSES, NEW HARDY	150, 152, & 153
CHRYSANTHEMUMS, HYBRID JAPANESE,		GREENHOUSE PLANTS	32 to 41
11, 15, & 156 to 159		GUNNERAS	47
—— CHINESE OR LARGE-		GYMNOSTACHIUMS, <i>vide</i> FITTONIAS.	
FLOWERED	15, 16, 157, & 159 to 161	HARDY PLANTS	43 to 54
—— POMPON, LILIPUTIAN, AND		HELICONIA VINOSA	5
HYBRID	164 to 166	HIBISCUS	26 & 47
CISSUS	19, 31, & 34	HOLCUS LANATUS ALBO-VARIEGATUS . .	152
CITRUS	34	HYDRANGEAS	37 & 47
CLEMATIS	45	IRESINES	152
CLERODENDRONS	19 & 20	IRIS	47
COBÆAS	20 & 34	IXORAS	26 & 167
COLEUS	7, & 85 to 87	JALAP	55
COPROSMA BAUERIANA VARIEGATA	34 & 151	JONESIA DECLINATA	5
CORYNOSTYLIS ALBIFLORA	20	KEMAFERIA SPECIOSA	27
COSTUS	20	LÆLIAS	66 & 67
CROTONS	20 & 21	LAPAGERIA	38
CUPRESSUS	45 & 46	LASIANDRAS	38
CYANOPHYLLUMS, of sorts	21	LASTREA FLORIDANA	121

INDEX-Continued.

	PAGE		PAGE
LEMONS	34	PELARGONIUMS, ZONAL, NEW	13 & 93 to 96
LIBONIA PENRHOSIENSIS	5	PENTSTEMONS	134 & 135
LILIUMS, of sorts	38, 48, 49, & 50	PEPEROMIAS	29
LITOBROCHIA UNULATA	117	PETUNIAS, DOUBLE, NEW	8 & 142 to 144
LOBELIAS	152 & 153	———— SINGLE, NEW	8, 9, & 142 to 144
MACADAMIA TERNIFOLIA	38	———— ANEMONE-FLOWERED, NEW	8 & 144
MACROZAMIAS	125 & 126	———— FRINGED, NEW	8
MACKAYA BELLA	5	PHALENOPSIS	72 & 73
MAGNOLIA CAMPBELLII	50	PILEUM PRATENSE VARIEGATUM	153
MANGO	27	PHLOXES	145 & 146
MARANTAS, NEW	27	PHILODENDRONS	27 & 29
MESEMBRYANTHEMUM, NEW	38 & 153	PHORMIUMS	39
MIMULUS	140 to 142 & 153	PIPER FUTOKADSUTA	51
MONOLENA PRIMULIFLORA	27	PLANERA JAPONICA	51
MUSAS, of sorts	6, 27 & 39	PLECTOPOMAS	76
MYOSOTIS	153	PODOCARPUS	40 & 51
NEGELIAS, <i>vide</i> GESNERASS.		POLYGONATUMS	51
NEW BEDDING PLANTS	150 to 155	POLYGONUM SACHALINENSE	51
— GREENHOUSE PLANTS	32 to 41	PRIMULAS	40, 51, & 167
— HARDY PLANTS	43 to 54	PSYCHOTRIAS, NEW	29
— PRIMULAS	51 & 167	RETINOSPORAS	52
— STOVE PLANTS	16 to 31	RHODODENDRONS	42, 43, & 52
— ZEALAND FLAX	39	ROSES	155 & 156
ODONTOGLOSSUMS	69 & 70	SACCOLABIUMS	73
OFFICINAL AND MEDICINAL PLANTS	54 & 55	SELAGINELLAS	30, 41, & 53
ONCIDIUMS	6, & 70 to 72	SHRUBS, <i>vide</i> HARDY PLANTS.	
OPHIOPOGONS	50	SILVER PALM	123
ORANGE TREES	34 & 39	SPECIMENS IN WINTER GARDEN	169
ORCHIDS	56 to 76	SPIREAS	47 & 53
PALMS, CYCADS, &c.	122 to 127	STOVE PLANTS	16 to 31
PANDANUS	6 & 28	STYRAX JAPONICA	53
PASSIFLORAS	28, 39, & 51	SYCAMORE TREE OF SCRIPTURE	25
PATENT PLANT CASE	170 to 172	SYNGONIUM ALBO-LINEATUM	6
PELARGONIUMS, BRONZE AND GOLD, 11, 12, & 106 to 110		TACSONIAS	6, 31, & 41
———— BRONZE AND GOLD, with finely - shaped flowers, 12, 110 & 111		TECOMAS	41 & 53
———— BRONZE AND GOLD, with blos- soms of new colours, 12, 13, 111, & 112		TERMINALIA ELEGANS	31
———— DOUBLE - FLOWERED, 10, & 100 to 103		THE DOVE FLOWER	72
———— FANCY	14 & 92	———— GOLDEN ONCIDIUM	70
———— GOLDEN-LEAVED, 11 & 106 to 110		———— IRISII FERN	119
———— HYBRID PERPETUAL	93	TREE FERNS	113 & 114
———— IVY-LEAVED, NEW, 9, 10, & 99 & 100		TROPEOLUMS	53 & 154
———— NOSEGAY	13, 14, 97, & 98	TROPICAL FRUITS	54 & 55
———— SHOW	90 & 91	TYDEAS	7, 79, & 80
———— SPOTTED	14, 88, & 89	UROSPATHAS	31
———— TRICOLOR	11 & 103 to 106	VANDAS	75
———— UNIQUE, NEW	100	VERBENAS	9 & 154
———— VARIEGATED	11 & 103 to 106	VERONICAS	43
		VIOLAS	154 & 155
		VIOLETS, SWEET-SCENTED	112
		VITIS	31 & 54
		WELFIA REGIA	127
		WIBGELAS	54
		YUCCAS	41 & 54
SALTER'S NEW CHRYSANTHEMUMS			14 to 16 & 156 to 166